




no 6457.1



1938-40
97-99

GIVEN BY

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1940

PREPARED BY

FREDERIC W. COOK

THE SECRETARY OF THE COMMONWEALTH

EDITED BY

ARTHUR J. HASSETT

STATE REGISTRAR OF VITAL STATISTICS



CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1940.

PART I.

MORTALITY STATISTICS.

	PAGE
INTRODUCTION	1-10
General mortality	1-4
Death registration	1
Purpose	1
Importance of death records	2
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Causes of death	5-9
Source of error in mortality statistics	5
Principal causes of death	5-9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9, 10
Autopsies	10
Causes of death	10
STATISTICAL TABLES	11-207
General mortality	11-188
TABLE 1.—Deaths occurring in cities and towns, by sex and nativity, population, and death rates in each county, city and town: 1940	11-16
TABLE 2.—Deaths allocated by cities and towns, by sex and nativity, population and death rates in each county, city and town: 1940	17-21
TABLE 3.—Deaths by sex and age, in each county: 1940	22, 23
TABLE 4.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants: 1940	24-29
TABLE 5.—Mortality of males and females: 1915 to 1940	30
TABLE 6.—Deaths of specified ages: census years 1915 to 1940	30
TABLE 7.—Per cent of deaths at specified ages—both sexes: 1916 to 1940	31
TABLE 8.—Male deaths per 1,000 female deaths at specified ages: 1937 to 1940	31
TABLE 9.—Deaths of males and females at specified ages: 1931 to 1940	32
TABLE 10.—Deaths by sex, age, and marital condition: 1940	33
TABLE 11.—Deaths in counties, and in cities having over 50,000 inhabitants, by months: 1940	33
TABLE 12.—Live births, deaths under 1 year, stillbirths and rates per 1,000 population and per 1,000 live births: 1914 to 1940	34
TABLE 13.—Deaths allocated from each cause and class of causes, according to the detailed International List, by months and sex: 1940	35-57
TABLE 14.—Deaths allocated from each cause and class of causes, according to the detailed International List, by sex and 5-year age periods: 1940	58-101
TABLE 15.—Deaths of residents out of state dying in Massachusetts from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1940	102-121
TABLE 16.—Deaths of residents of Massachusetts dying out of state, from each cause and class of causes, according to the detailed International List by months and sex and by age and sex: 1940	122-135
TABLE 17.—Deaths from important causes in each county and municipality: 1940	136-162
TABLE 18.—Deaths allocated from important causes by occupations: 1940	164-184
TABLE 19.—Deaths from principal causes: 1916 to 1940	185
TABLE 20.—Deaths from principal communicable diseases: 1916 to 1940	185
TABLE 21.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1934 to 1940	186, 187
TABLE 22.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1910 to 1935	188
TABLE 23.—Deaths produced by external causes: 1916 to 1940	188
Infant mortality	189-196
TABLE 24.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1940	189-191
TABLE 25.—Infant and maternal deaths and death rates, for the State and counties: 1940	191
TABLE 26.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1940: 1933 to 1940	192
TABLE 27.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1940: 1940	192, 193
TABLE 28.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1924 to 1940	193
TABLE 29.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1915 to 1940	194

STATISTICAL TABLES—*Concluded.*Infant mortality—*concluded.*

	PAGE
TABLE 30.—Infant deaths per 1,000 live births, by causes: 1933 to 1940	194
TABLE 31.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1933 to 1940	194
TABLE 32.—Deaths from important causes for certain subdivisions of the first year of life for the State: 1940	195
TABLE 33.—Deaths from important causes for certain subdivisions of the first year of life, for Boston: 1940	196
Deaths from special causes	197, 198
TABLE 34.—Deaths from lobar pneumonia, by months, in municipalities having over 10,000 inhabitants in 1940: 1940	197
TABLE 35.—Deaths from bronchopneumonia, by months, in municipalities having over 10,000 inhabitants in 1940: 1940	198
Maternal mortality	199
TABLE 36.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1916 to 1940	199
TABLE 37.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1916 to 1940	199
Deaths investigated by medical examiners	200-207
TABLE 38.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1940	200-205
TABLE 39.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number of deaths autopsied in each county: 1940	206, 207
TABLE 40.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1931 to 1940	206, 207

PART II A.

BIRTH STATISTICS.

INTRODUCTION	208-211
Birth registration	208
Importance of birth records	208, 209
Records impounded	209
Allocation	209, 210
Live births	210
Birth rates	210
Changes in birth rate	210
Stillbirths	210
Birth rates, highest	210
Sex proportion at birth	210
Nativity of parents	211
Plural births	211
Natural increase	211
STATISTICAL TABLES	212-229
TABLE 41.—Live births, by sex and parent nativity, in each county and municipality; population; and birth rates: 1940	212-216
TABLE 42.—Allocated live births, by sex and parent nativity, in each county and municipality; population; and birth rates: 1940	217-221
TABLE 43.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants: 1940	222
TABLE 44.—Plural births and stillbirths, by sex, in each county and municipality: 1940	223-227
TABLE 45.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1940: 1916 to 1940	228
TABLE 46.—Live births, by sex and parent nativity, and sex proportions at birth: 1916 to 1940	228
TABLE 47.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1916 to 1940	229

PART II B.

MARRIAGE STATISTICS.

INTRODUCTION	230, 231
Marriage registration	230
Source of data	230
Solemnization	230, 231
Accuracy	231
Purpose, marriage requirements	231
STATISTICAL TABLES	232-243
TABLE 48.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1940	232-236
TABLE 49.—Marriages by sex, age, and marital condition: 1940	237
TABLE 50.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1940: 1940	238, 239
TABLE 51.—Marriages in each county, by sex and age: 1940	238, 239
TABLE 52.—Marriages, by sex and age: 1940	240
TABLE 53.—First marriages, by sex and age: 1940	240
TABLE 54.—First marriage of grooms and remarriages of brides, by age: 1940	240
TABLE 55.—Remarriages of grooms and first marriages of brides, by age: 1940	241
TABLE 56.—Remarriages of both parties, by age: 1940	241
TABLE 57.—First marriages and remarriages: 1940	241
TABLE 58.—Marriages, marriage rates, and nativity of persons married: 1916 to 1940	242
TABLE 59.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1940: 1916 to 1940	242
TABLE 60.—Marriages of non-residents, classified by the residence of the groom and bride in each State: 1940	243

PART II C.

DIVORCE STATISTICS.

	PAGE
INTRODUCTION	244, 245
Causes for divorce	244
Source of data	244
Applications for divorce	244
Contested cases	244
Number of divorces	244
Divorce rates	244, 245
Party to which granted	245
Divorce classified by causes	245
Annulled cases	245
Duration of marriages	245
STATISTICAL TABLES	246-264
TABLE 61.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1940.	246
A. Barnstable County	247
B. Berkshire County	248
C. Bristol County	249
D. Dukes County	250
E. Essex County	251
F. Franklin County	252
G. Hampden County	253
H. Hampshire County	254
I. Middlesex County	255
J. Nantucket County	256
K. Norfolk County	257
L. Plymouth County	258
M. Suffolk County	259
N. Worcester County	260
TABLE 62.—Number and per cent of divorces granted to husbands and to wives: 1916 to 1940	261
TABLE 63.—Divorces granted, number and per cent increase in each five-year period over preceding five-year census period: 1915 to 1939	261
TABLE 64.—Comparison of increase in divorces and divorce rates with increase in population: 1915 to 1940	261
TABLE 65.—Divorce rates based on total population and on married population: census years, 1910 to 1935	261
TABLE 66.—Annual average number of divorces in the State and in each county: census years, 1915 to 1935	262
TABLE 67.—Divorces granted for specified causes for 25 years: 1916 to 1940	262
TABLE 68.—Statutory causes of divorce: 1916 to 1940	262
TABLE 69.—Applications for divorce: 1916 to 1940	263
TABLE 70.—Divorces granted, classified by cause and party to which granted: 1940	263
TABLE 71.—Libels for divorce granted and not granted, contested and not contested classified by party to which granted: 1940	263
TABLE 72.—Number of years libellants were married at time of application for divorce: 1916 to 1940	264

PART II D.

POPULATION STATISTICS.

Introductory	265
Estimated population	265
STATISTICAL TABLE	266
TABLE 73.—Census population of municipalities having over 15,000 inhabitants in 1940: 1915 to 1940	266

APPENDIX.

International classification of causes of death	267-272
1. Detailed International List	268-272
2. Abridged International List	273

LETTER OF SUBMITTAL

THE COMMONWEALTH OF MASSACHUSETTS,

Office of the Secretary,

Division of Vital Statistics, Boston, May 1, 1941.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, section 47, of the General Laws, the ninety-ninth annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1940 in two parts; Part I, Mortality Statistics; Part II, Statistics of Births, Marriages, and Divorces. The fact that deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April, and May of the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, statistician of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

FREDERIC W. COOK,
Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1940

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

PART I MORTALITY STATISTICS

	PAGE
Introduction	1-10
General mortality	1-4
Death registration	1
Purpose	1
Importance of death records	2
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Cause of death	5-9
Sources of error in mortality statistics	5
Principal causes of death	5-9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9, 10
Autopsies	10
Cause of death	10
Statistical tables	11-207

INTRODUCTION

History.

Death Registration. — Massachusetts was one of the first colonies to recognize the importance of the registration of vital statistics, and as early as 1639 required the registration of births, marriages and deaths; in 1840 statutes required copies should be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1940 inclusive, 3,854,806 deaths have been reported, filed, and tabulated in the Division of Vital Statistics.

The original records are on file in the cities and towns in which the events occur and in the city and town given as the residence of the deceased at the time of death.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Importance of Death Records. — Where proof concerning death is needed:

1. To prove the fact of death: For life-insurance claims; for liquidation of estates.
2. To prove facts about the deceased: For tracing ancestry; for names of husband or wife, and parents; for information on circumstances and cause of death; for age, sex, and race; for recording date and place of interment.
3. To prove date of death: For settlement of pensions; for insurance adjustments; for general legal use.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths; the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove or bury a body. The local boards of health are required to transmit the death certificates to the city or town clerks who in turn record the deaths and are required to transmit certified copies to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the deaths occurred. Hospitals and other institutions are required to obtain, when persons are received, the facts which are required for record in the event of the deaths of such persons.

Occupations. — As great interest is still being shown in the study of occupations in connection with cause of death due to the fact that many industries have adapted newer types of machines that give employment to large numbers and may have increased occupational risks, Table 18 will be continued. This table has been prepared from the list of occupations published by the Bureau of the Census showing the number of those gainfully employed who died from important causes.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — Deaths are charged to the place of event and also are allocated to the place of residence of the deceased. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. Except for purposes of allocation former residents of Massachusetts who have died in other States, after an absence

from Massachusetts of more than one year, are considered as non-residents. Residents of other States who have resided in Massachusetts for more than one year are considered as residents. In the case of institutions and jails deaths have been allocated to the place of residence before entrance. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. While these deaths are often charged to municipalities in which they do not occur, the Division has under consideration a plan whereby these deaths besides being allocated to the place of residence, will also be charged to the place where the accident actually happened. The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparation of allocated tables.

Number of Deaths and Death Rates. — There was an increase in the mortality of 1940 as compared with that of 1939, the number of deaths occurring in the State during the calendar year 1940 being 51,280, an increase as compared with 1939 of 373. Based on the United States Census population of 1940 of 4,316,721, these deaths correspond to a rate of 11.9 per 1,000 population, being 11.4 in 1939. Deaths of residents of Massachusetts numbered 50,698 in 1940, resulting in a death rate of 11.7 per 1,000 inhabitants.

During the ten-year periods, from 1921 to 1930, inclusive, the average death rate of the Commonwealth was 12.4 and 1931 to 1940, inclusive, 11.5.

This remarkable decrease in mortality has been the rule rather than the exception in the experiences of the other States. Since 1916 the average death rate for Massachusetts has been 13.0 per 1,000 living.

Sex. — Of the 51,280 deaths in 1940, 26,572, or 51.8 per cent, were males, the percentage in 1939 being 51.7. The proportion of males in the living population, as shown by the United States Census of 1940, was 48.7 per cent. Expressed as a ratio there were 1.075 deaths of males per 1,000 deaths of females in 1940, as compared with 1.072 in 1939, 1.092 in 1938, and 1.101 in 1937. Of the 50,698 residents of the State who died in 1940, 26,262, or 51.8 per cent, were males.

Table 5 on page 30, shows that the death rate of males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 50,698 deaths in 1940 of residents of the State, 2,450, or 4.8 per cent were of infants under 1 year of age. The rates for infant deaths in previous years, were 4.6 per cent in 1939, and an average of 5.3 for the five years from 1935 to 1939, 7.4 for the five years from 1930 to 1934 and 10.7 for the five years from 1925 to 1929. A more detailed discussion of infant mortality may be found on pages 4 and 5.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 2,450 decedents under 1 year of age in 1940, 1,395, or 56.9 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years with the exception of the 3 year age period. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males, including the reputed centenarians, numbering 34, of whom 6 were males and 28 were females. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1937-1940 are shown in Table 8, on page 31.

The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 26,262 male decedents in 1940, 1,395 or 5.3 per cent, were under 1 year of age; among the 24,436 female decedents, 1,055 or 4.3 per cent, were under 1 year; and among the decedents of both sexes 4.8 per cent were under 1 year (see Table 9, page 32).

Marital Condition. — Not quite one-half (45.5 per cent) of the decedents 15

years of age and over, whose marital condition was reported in 1940 were married, 17.9 per cent were single, 34.9 per cent were widowed, 1.6 per cent were divorced, and .1 per cent were unknown. Among the male decedents 55.7 per cent were married, 17.8 per cent were single, 24.3 per cent were widowed, 1.2 per cent were divorced, and .2 per cent were unknown. Among the female decedents 34.7 per cent were married, 18 per cent were single, 46.1 per cent were widowed, 1.2 per cent were divorced, and less than one-tenth of one per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 10, on page 33, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Nativity. — Of the Massachusetts residents whose nativity was reported on the death certificates in 1940 nearly two-thirds (60.2 per cent) were native, and 39.5 per cent were foreign. There were three-tenths of one per cent whose nativity was not reported.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in January (4,896), and the next largest number in March (4,622). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1940 was 139. The months showing the highest average for the year were January (158), February (156), March and December (149), and April (143). Table 11, on page 33, shows the number of deaths in each month of 1940, in counties, and in cities having over 50,000 inhabitants in 1940.

Infant Mortality.

Much credit is due to physicians, hospitals, public health officials and mothers for the gratifying results obtained in their campaign against infantile diseases. The present low rate of infant mortality, together with the steadily declining rate over a long period of years, is largely due to the constantly improving methods of infant feeding and the continued developments in community and home sanitation.

The infant mortality for residents of the State in 1940 was 37.5 per 1,000 live births. This rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases. Reference to Table 28, on page 193, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

In the ten years from 1931 to 1940, there has been a decrease of 4.6 per cent in the number of live births registered. In 1940, deaths of Boston residents under 1 year of age numbered 527 or 42.4 per 1,000 live births. The rates for previous years were 37.5 per cent in 1939, 43.7 in 1938, 48.5 in 1937, and 50.8 in 1936. In the ten years from 1931 to 1940 there has been a decrease of 548 in the number of live births registered. For the remainder of the State, the number of births registered decreased 5.1 per cent during this period. The infant mortality rates for the State, exclusive of Boston, decreased from 65.9 per 1,000 live births in 1924 to 36.3 in 1940, as compared with a decrease in Boston from 74.2 in 1924 to 42.4 in 1940. (See Table 28, on page 193.)

Deaths under one month and also under one year of age in each municipality are shown in Table 24, on pages 189 to 191.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1940 are shown for the years 1933 to 1940 in Table 26, on page 192.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1940, 1,375 deaths occurred in the first week, constituting 56.1 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (33.8) was higher than on any other day. In the first month of life there were 1,655 deaths, or 67.6 per cent of all infant deaths.

In the first three months there were 1,942 deaths, or 79.3 per cent of all infant deaths. Over three-fourths, 89.2 per cent, of the infant deaths occurred in the first half of the year.

Over three-fourths, 86.4 per cent, of the 1,375 babies who died less than one week after birth, died of prematurity, congenital debility, malformations, or injuries received at birth. Of the 1,512 babies who died from these causes before reaching the age of 1 year, 59.1 per cent died in less than one day, 78.6 per cent died in less than one week, and 89.4 per cent died in less than one month. Gastric and intestinal diseases which were formerly important factors in causing infant deaths have greatly decreased due to the improvement of hygiene and popular education. These causes claimed 131, or 5.3 per cent of the babies who died before reaching 1 year of age, as compared with 3.9 per cent in 1939. Twenty-five and two-tenths per cent of the babies who died from these causes died in less than one month after birth, 16 per cent within one but less than two months after birth, and 9.9 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases*, and the figures indicate a reduction in infant mortality due to these causes,—from 24.1 deaths per 1,000 live births in 1933 to 20.0 in 1940. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has decreased somewhat since 1936 when there were 374 infant deaths from this cause, 392 in 1937, 302 in 1938, 294 in 1939, and 310 in 1940. The principal causes of infant deaths for the years 1933 to 1940 are shown in Table 30, page 194.

Causes of Death.¹

Sources of Error in Mortality Statistics.—The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death.

It should also be borne in mind that the process of classifying the thousands of different terms—some of them of a very indefinite or unsatisfactory character—under the 200 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death received during 1940 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes.—More than two-thirds of the 50,698 resident deaths reported in 1940 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis) pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 83.4 per cent of the deaths for the year. There were 51,280 registered deaths in 1940, the allocated rate being 11.7 and the registered rate, 11.9. Table 19, on page 185, shows the number of residents of the State who died from these causes.

Heart Disease,* as usual, was the leading cause of resident deaths in 1940, the total number being 18,148 corresponding to a rate of 420.4 per 100,000 population as compared with 17,604 deaths or 395.8 per 100,000 in 1939. Deaths from heart

¹ In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

disease, reported as having occurred in Massachusetts numbered 18,288 or 423.7 per 100,000 population. The great increase in the last few years was partly due to the fact that under the revised classification of causes of death, diseases of the coronary artery, which were formerly classified as arterial diseases, are now classified under diseases of the heart.

Cancer and other Malignant Tumors. — Cancer ranked second in numerical importance among all the causes of death. The resident deaths from cancer were 7,219, the rate being 167.2 per 100,000 population with cancers of the digestive tract and peritoneum claiming 48.6 per cent of these deaths, cancer of the genitourinary organs 22.4; breast 11 per cent; respiratory system 6 per cent; buccal cavity and pharynx 2.9; skin 1.4 and 7.7 per cent were of other or unspecified organs. The death rate from cancer has steadily risen from 89.9 in 1910, to 155.5 in 1939 and 167.2 in 1940. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Among the male deaths the per cent distribution was as follows: digestive organs and peritoneum 53.4; genitourinary organs 20.3; breast .3; respiratory organs 10.1; buccal cavity and pharynx 5.4; skin 1.8 and other or unspecified organs 8.7. The per cent distribution of the female deaths was as follows: digestive organs and peritoneum 44.7; genitourinary organs 24.0; breast 19.8; respiratory system 2.7; buccal cavity and pharynx .9; skin 1.0 and other or unspecified organs 6.9.

Of cancer of the digestive organs and peritoneum, cancer of the stomach claimed the largest number of males, 17.9 per cent, while cancer of the intestines claimed 18.6 of the females. Among the deaths from cancer of the genitourinary organs, 23.3 per cent were of the prostate gland and 38.6 per cent were of the uterus. Over two-thirds of the deaths from cancer of the lungs were of males 73.4, while 26.6 per cent were of females. In the buccal cavity group cancers of the pharynx were responsible for the largest number of male and female deaths, being 28.6 and 6.6 per cent, respectively. More than one-half, 58.6 per cent of the deaths from cancer of the skin were of males, while 41.4 per cent were females.

Registered deaths from cancer showed an increase of 298 and a total of 7,390 in 1940, corresponding to a death rate of 171.2 as compared with 159.5 in 1939. Of the resident deaths from cancer more than one-half, 53.2 per cent were of females.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis* were the causes of 4,642 deaths of residents, or 107.5 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 97.5 in 1936, 98.8 in 1937, 97 in 1938, and 101.3 in 1939. These diseases caused 4,661 registered deaths, corresponding to a rate of 108.0 per 100,000 population.

Pneumonia (including bronchopneumonia) caused 2,661 resident deaths in 1940, or 61.6 per 100,000 population, compared with 3,126 deaths, or 70.3 per 100,000 population in 1939. It also was responsible for 2,676 deaths occurring in the State with a rate of 62.0 per 100,000 population.

Nephritis,* all forms, was the cause of 3,016 deaths of Massachusetts residents in 1940, corresponding to a rate of 69.9 per 100,000 population, as compared with 65.6 in 1939, 68 in 1938, 68.5 in 1937, 71.2 in 1936, and an average rate of 80.4 for the five years from 1931 to 1935. There were 2,905 deaths caused by chronic nephritis*, and 63 by acute nephritis. Of the registered deaths 2,929 were from chronic nephritis* and 65 from acute nephritis, with a total of 3,046 for all forms of nephritis and a death rate of 70.6 per 100,000 population.

Tuberculosis in its various forms claimed 1,598 victims in 1940, of whom 1,484 died from tuberculosis of the respiratory system*. Deaths due to the latter cause constituted 3 per cent of all resident deaths during the year, the rate being 34.4 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, an increase of .2 per cent per 100,000 population has been noted in 1933. Tuberculosis (all forms) was responsible for 1,637 deaths registered in Massachusetts including 1,517 deaths from tuberculosis of the respiratory system*. The rates for the latter disease were 3 per cent of all deaths during the year and 35.1 per 100,000 population.

Diabetes* was the cause of 1,570 deaths of Massachusetts residents in 1940, an increase of 64 from those reported in 1939 and was responsible for a rate of 36.4 per 100,000 population. The rate from this disease has shown a steady increase for the past five years with the exception of 1935 and 1938 when the rates were 29.9 and 32.4 per 100,000 population, respectively. The rate was 33.9 in 1937 and 31.7 in 1936. Almost two-thirds, 65.5 per cent, of the resident deaths from diabetes were of females, with the age periods 65 to 74 years having the greatest number, 25.3 per cent; of the males 13 per cent were in these age periods also. This disease attacked persons 50 years of age and over most severely and these age groups had a rate of 92 per cent of diabetic deaths, 66.4 per cent being females and 33.6 per cent males. Deaths from diabetes reported as having occurred in the State, numbered 1,575 or 36.5 per 100,000 population.

Congenital Debility* and Malformations*, including premature birth, caused 1,264 resident deaths in 1940, corresponding to a rate of 29.4 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2). There were 1,283 registered deaths from these diseases, resulting in a rate of 29.7 per 100,000 population.

Alcoholism and Cirrhosis of the Liver* (specified as alcoholic, etc.) were responsible for 579 resident deaths in 1940, corresponding to a rate of 13.4 per 100,000 population. Of these 178 were due to alcoholism which is a decrease of 20 over those reported in 1939, corresponding to a rate of 4.1 per 100,000 population. These diseases caused 587 deaths in Massachusetts with a rate of 13.6 per 100,000 population. Alcoholism claimed 178 of these, or 4.1 per 100,000 population.

Maternal Mortality.* Deaths from puerperal causes of residents of the State in 1940 totalled 181, corresponding to a rate of 27.2 per 10,000 confinements. This rate was a decrease from 1939, the rate being 33 and 36.5 for 1938.

Puerperal septicemia* was responsible for 72 resident deaths including 21 due to abortion with septic conditions, the rates for this cause in 1940 being 10.8 per 10,000 confinements. In 1939 the rate was 10 and in 1938, 9.6. Of the deaths from these diseases, 26 were from 20 to 29 years of age, 4 were under 20 years of age and the remainder, 42, were from 30 to 44 years of age.

Diarrhea and Enteritis* caused 209 deaths of residents in 1940, or 4.8 per 100,000 population. Sixty and eight-tenths per cent of the total number of deaths charged to these causes in 1940 were of infants under 2 years of age. The rates from this cause of all ages were 5.9 in 1936, 5.2 in 1937, 5.1 in 1938, and 4.4 in 1939. During 1940 registered deaths totalled 216 from these causes, or 5.0 per 100,000 population. The number of infants under 2 years of age was 128 or 59.3 per cent of the total number claimed by these diseases.

Principal Communicable Causes. (See Table 20.) The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 147 deaths of Massachusetts residents, or 3.4 per 100,000 inhabitants, as compared with 6.4 in 1936, 9.8 in 1937, 3.5 in 1938, and 5.2 in 1939. The number of registered deaths was 151, or 3.5 per 100,000 population. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated from 3.4 in 1940 to 27.9 in 1929.

Whooping Cough,* one of the principal epidemic maladies of childhood, was responsible for 22 deaths of both adults and children, the number of registered deaths being the same, or .5 per 100,000 population. This is a decrease from 1939 of .5 per cent.

Measles,* another childhood disease, caused 11 resident deaths in 1940, or .3 per 100,000 population. This rate was .4 in 1939, .3 in 1938, .6 in 1937, and .8 in 1936. The total number and death rate for deaths occurring in Massachusetts were the same.

Scarlet Fever,* another epidemic disease of childhood, was the cause of 19 deaths in 1940, corresponding to a rate of .4 per 100,000 population. These rates have changed from year to year during the period 1916 to 1940, the highest being 5.6 in 1920 and the lowest, .3 in 1939. The number and rate for registered deaths were 20 and .5, respectively, in 1940.

Diphtheria and Croup* — which are classed together in the statistics, but practically all of which are diphtheria — number 8, or .2 per 100,000 population. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. This rate was .3 in 1939, .4 in 1938 and 1937, and .6 in 1936. The total and rate for deaths registered in the State were the same.

Epidemic Cerebrospinal Meningitis claimed 15 victims in 1940, as compared with 17 in 1939, 18 in 1938, 72 in 1937, and 100 in 1936. The rate for this cause was .3 per 100,000 population. This disease was responsible for the same number of registered deaths.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years, the number of deaths in 1940 being 10, 7 in 1939, 19 in 1938, and 14 in 1937 and 1936. The registered deaths had the same total in 1940.

Dysentery caused 8 deaths in 1940, also being responsible for the same number of registered deaths. There were 11 in 1939, 19 in 1938, and 10 in 1937 and 1936.

Typhoid Fever* has shown a steady decline since 1910, having dropped from 12.2 in that year to .2 in 1939 and 1940. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1940 was 8, as compared with 11 in 1939 and 1938, 13 in 1937, and 10 in 1936. The number and death rate for registered deaths were 7 and .2, respectively, during 1940.

Acute Poliomyelitis* has shown a decrease for 1940, the number of deaths being 2, or less than one-tenth of 1 per 100,000 population, as compared with .1 in 1939, 2 in 1938, .5 in 1937, and .2 in 1936. Deaths reported as having occurred in the State had the same number and rate.

There were no deaths from Smallpox in 1940.

Violent Deaths. Death rates from violence during the past five years per 100,000 population were 83.6 in 1936, 84.9 in 1937, 81.1 in 1938, 76.0 in 1939, and 76.8 in 1940. The death rate from violence was 77.9 per 100,000 population for registered deaths in 1940.

Resident deaths due to Railroad Accidents and Injuries* totalled 46 in 1940, and corresponded to a rate of 1.1 per 100,000 population. The rates for the previous years were 1.1 in 1939, 1.2 in 1938, 1.5 in 1937, and 1.7 in 1936. Registered deaths were 47 in 1940 with the same rate.

Resident deaths resulting from Street-car Accidents and Injuries* numbered 12, or .3 per 100,000 population. The registered deaths had the same total and rate.

Automobile Accidents and Injuries* caused 646 deaths of residents in 1940, including 9 deaths from automobile and railroad collisions, and no deaths from automobile and street-car collisions. The rate was 15 per 100,000 population, as compared with 14.2 in 1939, 14.9 in 1938, 19.9 in 1937, and 20.3 in 1936. These accidents caused 661 deaths registered in Massachusetts in 1940, or 15.3 per 100,000 population. Of these, 10 deaths were from automobile and railroad collisions and no deaths from automobile and street-car collisions. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — In 1940 the resident deaths from this cause numbered 3. In 1939 there were 14 deaths; in 1938, 11; in 1937, 72; and in 1936, 13. The total deaths occurring in the State from this cause were the same in 1940. The highest

temperature recorded in 1940 was 95 degrees on July 30. The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The next highest temperature was 103 degrees on July 22, 1926.

Deaths of residents caused by Machinery Accidents* in 1940 numbered 16, or .4 per 100,000 population. The corresponding figures for previous years were .8 in 1936, .9 in 1937, .8 in 1938, and .5 in 1939. Deaths registered in Massachusetts had a total of 17 and a rate of .4 in 1940.

The number of Suicides* of Massachusetts residents in 1940 was 570, or 13.2 per 100,000 population. The rates since 1935 have been: 1936, 12.7; 1937, 14.6; 1938, 13.2; and 1939, 12.8. Reported deaths from suicide in 1940 numbered 588, or 13.6 per 100,000 population.

Resident deaths caused by firearms numbered 147 in 1940, corresponding to a rate of 3.4 per 100,000 population. Of these deaths 103 were suicides, 25 were homicides, and 19 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt). The total reported deaths caused by firearms in 1940 were 157, or 3.6 per 100,000 population. These deaths included 110 suicides, 27 homicides, and 20 accidents.

Resident deaths from Homicide* numbered 69 in 1940, or 1.6 per 100,000 population. The rates for homicide in recent years are 1.7 in 1936, 2.0 in 1937, and 1.4 in 1938 and 1939. There were 72 registered deaths from homicide in 1940, or 1.7 per 100,000 population.

The causes of deaths of males and females for each month for the Commonwealth for the complete International List of Causes of Death with certain subdivisions are shown in Table 13, on pages 35 to 57. The causes denoted by letters, shown separately in indented type, Table 13, are a part of the total cause shown in the International List. Ages, grouped in five year periods, are shown in Table 14, on pages 58 to 101. For comparative purposes those residents of other states dying in Massachusetts are shown in Table 15 by months and age periods according to the International List while those of residents of Massachusetts dying out of the State are shown in Table 16. In Table 17, on pages 136 to 162, the deaths are shown for 58 causes and groups of causes for each county and municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1934 to 1940 are shown for the 44 causes and groups of causes in the Abridged International List in Table 21, on pages 186 and 187. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of death are presented on pages 188 to 199.

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Source of Data. — The statistics of death investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associates to the Secretary of the Commonwealth of deaths supposedly due to violence, the cause and manner of which have been investigated during the year. Deaths supposedly due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs and poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from diseases resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.) but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1940 was 10,598, or 20.7 per cent of the total number of deaths which occurred during the year, as compared with 10,353 deaths in 1939, or 20.3 per cent of the total number of deaths. Almost two-thirds (64.9 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,161, or

29.8 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,364 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1940 was in Suffolk County, 2,359, as compared with 2,523 in 1939. Of the deaths investigated in Suffolk County, 732, or 31 per cent, were reported as due to violence (see Table 39, pages 206 and 207).

Autopsies. — Autopsies were made in 1,012, or 9.5 per cent, of the cases investigated by the medical examiners in 1940, as compared with 8.6 per cent in 1939, 9.1 per cent in 1938, 10.2 per cent in 1937, and 9.3 per cent in 1936.

The highest proportion of autopsies was in Suffolk County where 24 per cent of the views were autopsied, there being 22.8 per cent in 1939. Table 40, on pages 206 and 207, shows the number of views and the number of autopsies in each county in each year from 1931 to 1940, and the number and per cent of views autopsied for the ten-year period, 1931 to 1940.

Cause of Death. — Over one-half (57.6 per cent) of the deaths viewed by medical examiners in 1940 were from causes not due to violence, 29.8 per cent were due to violence, and 1.1 per cent were stillbirths. One thousand, two hundred and nineteen or 11.5 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 6,099, of which 5,913 were from natural causes and 168 were due to alcoholism.

Deaths due to violence numbered 3,161, of which 2,499 were due to accident or negligence, 593 were suicides, and 69 were homicides.

Of the 2,499 deaths due to accident or negligence, 1,106 were due to falls, blows, and falling bodies, 614 were due to automobile accidents, 9 of which were railroad and automobile accidents, 213 resulted from drowning, 51 were due to railroad accidents, and 484 to other causes. There were no street-car and automobile collisions.

Suicides numbered 593, or 18.8 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 173, and by hanging or strangulation, 130, constituted more than one-half (51.1 per cent) of the total number. The number of suicides by firearms was 109, by poisons, 59, by drowning, 55, and other methods, 67. Almost three-fourths (74.9 per cent) of the suicides were males.

Of the 593 persons committing suicide, 142 were 50 to 59 years of age, 125 were 40 to 49 years of age, 85 were 30 to 39 years of age, 57 were 20 to 29 years of age, 172 were over 60 years of age, and 12 were under 20 years of age. Among the male suicides the largest numbers were from 50 to 59 years of age, 108, and from 40 to 49 years of age, 90, and among the female suicides the largest numbers were from 40 to 49 years of age, 35, and 50 to 59 years of age, 34. The most common method of committing suicide was by poisonous gas.

Homicides numbered 69, of which 24 were by firearms, 12 were by cutting or piercing instruments, 29 by other means, and 4 were cases of infanticide. Of the 69 homicides, 43, or 62.3 per cent, were males.

STATISTICAL TABLES GENERAL MORTALITY

Table 1

DEATHS² OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1940.

COUNTIES AND MUNICIPALITIES. ¹	Total number.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Unknown.	U. S. Census April 1, 1940.	Including non-residents.
The State.	51,280	26,572	24,708	30,929	20,207	144	4,316,721	11.9
COUNTIES.								
Barnstable	510	276	234	397	112	1	37,295	13.7
Berkshire	1,454	723	731	1,042	404	8	122,273	11.9
Bristol	4,340	2,200	2,140	2,314	2,023	3	364,637	11.9
Dukes	86	46	40	62	23	1	5,669	15.2
Essex	5,822	2,914	2,908	3,607	2,204	11	496,313	11.7
Franklin	575	301	274	433	141	1	49,453	11.6
Hampden	3,641	1,982	1,659	2,277	1,353	11	332,107	11.0
Hampshire	894	465	429	608	286	-	72,461	12.3
Middlesex	10,199	5,096	5,103	6,144	4,043	12	971,390	10.5
Nantucket	56	27	29	46	10	-	3,401	16.5
Norfolk	3,302	1,609	1,693	2,082	1,210	10	325,180	10.2
Plymouth	2,085	1,089	996	1,428	650	7	168,824	12.4
Suffolk	12,250	6,562	5,688	6,757	5,430	63	863,248	14.2
Worcester	6,066	3,282	2,784	3,732	2,318	16	504,470	12.0
MUNICIPALITIES.								
Abington	49	22	27	34	15	-	5,708	8.6
Acton	37	16	21	26	11	-	2,701	13.7
Acushnet	91	48	43	50	41	-	4,145	22.0
Adams	123	63	60	66	57	-	12,608	9.8
Agawam	60	35	25	39	21	-	7,842	7.7
Alford	5	2	3	4	1	-	201	24.9
Amesbury	144	74	70	97	47	-	10,862	13.3
Amherst	48	25	23	41	7	-	6,410	7.5
Andover	105	47	58	61	44	-	11,122	9.4
Arlington	332	158	174	211	121	-	40,013	8.3
Ashburnham	28	14	14	23	5	-	2,255	12.4
Ashby	9	1	8	7	2	-	1,026	8.8
Ashfield	10	5	5	8	2	-	872	11.5
Ashland	19	8	11	12	7	-	2,479	7.7
Athol	106	52	54	86	19	1	11,180	9.5
ATTLEBORO	315	177	138	201	114	-	22,071	14.3
Auburn	28	20	8	10	18	-	6,629	4.2
Avon	17	6	11	13	4	-	2,335	7.3
Ayer	46	28	18	36	10	-	3,572	12.9
Barnstable	167	92	75	133	34	-	8,333	20.0
Barre	32	17	15	22	10	-	3,528	9.1
Becket	12	6	6	11	-	1	689	17.4
Bedford	59	46	13	41	18	-	3,807	15.5
Belchertown	38	12	26	34	4	-	3,503	10.8
Bellingham	18	11	7	9	9	-	2,979	6.0
Belmont	156	75	81	113	43	-	26,867	5.8
Berkley	11	4	7	8	3	-	1,130	9.7
Berlin	9	2	7	7	2	-	1,057	8.5
Bernardston	4	3	1	3	1	-	954	4.2
BEVERLY	273	142	131	186	87	-	25,537	10.7
Billerica	69	34	35	34	34	1	7,933	8.7
Blackstone	29	14	15	20	9	-	4,566	6.4
Blandford	1	-	1	1	-	-	479	2.1
Bolton	8	4	4	6	2	-	775	10.3
BOSTON	11,312	5,955	5,357	6,260	4,992	60	770,816	14.7
Bourne	59	43	16	47	12	-	3,315	17.8
Boxborough	4	3	1	3	1	-	376	10.6
Boxford	7	3	4	6	1	-	778	9.0
Boylston	29	9	20	22	7	-	1,388	20.9
Braintree	146	79	67	95	51	-	16,378	8.9
Brewster	11	7	4	11	-	-	827	13.3
Bridgewater	116	88	28	81	35	-	8,902	13.0
Brimfield	9	5	4	8	1	-	1,012	8.9
BROCKTON	867	444	423	550	313	4	62,343	13.9
Brookfield	14	8	6	9	5	-	1,393	10.1
Brookline	655	270	385	406	247	2	49,786	13.2
Buckland	15	6	9	10	5	-	1,527	9.8
Burlington	10	4	6	7	3	-	2,275	4.4
CAMBRIDGE	1,481	735	746	846	633	2	110,879	13.4

¹ Cities are printed in small capitals.

² Exclusive of stillbirths.

Table 1

DEATHS² OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES
IN EACH COUNTY, CITY AND TOWN: 1940.

MUNICIPALITIES. ¹	Total num- ber.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Un- known.	U. S. Census April 1, 1940.	In- cluding non- resi- dents.
Canton	51	31	20	39	11	1	6,384	8.0
Carlisle	8	6	2	5	3	-	747	10.7
Carver	14	9	8	11	6	-	1,469	11.6
Charlemont	13	4	9	11	2	-	789	16.5
Charlton	31	17	14	21	10	-	2,557	12.1
Chatham	24	13	8	18	3	-	2,136	9.8
Chelmsford	61	31	30	37	23	1	8,077	7.6
CHELSEA	575	430	145	319	253	3	41,259	13.9
Cheshire	12	6	6	9	3	-	1,708	7.0
Chester	11	9	2	11	-	-	1,284	8.6
Chesterfield	3	2	1	3	-	-	422	7.1
CHICOPEE	219	110	109	93	125	1	41,664	5.3
Chilmark	1	-	1	1	-	-	226	4.4
Clarksburg	7	3	4	5	2	-	1,317	5.3
Clinton	149	75	74	80	69	-	12,440	12.0
Cohasset	46	29	17	33	13	-	3,111	14.8
Colrain	11	6	5	9	2	-	1,497	7.3
Concord	84	41	43	61	23	-	7,972	10.5
Conway	9	4	5	9	-	-	964	9.5
Cunnington	2	-	2	1	1	-	608	3.3
Dalton	33	8	25	30	3	-	4,206	7.8
Danvers	383	185	197	245	135	3	14,179	27.0
Dartmouth	66	36	30	36	30	-	9,011	7.3
Dedham	91	41	50	53	38	-	15,508	5.9
Deerfield	25	18	7	13	7	-	2,684	9.3
Dennis	27	15	12	23	4	-	2,015	13.4
Dighton	42	11	31	21	21	-	2,983	14.1
Douglas	19	10	9	11	8	-	2,617	7.3
Dover	9	4	5	6	3	-	1,374	6.6
Dracont	48	28	20	23	25	-	7,339	6.5
Dudley	33	17	16	13	20	-	4,616	7.1
Dunstable	2	-	2	2	-	-	447	4.5
Duxbury	36	21	15	29	7	-	2,359	15.3
East Bridgewater	43	22	21	35	8	-	3,832	11.2
East Brookfield	8	3	5	5	3	-	1,016	7.9
East Longmeadow	20	10	10	11	9	-	3,403	5.9
Eastham	7	2	5	6	1	-	582	12.0
Easthampton	69	33	36	41	28	-	10,316	6.7
Easton	34	18	16	21	13	-	5,135	6.6
Edgartown	13	10	3	10	3	-	1,370	9.5
Egremont	5	3	2	4	1	-	463	10.8
Erving	11	4	7	7	4	-	1,328	8.3
Essex	17	10	7	14	2	1	1,384	12.3
EVERETT	371	177	194	187	184	-	46,784	7.9
Fairhaven	90	44	46	50	40	-	10,938	8.2
FALL RIVER	1,490	768	722	725	765	-	115,428	12.9
Falmouth	56	27	29	36	19	1	6,878	8.1
FITCHBURG	434	239	195	239	195	-	41,824	10.4
Florida	3	3	-	3	-	-	421	7.1
Foxborough	142	68	74	93	49	-	6,303	22.5
Frammingham	265	143	122	178	87	-	23,214	11.4
Franklin	47	22	25	34	13	-	7,303	6.4
Freetown	20	9	11	15	5	-	1,584	12.6
GARDNER	298	170	128	187	111	-	20,206	14.7
Gay Head	-	-	-	-	-	-	127	-
Georgetown	34	17	17	29	5	-	1,303	18.9
Gill	6	6	-	6	-	-	931	6.4
GLOUCESTER	284	148	136	197	87	-	24,046	11.8
Goshen	5	4	1	4	1	-	237	21.1
Gosnold	1	-	1	1	-	-	136	7.4
Grafton	115	51	64	57	57	1	7,457	15.4
Granby	7	5	2	6	1	-	1,085	6.5
Granville	9	5	4	6	3	-	668	13.5
Great Barrington	111	48	63	87	23	1	5,824	19.1
Greenfield	210	118	92	167	42	1	15,672	13.4
Groton	31	15	16	26	5	-	2,550	12.2
Groveland	18	9	9	11	6	1	2,122	8.5
Hadley	15	7	8	9	6	-	2,576	5.8
Halifax	6	4	2	4	2	-	867	6.9
Hamilton	23	12	11	14	9	-	2,037	11.3
Hampden	10	4	6	10	-	-	1,023	9.8

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

DEATHS² OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES
IN EACH COUNTY, CITY AND TOWN: 1940.

MUNICIPALITIES, ¹	Total num- ber.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Un- known.	U. S. Census April 1, 1940.	In- cluding non- resi- dents.
Hancock	8	4	4	7	1	—	332	24.1
Hanover	27	10	17	20	7	—	2,875	9.4
Hanson	61	31	30	44	17	—	2,570	23.7
Hardwick	21	11	10	10	11	—	2,154	9.7
Harvard	14	5	9	13	1	—	1,790	7.8
Harwich	28	11	17	22	6	—	2,535	11.0
Hatfield	15	12	3	11	4	—	2,216	6.8
HAVERHILL	591	280	311	406	184	1	46,752	12.6
Hawley	—	—	—	—	—	—	257	—
Heath	4	2	2	3	1	—	359	11.1
Hingham	66	27	39	53	13	—	8,003	8.2
Hinsdale	13	8	5	11	2	—	1,235	10.5
Holbrook	25	13	12	21	4	—	3,330	7.5
Holden	64	35	29	45	19	—	3,924	16.3
Holland	3	2	1	3	—	—	247	12.1
Holliston	36	19	17	25	11	—	3,000	12.0
HOLYOKE	684	371	313	342	342	—	53,750	12.7
Hopedale	8	6	2	4	4	—	3,113	2.6
Hopkinton	29	9	20	24	5	—	2,697	10.8
Hubbardston	9	6	3	6	3	—	1,022	8.8
Hudson	58	29	29	42	15	1	8,042	7.2
Hull	26	14	12	15	10	1	2,167	12.0
Huntington	15	12	3	12	3	—	1,340	11.2
Ipswich	87	48	39	47	40	—	6,348	13.7
Kingston	26	12	14	17	9	—	2,783	9.3
Lakeville	31	20	11	24	7	—	1,780	17.4
Lancaster	24	10	14	17	7	—	2,963	8.1
Lanesborough	11	6	5	10	1	—	1,321	8.3
LAWRENCE	956	485	471	458	497	1	84,323	11.3
Lee	39	20	19	29	9	1	4,222	9.2
Leicester	27	15	12	21	5	1	4,851	5.6
Lenox	34	22	12	20	13	1	2,884	11.8
LEOMINSTER	209	102	107	139	70	—	22,226	9.4
Leverett	4	3	1	4	—	—	688	5.8
Lexington	129	70	59	77	52	—	13,187	9.8
Leyden	3	2	1	2	1	—	260	11.5
Lincoln	14	6	8	9	5	—	1,783	7.9
Littleton	14	5	9	8	6	—	1,651	8.5
Longmeadow	33	17	16	25	8	—	5,790	5.7
LOWELL	1,442	726	716	801	641	—	101,389	14.2
Ludlow	61	37	24	28	33	—	8,181	7.5
Lunenburg	24	15	9	18	6	—	2,195	10.9
LYNN	1,117	549	568	669	446	2	98,123	11.4
Lynnfield	24	13	11	18	6	—	2,287	10.5
MALDEN	629	292	337	350	276	3	58,010	10.8
Manchester	26	12	14	13	13	—	2,472	10.5
Mansfield	51	23	28	41	10	—	6,530	7.8
Marblehead	102	46	56	85	17	—	10,856	9.4
Marion	16	11	5	13	3	—	2,030	7.9
MARLBOROUGH	176	86	90	129	47	—	15,154	11.6
Marshfield	29	16	13	21	8	—	2,419	12.0
Mashpee	3	2	1	3	—	—	434	6.9
Mattapoisett	22	12	10	17	5	—	1,608	13.7
Maynard	51	29	22	24	27	—	6,812	7.5
Medfield	96	57	39	52	43	1	4,384	21.9
MEDFORD	472	208	264	276	196	—	63,083	7.5
Medway	24	16	8	16	8	—	3,297	7.3
MELROSE	289	132	157	203	86	—	25,333	11.4
Mendon	17	13	4	11	6	—	1,315	12.9
Merrimac	16	8	8	13	3	—	2,320	6.9
Methuen	196	99	97	92	103	1	21,880	9.0
Middleborough	138	72	66	99	39	—	9,032	15.3
Middlefield	2	2	—	2	—	—	201	10.0
Middleton	92	59	33	66	26	—	2,348	39.2
Milford	188	105	83	123	63	2	15,388	12.2
Millbury	57	33	24	29	27	1	6,983	8.2
Millis	15	9	6	11	4	—	2,278	6.6
Millville	13	7	6	3	10	—	1,722	7.5
Milton	147	73	74	91	55	1	18,708	7.9
Monroe	1	1	—	1	—	—	207	4.8
Monson	93	55	38	76	17	—	5,597	16.6

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

DEATHS² OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1940.

MUNICIPALITIES. ¹	Total number.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Unknown.	U. S. Census April 1, 1940.	Including non-residents.
Montague	125	60	65	81	44	—	7,582	16.5
Monterey	1	1	—	1	—	—	320	3.1
Montgomery	—	—	—	—	—	—	178	—
Mount Washington	—	—	—	—	—	—	57	—
Nahant	21	12	9	18	3	—	1,835	11.4
Nantucket	56	27	29	46	10	—	3,401	16.5
Natick	145	70	75	98	47	—	13,851	10.5
Needham	101	43	58	69	32	—	12,445	8.1
New Ashford	1	1	—	—	1	—	87	11.5
NEW BEDFORD	1,199	603	596	563	634	2	110,341	10.9
New Braintree	2	2	—	1	1	—	439	4.6
New Marlborough	6	3	3	6	—	—	956	6.3
New Salem	7	7	—	6	1	—	357	19.6
Newbury	17	11	6	14	3	—	1,599	10.6
NEW BURYPORT	214	111	103	172	42	—	13,916	15.4
NEWTON	696	325	371	465	230	1	69,873	10.0
Norfolk	165	86	79	91	74	—	2,294	71.9
NORTH ADAMS	285	146	139	196	89	—	22,213	12.8
North Andover	67	33	34	33	34	—	7,524	8.9
North Attleborough	118	55	63	74	44	—	10,359	11.4
North Brookfield	24	11	13	21	3	—	3,304	7.3
North Reading	25	11	14	22	3	—	2,886	8.7
NORTHAMPTON	514	270	244	350	164	—	24,794	20.7
Northborough	22	5	17	16	6	—	2,382	9.2
Northbridge	63	35	28	30	33	—	10,242	6.2
Northfield	16	9	7	16	—	—	1,975	8.1
Norton	21	11	10	13	8	—	3,107	6.8
Norwell	16	8	8	11	5	—	1,871	8.6
Norwood	174	86	88	108	66	—	15,383	11.3
Oak Bluffs	55	28	27	42	13	—	1,584	34.7
Oakham	3	2	1	2	1	—	423	7.1
Orange	62	24	38	46	16	—	5,611	11.0
Orleans	21	8	13	19	2	—	1,451	14.5
Otis	3	—	3	3	—	—	364	8.2
Oxford	30	13	17	17	13	—	4,623	6.5
Pahner	87	51	36	56	31	—	9,149	9.5
Paxton	3	3	—	2	1	—	791	3.8
PEABODY	144	74	70	78	66	—	21,711	6.6
Pelham	3	2	1	3	—	—	568	5.3
Pembroke	12	5	7	10	1	1	1,718	7.0
Pepperell	33	26	7	26	7	—	3,114	10.6
Peru	2	1	1	2	—	—	142	14.1
Petersham	8	3	5	7	1	—	923	8.7
Phillipston	6	3	3	5	1	—	481	12.5
PITTSFIELD	655	326	329	470	182	3	49,684	13.2
Plainfield	1	1	—	1	—	—	264	3.8
Plainville	22	13	9	13	9	—	1,302	16.9
Plymouth	166	80	86	105	61	—	13,100	12.7
Plympton	5	1	4	3	2	—	532	9.4
Princeton	7	4	3	6	1	—	713	9.8
Provincetown	40	23	17	20	20	—	3,668	10.9
QUINCY	661	335	326	357	304	—	75,810	8.7
Randolph	71	31	40	46	25	—	7,634	9.3
Raynham	19	9	10	13	6	—	2,141	8.9
Reading	108	46	62	78	30	—	10,866	9.9
Rehoboth	23	13	10	14	9	—	2,736	8.4
REVERE	212	98	114	87	125	—	34,405	6.2
Richmond	1	1	—	1	—	—	624	1.6
Rochester	11	7	4	8	3	—	1,269	8.7
Rockland	75	38	37	62	13	—	8,087	9.3
Rockport	40	25	15	28	12	—	3,556	11.2
Rowe	4	3	1	2	2	—	233	17.2
Rowley	13	7	6	12	1	—	1,533	8.5
Royalston	7	5	2	4	3	—	795	8.8
Russell	6	4	2	5	1	—	1,242	4.8
Rutland	199	168	31	155	44	—	2,181	91.2
SALEM	541	261	280	336	204	1	41,213	13.1
Salisbury	24	12	12	18	6	—	2,376	10.1
Sandisfield	3	2	1	1	2	—	421	7.1
Sandwich	20	13	7	16	4	—	1,360	14.7
Saugus	108	61	47	75	33	—	14,825	7.3
Savoy	1	1	—	1	—	—	300	3.3

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

DEATHS² OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES
IN EACH COUNTY, CITY AND TOWN: 1940.

MUNICIPALITIES, ¹	Total num- ber.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Un- known.	U. S. Census April 1, 1940.	In- cluding non- res- idents.
Scituate	44	23	21	36	8		4,130	10.7
Seekonk	42	14	28	25	17	-	4,912	8.6
Sharon	30	14	16	22	8	-	3,737	8.0
Sheffield	14	7	7	12	2	-	1,709	8.2
Shelburne	13	5	8	11	2	-	1,636	7.9
Sherborn	6	3	3	4	2	-	1,022	5.9
Shirley	23	13	10	10	13	-	2,604	8.8
Shrewsbury	70	39	31	51	19	-	7,586	9.2
Shutesbury	1	-	1	1		-	191	5.2
Somerset	54	27	27	32	22	-	5,873	9.2
SOMERVILLE	885	397	488	505	379	1	102,177	8.7
South Hadley	33	16	17	16	17	-	6,856	4.8
Southampton	6	4	2	4	2	-	950	6.3
Southborough	18	5	13	12	6	-	2,231	8.1
Southbridge	149	80	69	86	63	-	16,825	8.9
Southwick	15	11	4	12	3	-	1,579	9.5
Spencer	61	32	29	51	10	-	6,641	9.2
SPRINGFIELD	1,884	1,009	875	1,251	623	10	149,554	12.6
Sterling	19	10	9	11	8	-	1,713	11.1
Stockbridge	22	10	12	17	5	-	1,815	12.1
Stoneham	118	53	65	73	45	-	10,765	11.0
Stoughton	58	26	32	40	18	-	8,632	6.7
Stow	13	7	6	9	4	-	1,243	10.5
Sturbridge	22	16	6	18	4	-	2,227	9.9
Sudbury	19	13	6	16	3	-	1,754	10.8
Sunderland	9	4	5	5	4	-	1,085	8.3
Sutton	14	8	6	7	7	-	2,749	5.1
Swampscott	101	44	57	69	32	-	10,761	9.4
Swansea	43	20	23	21	22	-	4,684	9.2
TAUNTON	576	293	283	369	206	1	37,395	15.4
Templeton	39	23	16	33	6	-	4,601	8.5
Tewksbury	20	10	10	10	10	-	6,261	3.2
State Infirmary	402	319	83	155	207	-		
Tisbury	12	7	5	5	6	1	1,966	6.1
Tolland	1	1	-	1	-	-	129	7.8
Topsfield	9	4	5	8	1	-	1,150	7.8
Townsend	26	16	10	23	3	-	2,065	12.6
Truro	10	4	6	7	3	-	585	17.1
Tyngsborough	10	6	4	6	4	-	1,634	6.1
Tyringham	1	-	1	1	-	-	213	4.7
Upton	19	7	12	17	2	-	2,249	8.4
Uxbridge	65	34	31	44	21	-	6,417	10.1
Wakefield	103	44	59	63	39	1	16,223	6.3
Wales	4	2	2	3	1	-	367	10.9
Walpole	37	15	22	20	15	2	7,443	5.0
WALTHAM	500	256	244	326	173	1	40,020	12.5
Ware	89	44	45	51	38	-	7,557	11.8
Wareham	77	39	38	55	22	-	6,364	12.1
Warren	33	21	12	16	17	-	3,531	9.3
Warwick	5	2	3	2	3	-	444	11.3
Washington	3	2	1	3	-	-	267	11.2
Watertown	194	93	101	105	89	-	35,427	5.5
Wayland	30	18	12	25	5	-	3,505	8.6
Webster	99	51	48	52	47	-	13,186	7.5
Wellesley	71	24	47	59	12	-	15,127	4.7
Wellfleet	14	7	7	13	1	-	890	15.7
Wendell	-	-	-	-	-	-	391	-
Wenham	9	5	4	4	5	-	1,220	7.4
West Boylston	25	13	12	17	7	1	1,822	13.7
West Bridgewater	21	14	10	15	9	-	3,247	7.4
West Brookfield	24	15	9	20	3	1	1,387	17.3
West Newbury	19	7	12	15	4	-	1,515	12.5
West Springfield	102	51	51	74	28	-	17,135	6.0
West Stockbridge	11	5	6	9	2	-	1,062	10.4
West Tisbury	4	1	3	3	1	-	260	15.4
Westborough	222	112	110	150	72	-	6,463	34.3
WESTFIELD	314	182	132	213	101	-	18,793	16.7
Westford	10	19	21	23	17	-	3,830	10.4
Westhampton	5	3	2	3	2	-	403	12.4
Westminster	12	5	7	7	5	-	2,126	5.6
Weston	27	18	9	18	9	-	3,590	7.5
Westport	35	17	18	22	13	-	4,134	8.5

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

DEATHS² OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES
IN EACH COUNTY, CITY AND TOWN: 1940.

MUNICIPALITIES. ¹	Total num- ber.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Un- known.	U. S. Census April 1, 1940.	In- cluding non- resi- dents.
Westwood . . .	33	22	11	23	10	—	3,376	9.8
Weymouth . . .	294	155	139	219	73	2	23,868	12.3
Whately . . .	7	5	2	5	2	—	979	7.2
Whitman . . .	79	39	40	56	22	1	7,759	10.2
Wilbraham . . .	15	11	4	9	6	—	3,041	4.9
Williamsburg . . .	19	9	10	11	8	—	1,684	11.3
Williamstown . . .	27	13	14	21	5	1	4,294	6.3
Wilmington . . .	33	13	20	19	14	—	4,045	7.1
Winchendon . . .	67	44	23	52	15	—	6,575	10.2
Winchester . . .	147	67	80	104	43	—	15,081	9.7
Windsor . . .	2	2	—	2	—	—	314	6.4
Winthrop . . .	151	79	72	91	60	—	16,768	9.0
Woburn . . .	165	93	72	98	67	—	19,751	8.4
WORCESTER . . .	2,689	1,428	1,261	1,565	1,116	8	193,694	13.9
Worthington . . .	5	2	3	5	—	—	471	10.6
Wrentham . . .	56	30	26	43	12	1	4,674	12.0
Yarmouth . . .	26	9	17	23	3	—	2,286	11.4

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,² BY CITIES AND TOWNS, BY SEX AND NATIVITY,
AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1940.

COUNTIES AND MUNICIPALITIES, ¹	Total number.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Unknown.	U. S. Census April 1, 1940.	Excluding non-residents.
The State.	50,698	26,262	24,436	30,502	20,052	144	4,316,721	11.7
COUNTIES.								
Barnstable	505	273	232	404	99	2	37,295	13.5
Berkshire	1,476	751	725	1,059	410	7	122,273	12.1
Bristol	4,277	2,191	2,086	2,263	2,011	3	364,637	11.7
Dukes	77	40	37	57	19	1	5,669	13.6
Essex	6,031	3,064	2,967	3,752	2,269	10	496,313	12.2
Franklin	620	322	298	466	153	1	49,453	12.5
Hampden	3,626	1,975	1,651	2,271	1,344	11	332,107	10.9
Hampshire	799	412	387	529	270	—	72,461	11.0
Middlesex	10,885	5,487	5,398	6,661	4,210	14	971,390	11.2
Nantucket	56	27	29	46	10	—	3,401	16.5
Norfolk	3,422	1,734	1,688	2,224	1,184	14	325,180	10.5
Plymouth	2,239	1,168	1,071	1,524	708	7	168,824	13.3
Suffolk	10,992	5,773	5,219	5,732	5,202	58	863,248	12.7
Worcester	5,693	3,045	2,648	3,514	2,163	16	504,470	11.3
MUNICIPALITIES.								
Abington	86	38	48	64	22	—	5,708	15.1
Acron	54	28	26	41	13	—	2,701	20.0
Acushnet	34	13	21	17	17	—	4,145	8.2
Adams	128	66	62	70	58	—	12,608	10.2
Agawam	92	58	34	62	30	—	7,842	11.7
Alford	5	2	3	4	1	—	201	24.9
Amesbury	150	72	78	100	50	—	10,862	13.8
Amherst	69	33	36	55	14	—	6,410	10.8
Andover	139	64	75	76	63	—	11,122	12.5
Arlington	411	192	219	259	152	—	40,013	10.3
Ashburnham	39	22	17	33	6	—	2,255	17.3
Ashby	14	6	8	9	5	—	1,026	13.6
Ashfield	11	6	5	8	3	—	872	12.6
Ashland	31	13	18	17	14	—	2,479	12.5
Athol	145	75	70	112	30	3	11,180	13.0
ATTLEBORO	272	140	132	168	104	—	22,071	12.3
Auburn	60	35	25	27	33	—	6,629	9.1
Avon	38	18	20	29	9	—	2,335	16.3
Ayer	45	22	23	31	14	—	3,572	12.6
Barnstable	103	58	45	83	20	—	8,333	12.4
Barre	45	24	21	34	11	—	3,528	12.8
Becket	12	7	5	11	1	—	689	17.4
Bedford	33	19	14	23	10	—	3,807	8.7
Belchertown	35	15	20	29	6	—	3,503	10.0
Bellingham	23	13	10	14	9	—	2,979	7.7
Belmont	242	115	127	168	74	—	26,867	9.0
Berkley	14	6	8	9	5	—	1,130	12.4
Berlin	16	7	9	12	4	—	1,057	15.1
Bernardston	6	3	3	5	1	—	954	6.3
BEVERLY	274	147	127	188	86	—	25,537	10.7
Billerica	82	36	46	42	39	1	7,933	10.3
Blackstone	51	27	24	34	17	—	4,566	11.2
Blandford	8	6	2	7	1	—	479	16.7
Bolton	13	6	7	9	4	—	775	16.8
BOSTON	10,005	5,242	4,763	5,275	4,672	58	770,816	13.0
Bourne	36	24	12	27	9	—	3,315	10.9
Boxborough	5	3	2	3	2	—	376	13.3
Boxford	11	5	6	10	1	—	778	14.1
Boylston	13	4	9	8	5	—	1,388	9.4
Braintree	159	91	68	114	45	—	16,378	9.7
Brewster	16	12	4	14	2	—	827	19.3
Bridgewater	85	51	34	59	25	1	8,902	9.5
Brimfield	13	7	6	13	—	—	1,012	12.8
BROCKTON	818	426	392	495	320	3	62,343	13.1
Brookfield	20	11	9	14	6	—	1,393	14.4
Brookline	683	320	363	433	247	3	49,786	13.7
Buckland	21	11	10	14	7	—	1,527	13.8
Burlington	21	13	8	12	9	—	2,275	9.2
CAMBRIDGE	1,380	697	683	785	593	2	110,879	12.4
Canton	73	43	30	55	17	1	6,381	11.4
Carlsle	8	8	—	3	5	—	747	10.7
Carver	35	19	16	22	13	—	1,469	23.8
Charlemont	19	9	10	17	2	—	789	24.1
Charlton	29	11	18	24	5	—	2,557	11.3
Chatham	34	20	14	30	4	—	2,136	15.9
Chelmsford	104	51	53	61	42	1	8,077	12.9
CHELSEA	436	248	188	166	270	—	41,259	10.6
Cheshire	19	11	8	13	6	—	1,708	11.1
Chester	20	14	6	17	3	—	1,284	15.6

¹ Cities are printed in small capitals.² Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,² BY CITIES AND TOWNS, BY SEX AND NATIVITY,
AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1940.

MUNICIPALITIES. ¹	Total num- ber.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Un- known.	U. S. Census April 1, 1940.	Ex- cluding non- resi- dents.
Chesterfield	5	3	2	4	1	—	422	11.8
CHICOPEE	391	223	168	200	190	1	41,664	9.4
Chilmark	3	1	2	3	—	—	226	13.3
Clarksburg	9	5	4	7	2	—	1,317	6.8
Clinton	139	69	70	74	65	—	12,440	11.2
Cohasset	35	21	14	29	5	1	3,111	11.3
Colrain	20	11	9	16	4	—	1,497	13.4
Concord	79	42	37	54	25	—	7,972	9.9
Conway	10	4	6	10	—	—	944	10.6
Cummington	8	6	2	7	1	—	608	13.2
Dalton	50	22	28	48	2	—	4,206	11.9
Danvers	133	62	71	95	38	—	14,179	9.4
Dartmouth	96	54	42	54	42	—	9,011	10.7
Dedham	147	75	72	91	56	—	15,508	9.5
Deerfield	32	20	12	21	11	—	2,684	11.9
Dennis	38	23	15	33	5	—	2,015	18.9
Dighton	46	18	28	25	20	1	2,983	15.4
Douglas	29	18	11	19	10	—	2,617	11.1
Dover	9	4	5	6	3	—	1,374	6.6
Dracut	84	50	34	44	40	—	7,339	11.4
Dudley	48	24	24	24	24	—	4,616	10.4
Dunstable	7	3	4	6	1	—	447	15.7
Duxbury	46	26	20	38	8	—	2,359	19.5
East Bridgewater	61	34	27	51	10	—	3,832	15.9
East Brookfield	9	3	6	5	4	—	1,016	8.9
East Longmeadow	37	19	18	22	15	—	3,403	10.9
Eastham	7	2	5	6	1	—	582	12.0
Easthampton	108	51	57	60	48	—	10,316	10.5
Easton	57	33	24	35	22	—	5,135	11.1
Edgartown	21	14	7	16	5	—	1,370	15.3
Egremont	7	6	1	6	1	—	463	15.1
Erving	15	5	10	10	5	—	1,328	11.3
Essex	22	12	10	17	4	1	1,384	15.9
EVERETT	465	247	218	246	219	—	46,784	9.9
Fairhaven	106	57	49	60	46	—	10,938	9.7
FALL RIVER	1,313	677	636	626	687	—	115,428	11.4
Falmouth	67	41	26	48	18	1	6,878	9.7
FITCHBURG	460	248	212	253	207	—	41,824	11.0
Florida	8	6	2	7	1	—	421	19.0
Foxborough	69	37	32	50	19	—	6,303	10.9
Framingham	239	126	113	158	81	—	23,214	10.3
Franklin	80	38	42	55	25	—	7,303	11.0
Freetown	28	14	14	21	7	—	1,584	17.7
GARDNER	189	113	76	107	82	—	20,206	9.4
Gay Head	1	—	1	1	—	—	127	7.9
Georgetown	35	17	18	29	6	—	1,803	19.4
Gill	10	7	3	7	3	—	931	10.7
GLOUCESTER	298	159	139	207	91	—	24,046	12.4
Goshen	8	6	2	7	1	—	237	33.8
Gosnold	1	—	1	1	—	—	136	7.4
Grafton	72	25	47	46	26	—	7,457	9.7
Granby	9	6	3	6	3	—	1,085	8.3
Granville	11	7	4	7	4	—	668	16.5
Great Barrington	84	40	44	64	19	1	5,824	14.4
Greenfield	198	109	89	151	46	1	15,672	12.6
Groton	36	19	17	33	3	—	2,550	14.1
Groveland	30	14	16	22	7	1	2,122	14.1
Hadley	24	14	10	16	8	—	2,576	9.3
Halifax	8	4	4	5	3	—	867	9.2
Hamilton	29	16	13	17	12	—	2,037	14.2
Hampden	15	6	9	14	1	—	1,023	14.7
Hancock	12	7	5	11	1	—	332	36.1
Hanover	34	14	20	22	12	—	2,875	11.8
Hanson	37	16	21	26	11	—	2,570	14.4
Hardwick	29	15	14	16	13	—	2,154	13.5
Harvard	19	11	8	16	3	—	1,790	10.6
Harwich	35	13	22	30	5	—	2,535	13.8
Hatfield	30	20	10	20	10	—	2,216	13.5
HAVERHILL	621	303	318	418	201	2	46,752	13.3
Hawley	2	1	1	1	1	—	257	7.8
Heath	5	3	2	4	1	—	359	13.9
Hingham	102	46	56	79	23	—	8,003	12.7
Hinsdale	27	15	12	24	3	—	1,235	21.9
Holbrook	39	23	16	33	6	—	3,330	11.7
Holden	43	19	24	29	14	—	3,424	11.0
Holland	5	2	3	5	—	—	247	20.2

¹ Cities are printed in small capitals.

² Exclusive of stillbirths

Table 2

ALLOCATED DEATHS,² BY CITIES AND TOWNS, BY SEX AND NATIVITY,
AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1940.

MUNICIPALITIES, ¹	Total num- ber.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Un- known.	U. S. Census April 1, 1940.	Ex- cluding non- resi- dents.
Holliston	47	25	22	33	14	—	3,000	15.7
HOLYOKE	647	348	299	318	329	—	53,750	12.0
Hopedale	17	9	8	12	5	—	3,113	5.5
Hopkinton	45	17	28	40	5	—	2,697	16.7
Hubbardston	17	13	4	10	7	—	1,022	16.6
Hudson	102	59	43	71	30	1	8,042	12.7
Hull	40	22	18	20	19	1	2,167	18.5
Huntington	23	15	8	20	3	—	1,340	17.2
Ipswich	87	50	37	44	43	—	6,348	13.7
Kingston	32	17	15	20	12	—	2,783	11.5
Lakeville	21	14	7	18	3	—	1,780	11.8
Lancaster	38	16	22	30	8	—	2,963	12.8
Lanesborough	16	7	9	15	1	—	1,321	12.1
LAWRENCE	962	495	467	462	500	—	84,323	11.4
Lee	57	29	28	43	13	1	4,222	13.5
Leicester	47	25	22	33	13	1	4,851	9.7
Lenox	45	26	19	26	18	1	2,884	15.6
LEOMINSTER	240	122	118	156	84	—	22,226	10.8
Leverett	9	7	2	9	—	—	688	13.1
Lexington	110	52	58	81	29	—	13,187	8.3
Leyden	6	3	3	6	—	—	260	23.1
Lincoln	23	14	9	16	7	—	1,783	12.9
Littleton	24	10	14	18	6	—	1,651	14.5
Longmeadow	43	22	21	34	9	—	5,790	7.4
LOWELL	1,311	671	640	705	605	1	101,389	12.9
Ludlow	69	37	32	32	37	—	8,181	8.4
Lunenburg	29	18	11	24	5	—	2,195	13.2
LYNN	1,218	622	596	728	487	3	98,123	12.4
Lynnfield	31	19	12	24	7	—	2,287	13.6
MALDEN	696	338	358	393	300	3	58,010	12.0
Manchester	38	22	16	22	16	—	2,472	15.4
Mansfield	80	42	38	61	19	—	6,530	12.3
Marblehead	126	58	68	106	19	1	10,856	11.6
Marion	20	12	8	16	4	—	2,030	9.9
MARLBOROUGH	188	95	93	136	52	—	15,154	12.4
Marshfield	39	20	19	30	9	—	2,419	16.1
Mashpee	8	6	2	7	1	—	434	18.4
Mattapoisett	25	15	10	20	5	—	1,608	15.5
Maynard	83	54	29	47	36	—	6,812	12.2
Medfield	17	8	9	11	5	1	4,384	3.9
MEDFORD	632	306	326	385	247	—	63,083	10.0
Medway	41	24	17	31	10	—	3,297	12.4
MELROSE	275	127	148	190	85	—	25,333	10.9
Mendon	19	16	3	14	5	—	1,315	14.4
Merrimac	33	17	16	28	5	—	2,320	14.2
Methuen	245	126	119	119	125	1	21,880	11.2
Middleborough	142	75	67	103	39	—	9,032	15.7
Middlefield	3	2	1	3	—	—	201	14.9
Middleton	25	13	12	19	6	—	2,348	10.6
Milford	151	84	67	99	51	1	15,388	9.8
Millbury	78	43	35	45	32	1	6,983	11.2
Millis	26	18	8	17	9	—	2,278	11.4
Millville	24	14	10	9	15	—	1,722	13.9
Milton	187	92	95	120	65	2	18,708	10.0
Monroe	2	—	2	1	1	—	207	9.7
Monson	54	31	23	46	8	—	5,597	9.6
Montague	79	39	40	51	28	—	7,582	10.4
Monterey	4	1	3	4	—	—	320	12.5
Montgomery	1	1	—	1	—	—	178	5.6
Mount Washington	—	—	—	—	—	—	57	—
Nabant	35	17	18	28	7	—	1,835	19.1
Nantucket	56	27	29	46	10	—	3,401	16.5
Natick	170	90	80	119	51	—	13,851	12.3
Needham	123	60	63	81	42	—	12,445	9.9
New Ashford	2	1	1	1	1	—	87	23.0
NEW BEDFORD	1,327	685	642	618	708	1	110,341	12.0
New Braintree	7	6	1	3	4	—	439	15.9
New Marlborough	15	7	8	13	2	—	956	15.7
New Salem	9	9	—	8	1	—	357	25.2
Newbury	20	10	10	16	4	—	1,599	12.5
NEWBURYPORT	195	100	95	159	36	—	13,916	14.0
NEWTON	790	380	410	529	260	1	69,873	11.3
Norfolk	10	3	7	7	3	—	2,294	4.4
NORTH ADAMS	282	148	134	187	94	1	22,213	12.7
North Andover	99	48	51	54	45	—	7,524	13.2
North Attleborough	153	71	82	100	53	—	10,359	14.8

¹ Cities are printed in small capitals.² Exclusive of stillbirths

Table 2

ALLOCATED DEATHS,² BY CITIES AND TOWNS, BY SEX AND NATIVITY,
AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1940.

MUNICIPALITIES. ¹	Total num- ber.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Un- known.	U. S. Census April 1, 1940.	Ex- cluding non- resi- dents.
North Brookfield	37	18	19	32	4	1	3,304	11.2
North Reading	22	12	10	20	2	—	2,886	7.6
NORTHAMPTON	279	133	146	187	92	—	24,794	11.3
Northborough	25	7	18	20	5	—	2,382	10.5
Northbridge	108	66	42	49	59	—	10,212	10.5
Northfield	26	16	10	26	—	—	1,975	13.2
Norton	38	21	17	23	15	—	3,107	12.2
Norwell	19	9	10	13	6	—	1,871	10.2
Norwood	112	79	63	80	61	1	15,383	9.2
Oak Bluffs	32	17	15	24	8	—	1,584	20.2
Oakham	7	4	3	6	1	—	423	16.5
Orange	75	28	47	56	19	—	5,611	13.4
Orleans	26	13	13	24	2	—	1,451	17.9
Otis	6	3	3	6	—	—	364	16.5
Oxford	44	22	22	27	17	—	4,623	9.5
Palmer	89	51	38	56	33	—	9,149	9.7
Paxton	7	7	—	5	2	—	791	8.8
PEABODY	219	126	93	124	95	—	21,711	10.1
Pelham	3	1	2	3	—	—	568	5.3
Pembroke	20	9	11	17	2	1	1,718	11.6
Pepperell	27	20	7	21	6	—	3,114	8.7
Peru	2	1	1	2	—	—	142	14.1
Petersham	8	2	6	7	1	—	923	8.7
Phillipston	7	1	6	6	1	—	481	14.6
PITTSFIELD.	550	274	276	390	158	2	49,684	11.1
Plainfield	4	3	1	3	1	—	264	15.2
Plainville	19	10	9	13	6	—	1,302	14.6
Plymouth	155	72	83	93	62	—	13,100	11.8
Plympton	4	1	3	3	1	—	532	7.5
Princeton	9	3	6	8	1	—	713	12.6
Provincetown	50	23	27	33	17	—	3,668	13.6
QUINCY	737	386	351	415	322	—	75,810	9.7
Randolph	108	50	58	72	36	—	7,634	14.1
Raynham	23	7	16	13	10	—	2,141	10.7
Reading	163	81	82	127	36	—	10,866	15.0
Rehoboth	28	16	12	17	11	—	2,736	10.2
REVERE	341	173	168	157	184	—	34,405	9.9
Richmond	3	1	2	3	—	—	624	4.8
Rochester	17	13	4	12	5	—	1,269	13.4
Rockland	96	48	48	79	17	—	8,087	11.9
Rockport	58	34	24	39	19	—	3,556	16.3
Rowe	6	4	2	4	2	—	233	25.8
Rowley	23	10	13	19	4	—	1,533	15.0
Royalston	9	7	2	6	3	—	795	11.3
Russell	13	7	6	11	2	—	1,242	10.5
Rutland	25	18	7	17	7	1	2,181	11.5
SALEM	501	234	267	307	193	1	41,213	12.2
Salisbury	36	19	17	31	5	—	2,376	15.2
Sandisfield	3	—	3	2	1	—	421	7.1
Sandwich	27	15	12	24	3	—	1,360	19.9
Saugus	166	90	76	119	47	—	14,825	11.2
Savoy	2	2	—	2	—	—	300	6.7
Scituate	51	27	24	43	8	—	4,130	12.3
Seekonk	52	26	26	32	20	—	4,912	10.6
Sharon	42	22	20	30	12	—	3,737	11.2
Sheffield	25	12	13	19	6	—	1,709	14.6
Shelburne	21	10	11	19	2	—	1,636	12.8
Sherborn	8	5	3	5	3	—	1,022	7.8
Shirley	30	21	9	17	13	—	2,608	11.5
Shrewsbury	95	54	41	70	25	—	7,586	12.5
Shutesbury	1	—	1	1	—	—	191	5.2
Somerset	68	42	26	43	25	—	5,873	11.6
SOMERVILLE	1,142	573	569	676	464	2	102,177	11.2
South Hadley	62	35	27	31	31	—	6,856	9.0
Southampton	8	5	3	5	3	—	950	8.4
Southborough	30	14	16	24	6	—	2,231	13.4
Southbridge	158	83	75	92	66	—	16,825	9.4
Southwick	27	17	10	22	5	—	1,579	17.1
Spencer	89	48	41	73	16	—	6,611	13.4
SPRINGFIELD	1,674	890	784	1,100	564	10	149,554	11.2
Sterling	24	12	12	14	10	—	1,713	14.0
Stockbridge	26	14	12	21	5	—	1,815	14.3
Stoneham	84	35	49	54	30	—	10,765	7.8
Stoughton	85	39	46	63	22	—	8,632	9.8
Stow	18	10	8	14	4	—	1,243	14.5
Sturbridge	26	19	7	22	4	—	2,227	11.7

¹ Cities are printed in small capitals.

² Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,² BY CITIES AND TOWNS, BY SEX AND NATIVITY,
AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1940.

MUNICIPALITIES. ¹	Total num- ber.	SEX.		NATIVITY.			DEATH RATE PER 1,000 POPULATION	
		Male.	Female.	Native.	Foreign born.	Un- known.	U. S. Census April 1, 1940.	Ex- cluding non- resi- dents.
Sudbury	19	12	7	16	3	—	1,754	10.8
Sunderland	16	6	10	9	7	—	1,085	14.7
Sutton	23	13	10	14	9	—	2,749	8.4
Swampscott	122	60	62	85	37	—	10,761	11.3
Swansea	60	34	26	29	31	—	4,684	12.8
TAUNTON	440	216	224	283	156	1	37,395	11.8
Templeton	51	24	27	42	9	—	4,601	11.1
Tewksbury	39	24	15	15	24	—	6,261	6.2
State Infirmary	—	—	—	—	—	—	—	—
Tisbury	14	6	8	9	4	1	1,966	7.1
Tolland	1	1	—	1	—	—	129	7.8
Topsfield	17	10	7	15	2	—	1,150	14.8
Townsend	34	19	15	30	4	—	2,065	16.5
Truro	10	4	6	8	2	—	585	17.1
Tyngsborough	23	13	10	17	6	—	1,634	14.1
Tyringham	2	—	2	2	—	—	213	9.4
Upton	31	13	18	27	3	1	2,249	13.8
Uxbridge	89	51	38	60	29	—	6,417	13.9
Wakefield	145	73	72	92	52	1	16,223	8.9
Wales	9	6	3	7	2	—	367	24.5
Walpole	67	31	36	41	24	2	7,443	9.0
WALTHAM	417	205	212	267	149	1	40,020	10.4
Ware	81	40	41	42	39	—	7,557	10.7
Wareham	94	53	41	66	28	—	6,364	14.8
Warren	39	24	15	20	19	—	3,531	11.0
Warwick	8	2	6	3	5	—	444	18.0
Washington	3	3	—	3	—	—	267	11.2
Watertown	328	162	166	186	142	—	35,427	9.3
Wayland	45	27	18	32	13	—	3,505	12.8
Webster	115	59	56	60	55	—	13,186	8.7
Wellesley	123	53	70	93	30	—	15,127	8.1
Wellfleet	15	7	8	13	1	1	890	16.9
Wendell	2	2	—	2	—	—	391	5.1
Wenham	8	4	4	4	4	—	1,220	6.6
West Boylston	26	12	14	18	8	—	1,822	14.3
West Bridgewater	32	20	12	20	12	—	3,247	9.9
West Brookfield	30	15	15	26	4	—	1,387	21.6
West Newbury	25	9	16	21	4	—	1,515	16.5
West Springfield	196	111	85	146	50	—	17,135	11.4
West Stockbridge	17	9	8	13	4	—	1,062	16.0
West Tisbury	5	2	3	3	2	—	260	19.2
Westborough	73	38	35	57	16	—	6,463	11.3
WESTFIELD	180	89	91	128	52	—	18,793	9.6
Westford	49	23	26	29	20	—	3,630	12.8
Westhampton	9	6	3	7	2	—	403	22.3
Westminster	22	12	10	15	7	—	2,126	10.3
Weston	34	19	15	21	13	—	3,590	9.5
Westport	42	19	23	29	13	—	4,134	10.2
Westwood	34	21	13	23	11	—	3,376	10.1
Weymouth	271	139	132	194	75	2	23,868	11.4
Whately	11	7	4	7	4	—	979	11.2
Whitman	120	67	53	90	29	1	7,759	15.5
Wilbraham	31	22	9	22	9	—	3,041	10.2
Williamsburg	26	16	10	19	7	—	1,684	15.4
Williamstown	49	23	26	36	12	1	4,294	11.4
Wilmington	62	28	34	37	25	—	4,645	13.3
Winchendon	69	41	28	58	11	—	6,575	10.5
Winchester	150	79	71	106	44	—	15,081	9.9
Windor	6	3	3	6	—	—	314	19.1
Winthrop	210	110	100	134	76	—	16,768	12.5
WOBURN	210	118	92	121	89	—	19,751	10.6
WORCESTER	2,282	1,225	1,057	1,308	967	7	193,694	11.8
Worthington	5	2	3	5	—	—	471	10.6
Wrentham	35	16	19	24	10	1	4,674	7.5
Yarmouth	33	12	21	24	9	—	2,286	14.4

¹ Cities are printed in small capitals.

² Exclusive of stillbirths.

Line No.	Table 3 STATE, COUNTIES AND SEX.	ALLOCATED DEATHS, ¹ BY SEX AND											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	The State	50,698	2,925	2,450	196	108	109	62	245	281	444	519	632
2	Males	26,262	1,663	1,395	115	66	54	33	147	167	259	288	332
3	Females	24,436	1,262	1,055	81	42	55	29	98	114	185	231	300
4	BARNSTABLE.	505											
5	Males	273	16	14	2	1	1	-	1	2	3	5	4
6	Females	232	11	11	-	-	-	-	-	-	1	1	1
7	BERKSHIRE.	1,476											
8	Males	751	37	30	3	2	2	-	4	5	5	13	9
9	Females	725	35	31	1	-	2	1	1	5	6	4	11
10	BRISTOL.	4,277											
11	Males	2,191	161	138	13	4	5	1	8	10	25	23	34
12	Females	2,086	127	102	12	7	4	2	8	19	17	23	36
13	DUKES.	77											
14	Males	40	1	1	-	-	-	-	-	1	-	1	-
15	Females	37	2	2	-	-	-	-	-	-	-	-	-
16	ESSEX.	6,031											
17	Males	3,064	180	151	12	13	4	-	17	22	24	24	28
18	Females	2,967	154	125	15	5	6	3	7	12	31	24	38
19	FRANKLIN.	620											
20	Males	322	14	11	2	1	-	-	-	2	2	3	3
21	Females	298	11	10	1	-	-	-	-	2	1	1	1
22	HAMPDEN.	3,626											
23	Males	1,975	123	103	8	6	4	2	11	10	23	26	32
24	Females	1,651	69	53	7	4	3	2	13	6	18	14	14
25	HAMPSHIRE.	799											
26	Males	412	11	8	1	1	1	-	2	-	7	4	7
27	Females	387	19	14	1	2	-	2	1	3	2	1	7
28	MIDDLESEX.	10,885											
29	Males	5,487	375	319	21	16	10	9	40	31	58	45	49
30	Females	5,398	285	237	16	12	13	7	25	28	36	48	51
31	NANTUCKET.	56											
32	Males	27	1	1	-	-	-	-	-	-	-	-	1
33	Females	29	1	-	-	-	1	-	-	1	-	-	-
34	NORFOLK.	3,422											
35	Males	1,734	106	85	9	1	6	5	16	15	14	21	18
36	Females	1,688	72	58	6	1	4	3	7	2	8	11	17
37	PLYMOUTH.	2,239											
38	Males	1,168	57	49	3	-	2	3	6	10	9	15	10
39	Females	1,071	49	41	3	-	4	1	2	2	5	12	7
40	SUFFOLK.	10,992											
41	Males	5,773	386	332	22	9	16	7	24	41	54	77	97
42	Females	5,219	279	240	13	7	13	6	16	27	40	58	83
43	WORCESTER.	5,693											
44	Males	3,045	193	153	19	12	3	6	18	18	35	31	30
45	Females	2,648	148	131	6	4	5	2	18	7	20	34	34

¹ Exclusive of stillbirths.

AGE,² IN EACH COUNTY: 1940.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age un-known.
1	760	1,014	1,622	2,372	3,182	3,910	5,177	6,394	6,963	6,033	4,720	2,390	888	193	34	-
2	414	572	919	1,383	1,904	2,304	2,894	3,420	3,506	2,852	1,982	918	276	56	6	-
3	346	442	703	989	1,278	1,606	2,283	2,974	3,457	3,181	2,738	1,472	612	137	28	-
4																
5	1	5	5	6	14	12	21	41	38	46	30	14	6	1	-	-
6	2	4	3	4	9	11	15	26	34	42	40	16	12	-	-	-
7																
8	12	9	21	28	54	77	77	91	115	85	71	26	11	1	-	-
9	9	14	13	26	34	40	56	92	108	101	103	40	22	3	2	-
10																
11	39	45	69	103	159	213	249	278	298	229	149	73	22	3	1	-
12	24	35	47	84	120	134	207	255	287	275	223	119	37	8	1	-
13																
14	1	1	1	-	1	7	3	8	5	2	3	4	1	-	-	-
15	2	-	-	1	-	1	1	2	9	10	5	3	1	-	-	-
16																
17	41	65	87	149	206	258	352	397	445	371	235	114	36	3	-	-
18	35	39	90	111	127	201	275	346	440	387	347	200	81	16	6	-
19																
20	3	6	5	18	19	23	39	35	40	39	38	22	7	4	-	-
21	4	4	5	12	15	21	13	30	40	43	40	37	14	3	1	-
22																
23	32	39	91	112	150	177	222	257	240	217	132	61	18	2	-	-
24	23	32	52	71	116	123	159	197	218	220	162	100	33	9	2	-
25																
26	7	15	8	25	24	30	36	53	69	47	48	15	4	-	-	-
27	4	6	10	16	25	20	28	44	44	57	51	32	16	1	-	-
28																
29	99	115	192	286	401	447	618	733	750	552	402	202	71	19	2	-
30	80	106	147	220	267	336	510	631	820	663	623	337	141	38	6	-
31																
32	-	2	1	-	1	-	2	5	2	4	4	3	1	-	-	-
33	-	-	-	3	2	1	1	3	5	6	3	2	1	-	-	-
34																
35	23	31	62	103	102	134	175	223	236	217	146	70	19	3	-	-
36	22	25	43	62	81	117	156	196	237	239	202	125	55	10	1	-
37																
38	13	21	35	53	69	96	132	150	144	140	133	57	13	4	1	-
39	4	12	20	45	39	69	88	127	134	157	171	77	36	12	3	-
40																
41	100	153	252	347	461	562	632	770	730	552	352	136	37	9	1	-
42	91	117	201	232	297	363	527	713	739	639	453	212	102	26	4	-
43																
44	43	65	90	153	243	268	336	379	394	351	239	121	30	7	1	-
45	46	48	72	102	146	169	247	312	342	342	315	172	61	11	2	-

² Age at last birthday.

Line No.	Table 4 MUNICIPALITIES AND SEX.	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	ADAMS (TOWN)	128											
2	Males	66	6	6	1	-	-	-	-	-	-	1	1
3	Females	62	3	3	-	-	-	-	-	-	-	-	-
4	AMESBURY (TOWN)	150											
5	Males	72	8	7	-	1	-	-	-	2	-	1	-
6	Females	78	4	3	-	-	1	-	-	-	-	1	-
7	ANDOVER (TOWN)	139											
8	Males	64	1	1	-	-	-	-	1	-	-	2	1
9	Females	75	1	1	-	-	-	-	1	-	-	2	-
10	ARLINGTON (TOWN)	411											
11	Males	192	11	7	1	2	1	-	2	1	3	4	-
12	Females	219	14	13	-	-	-	1	-	-	9	1	-
13	ATHOL (TOWN)	145											
14	Males	75	6	6	-	-	-	-	1	-	-	1	1
15	Females	70	2	2	-	-	-	-	1	-	-	1	1
16	ATTLEBORO	272											
17	Males	140	10	8	-	1	-	1	2	-	3	-	1
18	Females	132	6	5	1	-	-	-	1	1	1	1	2
19	BELMONT (TOWN)	242											
20	Males	115	3	2	1	-	-	-	-	1	1	-	-
21	Females	127	9	8	1	-	-	-	-	-	-	-	1
22	BEVERLY.	274											
23	Males	147	10	8	1	1	-	-	2	1	3	3	1
24	Females	127	5	4	-	-	1	-	2	-	2	-	1
25	BOSTON.	10,005											
26	Males	5,242	350	301	19	8	15	7	24	39	49	69	85
27	Females	4,763	261	226	12	7	11	5	12	24	38	50	75
28	BRAINTREE (TOWN).	159											
29	Males	91	4	3	1	-	-	-	3	2	-	-	1
30	Females	68	6	5	-	-	1	-	-	-	-	-	-
31	BROCKTON.	818											
32	Males	426	20	19	-	-	1	-	3	4	5	5	5
33	Females	392	21	20	-	-	1	-	-	-	1	2	2
34	BROOKLINE (TOWN).	683											
35	Males	320	13	9	2	-	1	1	-	1	-	4	6
36	Females	363	5	3	-	-	2	-	1	1	-	2	2
37	CAMBRIDGE.	1,380											
38	Males	697	59	51	2	3	1	2	4	6	7	2	15
39	Females	683	38	30	4	2	2	-	1	6	5	8	12
40	CHELSEA.	436											
41	Males	248	17	14	1	1	1	-	-	-	3	3	6
42	Females	188	8	7	-	-	-	1	1	1	2	-	6
43	CHICOPEE.	391											
44	Males	223	23	20	1	1	1	-	4	2	3	3	4
45	Females	168	14	13	1	-	-	-	1	-	1	1	3
46	CLINTON (TOWN).	139											
47	Males	69	3	2	1	-	-	-	-	-	1	-	1
48	Females	70	7	7	-	-	-	-	-	-	2	2	-
49	DANVERS (TOWN).	133											
50	Males	62	6	5	1	-	-	-	-	-	1	1	1
51	Females	71	5	4	1	-	-	-	-	1	-	1	1
52	DEDHAM (TOWN).	147											
53	Males	75	6	6	-	-	-	-	-	-	2	1	-
54	Females	72	1	1	-	-	-	-	-	-	-	1	1
55	EASTHAMPTON (TOWN).	108											
56	Males	51	1	1	-	-	-	-	-	-	2	-	1
57	Females	57	6	3	-	2	-	1	-	-	-	-	3
58	EVERETT.	465											
59	Males	247	20	19	-	-	1	-	3	-	3	1	1
60	Females	218	14	11	1	1	-	1	1	-	2	2	3
61	FAIRHAVEN (TOWN).	106											
62	Males	57	2	2	-	-	-	-	1	-	-	1	3
63	Females	49	2	2	-	-	-	-	-	1	-	-	-
64	FALL RIVER	1,313											
65	Males	677	59	47	6	2	4	-	1	3	7	9	12
66	Females	636	48	38	5	3	1	1	4	9	5	9	14
67	FITCHBURG.	460											
68	Males	248	19	16	2	1	-	-	5	2	2	2	3
69	Females	212	15	12	-	1	1	1	2	1	-	2	4
70	FRAMINGHAM (TOWN).	239											
71	Males	126	10	9	-	1	-	-	-	-	2	-	1
72	Females	113	6	4	2	-	-	-	1	-	-	2	2
73	GARDNER.	189											
74	Males	113	12	9	1	1	-	1	-	1	3	-	-
75	Females	76	6	6	-	-	-	-	-	1	-	1	2
76	GLOUCESTER.	298											
77	Males	159	12	10	2	-	-	-	3	-	1	-	2
78	Females	139	8	7	1	-	-	-	1	1	2	1	3
79	GREENFIELD (TOWN).	198											
80	Males	109	6	5	1	-	-	-	-	-	-	-	2
81	Females	89	6	5	1	-	-	-	-	1	1	-	1

¹ Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1940.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	2	1	3	2	6	8	5	6	14	4	4	-	1	1	-	-
3	-	3	1	4	6	6	4	11	5	5	10	2	-	1	1	-
4																
5	1	3	2	1	2	4	4	8	7	15	8	6	-	-	-	-
6	1	-	2	2	3	5	5	7	15	12	11	7	3	-	-	-
7																
8	3	1	2	3	-	3	3	10	11	13	5	4	1	-	-	-
9	-	-	1	-	6	4	8	11	17	8	8	4	3	1	-	-
10																
11	5	5	9	14	10	17	18	21	25	22	17	7	1	-	-	-
12	3	7	11	12	10	15	19	19	24	27	27	13	6	2	-	-
13																
14	3	2	4	4	6	4	3	7	12	10	7	2	-	1	1	-
15	-	1	1	5	3	3	2	13	12	10	7	2	6	-	-	-
16																
17	2	3	6	7	3	10	17	17	20	11	20	5	3	-	-	-
18	-	1	3	4	2	6	13	23	19	18	15	12	3	1	-	-
19																
20	1	2	1	10	10	13	13	17	14	7	15	5	2	-	-	-
21	3	1	3	8	16	5	9	13	13	15	20	9	2	-	-	-
22																
23	-	4	3	8	12	9	15	15	24	16	13	4	4	-	-	-
24	1	1	5	4	8	10	18	16	15	11	14	12	2	-	-	-
25																
26	91	145	231	315	412	508	576	683	665	506	328	124	33	8	1	-
27	80	104	182	208	272	326	472	652	691	583	419	192	93	25	4	-
28																
29	3	2	4	1	5	8	14	14	11	7	9	3	-	-	-	-
30	2	-	1	2	1	5	5	7	12	13	6	7	1	-	-	-
31																
32	5	10	12	24	25	36	55	61	45	44	47	15	4	1	-	-
33	1	6	8	13	18	27	44	42	47	65	62	23	8	2	-	-
34																
35	4	1	9	16	21	29	26	50	47	45	26	19	3	-	-	-
36	6	4	7	12	19	20	35	42	56	49	46	33	17	5	1	-
37																
38	14	20	31	42	57	63	85	85	80	65	37	13	9	3	-	-
39	9	17	21	28	42	56	74	76	105	69	74	30	10	2	-	-
40																
41	3	4	10	16	26	30	28	36	27	20	11	6	1	1	-	-
42	9	7	7	17	7	16	21	25	25	22	10	4	-	-	-	-
43																
44	6	1	11	17	10	27	29	32	13	19	10	6	2	1	-	-
45	5	5	3	7	9	15	14	29	20	19	11	8	3	-	-	-
46																
47	1	1	1	2	6	6	11	7	12	6	6	4	-	1	-	-
48	-	2	2	1	6	4	8	18	5	5	6	2	-	-	-	-
49																
50	-	-	2	2	2	3	10	7	11	7	5	3	1	-	-	-
51	1	1	-	3	3	7	4	3	11	10	10	8	2	-	-	-
52																
53	-	1	2	4	3	4	10	14	12	9	4	2	-	1	-	-
54	1	-	4	3	4	7	4	10	11	8	8	6	3	-	-	-
55																
56	-	-	-	3	4	1	6	8	4	4	9	3	1	-	-	-
57	1	-	1	4	5	1	6	4	6	7	7	2	4	-	-	-
58																
59	9	5	8	12	15	25	29	35	32	24	20	4	1	-	-	-
60	3	6	6	8	12	11	19	34	37	16	26	12	4	1	1	-
61																
62	-	2	4	4	7	9	2	6	3	6	4	3	-	-	-	-
63	-	1	2	2	-	6	8	-	5	8	9	4	1	-	-	-
64																
65	14	6	18	26	54	67	86	95	90	71	34	19	5	1	-	-
66	8	7	16	26	48	47	50	79	92	86	54	26	8	-	-	-
67																
68	4	4	4	13	23	16	25	29	36	38	12	8	3	-	-	-
69	4	4	5	8	12	9	22	28	28	28	22	14	3	1	-	-
70																
71	-	3	9	8	12	9	15	16	15	13	8	4	1	-	-	-
72	-	5	4	3	11	8	6	14	18	11	12	7	3	-	-	-
73																
74	4	3	2	2	6	13	13	17	15	8	12	2	-	-	-	-
75	4	-	2	3	5	3	9	10	4	10	12	1	2	1	-	-
76																
77	3	3	6	10	5	7	17	19	23	22	18	7	1	-	-	-
78	1	2	4	4	4	8	14	16	17	18	16	11	6	1	1	-
79																
80	1	3	3	8	9	10	13	13	9	16	10	5	1	-	-	-
81	1	3	2	1	3	7	3	9	13	11	8	14	5	-	-	-

² Age at last birthday.

Lane No.	Table 4 MUNICIPALITIES AND SEX.	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	HAVERHILL.	621											
2	Males	303	15	13	2	-	-	-	1	4	3	1	
3	Females	318	14	14	-	-	-	-	-	1	4	2	1
4	HOLYOKE.	647											
5	Males	548	20	13	2	3	2	-	2	1	5	3	6
6	Females	299	9	6	-	1	2	-	6	-	5	2	2
7	LAWRENCE.	962											
8	Males	495	33	28	2	3	-	-	-	4	2	5	8
9	Females	467	42	34	4	3	-	1	2	4	5	6	10
10	LEOMINSTER.	240											
11	Males	122	8	8	-	-	-	-	-	-	2	1	-
12	Females	118	5	5	-	-	-	-	2	1	3	2	1
13	LEXINGTON (TOWN).	110											
14	Males	52	5	4	-	-	1	-	-	-	-	-	1
15	Females	58	5	5	-	-	-	-	1	2	-	-	1
16	LOWELL.	1,311											
17	Males	671	44	39	-	2	3	-	5	3	5	3	4
18	Females	640	32	27	3	1	-	1	6	4	4	3	6
19	LYNN.	1,218											
20	Males	622	45	38	2	2	3	-	3	3	5	5	4
21	Females	596	18	15	1	1	1	-	1	3	7	3	7
22	MALDEN.	696											
23	Males	338	29	24	4	-	-	1	2	3	4	4	2
24	Females	358	23	20	-	2	-	1	-	1	1	6	-
25	MARBLEHEAD (TOWN).	126											
26	Males	58	1	1	-	-	-	-	-	-	-	-	-
27	Females	68	5	4	-	1	-	-	-	-	-	-	1
28	MARLBOROUGH.	188											
29	Males	95	5	4	-	-	1	-	-	-	-	-	-
30	Females	93	5	4	1	-	-	-	1	1	2	1	-
31	MEDFORD.	632											
32	Males	306	20	18	1	1	-	-	3	2	5	4	2
33	Females	326	23	19	1	1	2	-	-	1	1	3	2
34	MELROSE.	275											
35	Males	127	4	4	-	-	-	-	1	1	1	1	1
36	Females	148	1	-	-	-	1	-	-	-	-	1	1
37	METHUEN (TOWN).	245											
38	Males	126	6	5	-	1	-	-	-	1	2	1	2
39	Females	119	5	4	-	-	1	-	-	-	4	-	2
40	MILFORD (TOWN).	151											
41	Males	84	5	4	1	-	-	-	-	-	-	2	4
42	Females	67	5	3	-	2	-	-	-	-	-	4	2
43	MILTON (TOWN).	187											
44	Males	92	-	-	-	-	-	-	2	1	2	-	-
45	Females	95	3	2	1	-	-	-	-	-	-	-	-
46	NATICK (TOWN).	170											
47	Males	90	9	9	-	-	-	-	1	-	-	-	1
48	Females	80	4	2	-	1	1	-	-	-	-	-	-
49	NEEDHAM (TOWN).	123											
50	Males	60	3	2	1	-	-	-	1	-	2	-	-
51	Females	63	2	2	-	-	-	-	-	-	-	-	1
52	NEW BEDFORD	1,327											
53	Males	685	46	40	5	-	1	-	3	3	6	8	10
54	Females	642	40	30	4	3	2	1	2	2	8	8	15
55	NEWBURYPORT.	195											
56	Males	100	6	5	-	1	-	-	-	-	-	-	3
57	Females	95	2	2	-	-	-	-	-	-	1	-	1
58	NEWTON.	790											
59	Males	380	19	14	2	2	-	1	1	1	5	4	2
60	Females	410	18	15	2	-	-	1	3	3	5	5	3
61	NORTH ADAMS.	282											
62	Males	148	7	5	-	1	1	-	2	1	2	4	-
63	Females	134	7	7	-	-	-	-	-	1	2	1	1
64	NORTH ATTLEBOROUGH (TOWN).	153											
65	Males	71	7	7	-	-	-	-	-	1	3	-	1
66	Females	82	1	1	-	-	-	-	-	1	1	-	1
67	NORTHAMPTON.	279											
68	Males	133	6	4	1	1	-	-	1	-	1	2	1
69	Females	146	4	4	-	-	-	-	-	1	-	-	-
70	NORTHBRIDGE (TOWN).	108											
71	Males	66	5	5	-	-	-	-	1	1	-	-	-
72	Females	42	-	-	-	-	-	-	-	1	2	-	1
73	NORWOOD (TOWN).	142											
74	Males	79	6	4	-	1	-	1	1	1	1	3	1
75	Females	63	4	3	-	-	-	1	-	-	1	1	-
76	PEABODY.	219											
77	Males	126	8	7	-	-	1	-	3	-	1	2	3
78	Females	93	6	6	-	-	-	-	-	-	-	3	3
79	PRITTSFIELD.	550											
80	Males	274	8	6	1	1	-	-	2	2	1	6	7
81	Females	276	19	17	1	-	1	-	1	3	2	2	4

¹ Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1940—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	4	6	8	12	21	22	38	44	43	31	33	12	4	-	-	-
3	3	3	6	15	14	17	20	35	50	53	36	32	5	4	2	-
4																
5	6	10	19	26	34	26	33	41	51	33	18	10	4	-	-	-
6	4	10	10	11	21	26	27	41	39	36	31	17	1	-	1	-
7																
8	8	12	13	27	44	58	61	73	63	53	22	5	4	-	-	-
9	5	9	15	12	23	33	54	65	65	54	36	19	8	-	-	-
10																
11	1	4	2	8	7	14	12	13	17	13	14	5	1	-	-	-
12	2	2	1	3	11	2	9	11	19	14	16	8	4	2	-	-
13																
14	-	2	-	1	2	3	7	6	5	9	8	3	2	-	-	-
15	3	2	1	3	3	1	7	6	8	8	3	2	2	-	-	-
16																
17	7	12	17	41	41	71	93	89	103	65	47	12	8	1	-	-
18	10	6	23	27	30	50	65	98	98	79	57	27	12	3	-	-
19																
20	11	15	11	35	39	51	74	78	105	69	41	22	5	1	-	-
21	8	13	24	24	28	38	57	57	88	88	72	35	22	2	1	-
22																
23	11	14	13	14	20	16	38	52	41	36	19	13	4	3	-	-
24	10	5	10	12	14	30	36	41	53	45	39	24	6	2	-	-
25																
26	-	1	2	2	4	1	13	10	5	9	6	2	1	1	-	-
27	-	-	1	3	2	5	4	7	8	8	16	2	3	2	1	-
28																
29	-	-	2	2	8	12	10	11	14	16	8	5	1	1	-	-
30	-	2	3	2	3	3	13	8	18	14	11	4	1	1	-	-
31																
32	5	5	8	14	31	24	31	42	49	25	18	16	2	-	-	-
33	8	9	9	23	15	21	30	34	49	40	26	9	20	2	1	-
34																
35	-	1	5	-	8	7	14	21	24	15	15	4	4	-	-	-
36	2	1	3	6	4	8	9	9	23	20	25	22	9	3	1	-
37																
38	1	-	7	6	10	15	15	20	14	14	8	4	-	-	-	-
39	1	4	8	8	4	12	11	15	15	9	14	5	1	1	-	-
40																
41	-	3	2	7	9	7	9	11	7	9	6	2	1	-	-	-
42	3	-	2	1	5	2	4	8	6	8	10	6	1	-	-	-
43																
44	3	-	5	11	4	7	6	13	10	15	7	5	1	-	-	-
45	-	1	5	5	5	7	10	14	12	14	11	6	2	-	-	-
46																
47	1	2	3	5	11	4	1	12	10	14	7	7	2	-	-	-
48	1	4	1	4	1	4	7	9	11	12	13	6	3	-	-	-
49																
50	-	2	3	1	2	5	9	9	7	3	7	3	3	-	-	-
51	-	2	1	2	2	10	4	5	9	8	10	5	2	-	-	-
52																
53	15	23	27	34	56	69	78	90	87	72	37	16	4	-	1	-
54	11	14	15	29	39	35	79	78	83	72	64	33	11	4	-	-
55																
56	-	3	1	7	9	8	8	9	19	14	3	9	1	-	-	-
57	3	-	2	1	5	7	10	10	13	12	11	13	3	1	-	-
58																
59	5	7	15	14	36	24	38	53	55	42	39	12	5	3	-	-
60	6	9	7	11	11	14	35	51	68	53	55	30	17	6	-	-
61																
62	1	3	5	8	12	12	13	20	22	17	12	5	-	-	-	-
63	1	1	1	6	9	5	9	20	15	19	24	7	5	-	-	-
64																
65	1	1	1	2	6	3	14	6	12	4	5	3	1	-	-	-
66	1	1	1	4	4	9	6	9	12	8	21	1	1	-	-	-
67																
68	2	7	5	9	12	9	9	18	23	10	11	5	2	-	-	-
69	1	5	2	9	9	6	12	16	19	18	22	20	2	-	-	-
70																
71	3	-	2	4	8	3	12	8	9	7	2	1	-	-	-	-
72	-	1	-	1	4	1	7	3	5	5	6	2	2	1	-	-
73																
74	1	2	4	7	6	8	8	4	5	15	3	3	-	-	-	-
75	2	-	1	1	4	5	11	10	8	7	5	3	-	-	-	-
76																
77	2	3	5	6	18	16	14	9	9	12	11	3	1	-	-	-
78	-	1	3	7	4	12	9	6	17	6	10	2	3	1	-	-
79																
80	5	5	5	11	20	27	33	30	40	31	28	9	4	-	-	-
81	3	6	7	9	9	18	27	28	40	36	42	12	5	2	1	-

² Age at last birthday.

Line No.	Table 4 MUNICIPALITIES AND SEX.	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	PLYMOUTH (TOWN).	155											
2	Males	72	6	6	-	-	-	-	1	2	-	-	-
3	Females	83	1	-	-	-	1	-	-	1	1	-	-
4	QUINCY	737											
5	Males	386	20	16	2	-	1	1	3	6	2	5	6
6	Females	351	20	18	1	-	1	-	2	1	1	4	5
7	READING (TOWN).	163											
8	Males	81	5	3	-	-	-	2	-	-	1	-	1
9	Females	82	2	2	-	-	-	-	-	-	-	-	-
10	REVERE.	341											
11	Males	173	16	15	1	-	-	-	-	1	1	4	4
12	Females	168	6	5	1	-	-	-	3	1	-	6	1
13	SALEM.	501											
14	Males	234	11	8	1	2	-	-	1	3	3	-	7
15	Females	267	13	10	1	-	-	2	-	1	2	1	2
16	SAUGUS (TOWN).	166											
17	Males	90	3	2	-	1	-	-	1	1	-	1	1
18	Females	76	7	5	2	-	-	-	-	1	2	-	1
19	SOMERVILLE.	1,142											
20	Males	573	50	42	4	2	-	2	6	6	7	6	7
21	Females	569	27	22	1	-	2	2	1	3	5	6	11
22	SOUTHBRIDGE (TOWN).	158											
23	Males	83	4	3	-	1	-	-	-	-	-	-	1
24	Females	75	7	6	1	-	-	-	2	-	2	3	2
25	SPRINGFIELD.	1,674											
26	Males	890	50	41	5	1	1	2	4	4	6	10	13
27	Females	784	26	17	6	2	1	-	3	4	6	8	6
28	STONEHAM (TOWN).	84											
29	Males	35	2	2	-	-	-	-	1	-	-	1	-
30	Females	49	3	3	-	-	-	-	-	-	-	-	-
31	SWANSCOTT (TOWN).	122											
32	Males	60	3	1	1	1	-	-	-	-	1	1	1
33	Females	62	3	2	1	-	-	-	-	-	-	1	1
34	TAUNTON.	440											
35	Males	216	12	9	2	1	-	-	-	1	3	1	1
36	Females	224	12	10	1	1	-	-	2	1	1	2	2
37	WAKEFIELD (TOWN).	145											
38	Males	73	5	4	-	1	-	-	1	-	-	-	-
39	Females	72	3	3	-	-	-	-	-	-	-	2	-
40	WALTHAM.	417											
41	Males	205	18	16	1	1	-	-	1	2	3	1	1
42	Females	212	13	10	1	-	2	-	3	2	-	5	3
43	WATERTOWN (TOWN).	328											
44	Males	162	7	4	1	1	1	-	1	1	3	3	3
45	Females	166	9	6	1	1	1	-	2	-	3	-	1
46	WEBSTER (TOWN).	115											
47	Males	59	3	2	1	-	-	-	-	-	-	-	-
48	Females	56	7	5	1	-	-	1	-	-	-	2	2
49	WELLESLEY (TOWN).	123											
50	Males	53	3	2	-	-	1	-	-	-	-	1	1
51	Females	70	4	2	1	-	-	1	1	-	1	1	-
52	W. SPRINGFIELD (TOWN).	196											
53	Males	111	7	6	-	1	-	-	-	-	2	-	2
54	Females	85	2	2	-	-	-	-	-	-	1	-	-
55	WESTFIELD.	180											
56	Males	89	9	9	-	-	-	-	1	-	1	-	2
57	Females	91	6	6	-	-	-	-	-	-	1	1	-
58	WEYMOUTH (TOWN).	271											
59	Males	139	8	7	-	-	1	-	2	-	3	2	1
60	Females	132	9	6	3	-	-	-	1	-	1	-	2
61	WINCHESTER (TOWN).	150											
62	Males	79	8	7	1	-	-	-	1	1	-	-	-
63	Females	71	2	2	-	-	-	-	-	-	-	-	-
64	WINTHROP (TOWN).	210											
65	Males	110	3	2	1	-	-	-	-	1	1	1	2
66	Females	100	4	2	-	-	2	-	-	-	-	2	1
67	WOBURN.	210											
68	Males	118	4	4	-	-	-	-	2	1	3	3	3
69	Females	92	6	5	-	1	-	-	2	1	-	1	2
70	WORCESTER.	2,282											
71	Males	1,225	63	51	3	4	3	2	7	8	17	11	15
72	Females	1,057	49	44	3	-	2	-	7	-	7	13	12

¹ Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1940—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age Unknown.
1	-	1	3	1	5	7	10	9	11	10	5	1	-	-	-	-
2	1	1	1	4	5	9	7	11	9	9	14	4	5	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	7	7	12	37	28	33	42	47	50	38	27	11	5	-	-	-
5	6	8	13	18	18	25	39	37	48	41	40	15	8	2	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	4	1	1	4	2	3	7	11	8	8	9	7	2	1	-	-
8	1	1	2	2	3	8	6	10	10	17	10	7	3	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	4	3	7	11	13	16	14	35	23	13	3	4	1	-	-	-
11	2	6	7	4	13	16	23	25	11	20	9	9	6	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	1	5	15	10	11	19	23	36	35	27	12	12	2	1	-	-
14	6	3	7	14	8	16	27	27	48	27	38	19	6	2	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	1	-	2	3	7	9	8	10	16	13	9	2	3	-	-	-
17	-	1	1	4	4	3	7	10	10	7	12	4	2	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	17	12	26	33	50	57	50	87	74	45	15	18	5	2	-	-
20	4	9	17	23	41	58	49	63	95	75	55	54	10	3	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	2	4	6	7	11	16	10	6	11	3	1	-	-	-
23	-	1	1	2	7	9	7	8	10	8	4	2	-	-	-	-
24	12	18	39	49	76	71	106	120	120	100	64	21	7	-	-	-
25	7	10	27	38	49	59	81	89	121	106	76	48	16	3	1	-
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	1	-	2	3	-	2	6	5	4	2	4	1	1	-	-	-
28	-	3	2	2	1	6	2	5	6	3	7	4	5	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	1	1	2	2	5	7	2	8	9	7	7	2	1	-	-	-
31	-	-	3	2	1	2	5	7	9	15	10	2	1	-	-	-
32	2	3	8	14	9	26	17	29	33	30	13	10	4	-	-	-
33	1	2	2	10	14	10	21	29	34	27	26	23	3	1	1	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	2	3	8	14	9	26	17	29	33	30	13	10	4	-	-	-
36	1	2	2	10	14	10	21	29	34	27	26	23	3	1	1	-
37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	-	2	2	3	3	4	10	11	14	4	5	6	3	-	-	-
39	-	-	1	1	2	6	12	7	9	10	9	6	3	1	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	1	3	8	8	13	16	19	28	31	19	17	13	3	-	-	-
42	-	4	2	10	7	7	20	23	31	28	31	16	6	1	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	3	3	1	15	13	14	25	23	24	8	8	5	2	-	-	-
45	4	5	4	9	5	6	21	17	23	22	18	12	4	1	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	-	1	3	2	4	7	12	11	6	6	5	2	2	-	-	-
48	-	-	-	1	6	5	7	9	4	4	-	2	2	-	-	-
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	1	5	1	3	2	4	9	7	3	5	5	3	-	-	-	-
51	-	-	1	4	3	2	5	5	13	11	8	8	3	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1	3	8	7	9	17	12	12	18	5	2	6	-	-	-	-
54	3	-	3	4	5	6	8	9	8	13	10	10	1	2	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	1	2	4	3	5	10	8	10	7	14	8	3	1	-	-	-
57	1	1	3	5	5	5	8	12	8	15	9	4	6	1	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	1	3	4	12	6	6	13	13	27	15	15	6	1	1	-	-
60	1	2	1	4	6	6	8	18	18	22	14	13	5	1	-	-
61	-	1	3	6	7	7	10	6	10	6	3	6	4	-	-	-
62	1	-	3	1	2	5	7	11	8	8	10	6	6	1	-	-
63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	2	1	4	5	10	8	14	16	15	13	10	2	2	-	-	-
65	-	-	5	3	5	5	11	11	12	14	15	7	3	1	-	-
66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	5	3	6	5	5	7	14	18	16	10	6	6	1	-	-	-
68	1	-	4	4	4	3	4	12	10	12	14	8	3	1	-	-
69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	18	29	35	70	104	130	130	156	154	132	83	51	9	3	-	-
72	23	24	33	52	51	74	110	124	134	131	121	68	21	2	1	-

² Age at last birthday.

Table 5

MORTALITY¹ OF MALES AND FEMALES: 1915 TO 1940.

Table 5

YEARS	DEATHS. ³		Deaths of males to 1,000 deaths of females	DEATH RATES ² PER 1,000 POPULATION.		
	Males	Females.		Males.	Females.	Excess of male rate.
1915	27,335	25,792	1,060	15.1	13.7	1.4
1916	29,536	26,823	1,101	—	—	—
1917	29,622	27,005	1,097	—	—	—
1918	41,670	37,163	1,121	—	—	—
1919	26,407	25,930	1,018	—	—	—
1920	26,625	27,004	986	14.1	13.8	.3
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1
1925	26,457	25,433	1,040	—	—	—
1926	26,943	25,945	1,038	—	—	—
1927	25,233	24,091	1,047	—	—	—
1928	26,082	25,360	1,028	—	—	—
1929	26,461	25,710	1,029	—	—	—
1930	25,242	24,261	1,041	12.2	11.1	1.1
1931	25,021	23,722	1,055	—	—	—
1932	25,321	24,210	1,046	—	—	—
1933	26,131	24,701	1,058	—	—	—
1934	26,569	24,191	1,098	—	—	—
1935	26,900	24,286	1,071	—	—	—
1936	27,104	24,950	1,086	—	—	—
1937	27,395	24,892	1,101	—	—	—
1938	26,046	23,850	1,092	—	—	—
1939	26,340	24,567	1,072	—	—	—
1940	26,572	24,708	1,075	12.6	11.2	1.4

¹ Exclusive of stillbirths.² Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925 and 1935.³ Including nonresidents.

Table 6

DEATHS¹ AT SPECIFIED AGES: CENSUS YEARS 1915 TO 1940.

AGE PERIODS.	1940.	1935.	1930.	1925.	1920.	1915.
All Ages.	50,698 ⁴	49,634 ⁴	49,503	51,890	53,632	53,131
Under 5 years	2,925	3,809	5,873	8,623	11,759	12,891
Under 1 year	2,450	3,014	4,440	6,294	8,382	9,490
5 to 9 years	245	513	742	922	1,129	1,026
10 to 14 years	281	461	479	678	689	648
15 to 19 years	444	616	705	891	957	984
20 to 29 years	1,151	1,627	1,956	2,498	3,282	3,234
30 to 39 years	1,774	2,405	2,959	3,161	3,916	3,823
40 to 49 years	3,994	4,488	4,278	4,521	4,554	4,825
50 to 59 years	7,092	7,001	6,989	6,838	6,154	6,058
60 to 69 years	11,571	11,083	9,881	9,186	7,784	7,323
70 to 79 years	12,996	10,964	9,637	8,882	8,049	7,613
80 years and over	8,225	6,667	6,003	5,685	5,370	4,667
Age unknown.	—	—	1	5	9	39

DEATH RATES PER 1,000 POPULATION² AT SPECIFIED AGES

AGE PERIODS.	11.7	11.4	11.6	12.5	13.9	14.4
All Ages.	11.7	11.4	11.6	12.5	13.9	14.4
Under 5 years	10.4	—	16.8	—	30.4	35.5
Under 1 year	.8	—	68.3	—	111.9	126.1
5 to 9 years	—	—	1.9	—	3.1	3.1
10 to 14 years	—	—	1.2	—	2.1	2.1
15 to 19 years	—	—	1.9	—	3.2	3.1
20 to 29 years	—	—	2.9	—	4.9	4.6
30 to 39 years	—	—	— ³	—	6.4	6.5
40 to 49 years	—	—	— ³	—	9.1	10.3
50 to 59 years	—	—	— ³	—	17.2	19.1
60 to 69 years	—	—	— ³	—	37.5	40.5
70 to 79 years	—	—	— ³	—	85.5	87.1
80 years and over	—	—	— ³	—	193.0	177.5

¹ Exclusive of stillbirths.² Population by age groups not enumerated for 1925, 1935 and 1940.³ U. S. Census figures for 1930 not available.⁴ Allocated.

Table 7

YEARS.	PER CENT OF DEATHS ¹ AT SPECIFIED AGES— BOTH SEXES.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1916	16.6	23.2	5.8	71.0
1917	16.5	22.5	5.9	71.6
1918	13.7	21.0	13.7	65.3
1919	14.8	20.7	7.3	72.0
1920	15.6	21.9	6.1	72.0
1921	14.7	19.7	5.3	75.0
1922	13.9	19.2	4.9	75.9
1923	13.3	18.4	4.9	76.7
1924	12.5	16.9	4.9	78.2
1925	12.1	16.6	4.8	78.6
1926	11.6	16.1	4.4	79.5
1927	10.8	14.3	4.6	81.1
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5
1935 ²	6.1	7.7	3.3	89.0
1936 ²	5.5	7.1	3.2	89.7
1937 ²	5.2	6.5	3.0	90.5
1938 ²	4.9	6.2	2.9	90.9
1939 ²	4.6	5.7	2.5	91.8
1940 ²	4.8	5.8	2.3	91.9

¹ Exclusive of stillbirths.² Allocated.

AGE PERIODS.	MALE DEATHS PER 1,000 FEMALE DEATHS AT SPECIFIED AGES.				AGE PERIODS.	MALE DEATHS PER 1,000 FEMALE DEATHS AT SPECIFIED AGES.			
	1940. ¹	1939. ¹	1938. ¹	1937. ¹		1940. ¹	1939. ¹	1938. ¹	1937. ¹
All Ages.	1,075	1,073	1,091	1,099	40 to 44 years	1,307	1,458	1,345	1,366
Under 1 year	1,322	1,415	1,278	1,296	45 to 49 years	1,398	1,390	1,409	1,458
1 year	1,420	1,237	1,161	1,267	50 to 54 years	1,490	1,454	1,463	1,524
2 years	1,571	1,345	1,197	960	55 to 59 years	1,435	1,341	1,391	1,389
3 years	982	1,150	1,151	1,148	60 to 64 years	1,268	1,251	1,271	1,230
4 years	1,138	2,037	1,103	2,056	65 to 69 years	1,150	1,136	1,150	1,123
5 to 9 years	1,500	1,131	1,536	1,457	70 to 74 years	1,014	1,002	1,046	1,009
10 to 14 years	1,465	1,762	1,285	1,491	75 to 79 years	897	893	904	926
15 to 19 years	1,400	1,297	1,474	1,731	80 to 84 years	724	729	756	787
20 to 24 years	1,247	1,105	964	1,198	85 to 89 years	624	659	660	635
25 to 29 years	1,107	1,122	1,036	920	90 to 94 years	451	516	500	460
30 to 34 years	1,197	1,086	1,130	1,150	95 to 99 years	409	413	427	282
35 to 39 years	1,294	1,140	1,144	1,262	100 years and over	214	211	360	421

¹ Allocated.

Table 9

DEATHS¹ OF MALES AND FEMALES AT SPECIFIED AGES: 1931 TO 1940.

AGE PERIODS AND YEARS.	BOTH SEXES.		MALES.		FEMALES.		Female deaths per 1,000 male deaths.
	Number.	Per Cent distribu- tion.	Number.	Per Cent distribu- tion.	Number.	Per Cent distribu- tion.	
ALL AGES.							
1931	48,743	100.0	25,021	100.0	23,722	100.0	948
1932	49,531	100.0	25,321	100.0	24,210	100.0	956
1933	50,832	100.0	26,131	100.0	24,701	100.0	945
1934	50,760	100.0	26,569	100.0	24,191	100.0	910
1935	49,634 ²	100.0	25,642	100.0	23,992	100.0	936
1936	51,435 ²	100.0	26,773	100.0	24,662	100.0	921
1937	51,739 ²	100.0	27,088	100.0	24,651	100.0	910
1938	49,285 ²	100.0	25,719	100.0	23,566	100.0	916
1939	50,292 ²	100.0	26,037	100.0	24,255	100.0	932
1940	50,698 ²	100.0	26,262	100.0	24,436	100.0	930
UNDER 1 YEAR.							
1931	3,803	7.8	2,174	8.7	1,629	6.9	749
1932	3,635	7.3	2,068	8.2	1,567	6.5	758
1933	3,294	6.5	1,894	7.2	1,400	5.7	739
1934	3,136	6.2	1,784	6.7	1,352	5.6	758
1935	3,014	6.1	1,760	6.9	1,254	5.2	713
1936	2,854	5.5	1,605	6.0	1,249	5.1	778
1937	2,684	5.2	1,515	5.6	1,169	4.7	772
1938	2,439	4.9	1,367	5.3	1,072	4.5	783
1939	2,338	4.6	1,370	5.3	968	4.0	707
1940	2,450	4.8	1,395	5.3	1,055	4.3	756
UNDER 5 YEARS.							
1931	4,969	10.2	2,810	11.2	2,159	9.1	768
1932	4,787	9.7	2,695	10.6	2,092	8.6	776
1933	4,341	8.5	2,484	9.5	1,857	7.5	748
1934	4,074	8.0	2,316	8.7	1,758	7.3	759
1935	3,809	7.7	2,216	8.6	1,593	6.6	719
1936	3,667	7.1	2,052	7.7	1,615	6.5	787
1937	3,354	6.5	1,889	7.0	1,465	5.9	776
1938	3,033	6.2	1,687	6.5	1,346	5.7	798
1939	2,859	5.7	1,669	6.4	1,190	4.9	713
1940	2,925	5.8	1,663	6.3	1,262	5.2	759
20 TO 29 YEARS.							
1931	1,920	3.9	908	3.6	1,012	4.3	1,115
1932	1,850	3.7	885	3.5	965	4.0	1,090
1933	1,829	3.6	894	3.4	935	3.8	1,046
1934	1,777	3.5	891	3.4	886	3.7	994
1935	1,627	3.3	808	3.2	819	3.4	1,014
1936	1,618	3.2	840	3.1	778	3.2	931
1937	1,546	3.0	789	2.9	757	3.1	959
1938	1,428	2.9	715	2.8	713	3.0	997
1939	1,277	2.5	673	2.6	604	2.5	897
1940	1,151	2.3	620	2.4	531	2.2	856
ALL OTHER AGES.							
1931	41,854	85.9	21,303	85.2	20,551	86.6	965
1932	42,894	86.6	21,741	85.9	21,153	87.4	973
1933	44,662	87.9	22,753	87.1	21,909	88.7	963
1934	44,909	88.5	23,362	87.9	21,547	89.0	922
1935	44,198	89.0	22,618	88.2	21,580	90.0	954
1936	46,150	89.7	23,881	89.2	22,269	90.3	932
1937	46,839	90.5	24,410	90.1	22,429	91.0	919
1938	44,824	90.9	23,317	90.7	21,507	91.3	922
1939	46,156	91.8	23,695	91.0	22,461	92.6	948
1940	46,622	91.9	23,979	91.3	22,643	92.6	944

¹ Exclusive of stillbirths.² Allocated.

Table 10

ALLOCATED DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1940.

AGE AT DEATH.	Both Sexes	MALES.						FEMALES.					
		Total.	Single.	Married.	Widowed.	Divorced.	Unknown.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.
The State.													
15 Years and Over.	47,247	24,285	4,316	13,548	5,895	480	46	22,962	4,143	7,958	10,587	268	6
15 to 19 years	444	259	259	-	-	-	-	185	175	10	-	-	-
20 to 29 years	1,151	620	483	125	2	10	-	531	249	267	8	7	-
30 to 39 years	1,774	986	394	539	22	29	2	788	173	571	25	19	-
40 to 49 years	3,994	2,302	508	1,608	93	84	9	1,692	297	1,203	155	36	1
50 to 59 years	7,092	4,208	693	2,984	407	111	13	2,884	435	1,739	660	49	1
60 to 69 years	11,571	6,314	902	3,980	1,290	126	16	5,257	862	2,264	2,058	71	2
70 to 79 years	12,996	6,358	784	3,254	2,221	97	2	6,638	1,118	1,553	3,914	51	2
80 years and over	8,225	3,238	293	1,053	1,860	23	4	4,987	834	351	3,767	35	-
Boston.													
15 Years and Over.	9,295	4,829	1,192	2,416	1,092	104	25	4,466	993	1,459	1,960	51	3
15 to 19 years	87	49	49	-	-	-	-	38	36	2	-	-	-
20 to 29 years	279	154	119	29	1	5	-	125	65	57	2	1	-
30 to 39 years	420	236	115	107	7	5	2	184	44	122	11	7	-
40 to 49 years	936	546	158	332	28	21	7	390	79	257	44	9	1
50 to 59 years	1,518	920	203	584	101	27	5	598	100	337	153	8	-
60 to 69 years	2,383	1,259	254	710	261	26	8	1,124	224	404	487	8	1
70 to 79 years	2,445	1,171	213	527	413	18	-	1,274	272	247	742	12	1
80 years and over	1,227	494	81	127	281	2	3	733	173	33	521	6	-

Table 11

ALLOCATED DEATHS, IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS, BY MONTHS: 1940.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1940 (Grouped in order of population).	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	The State.	50,698	4,896	4,510	4,622	4,292	4,125	3,911	4,040	3,577	3,783	4,158	4,165
Average daily number of deaths.	139	158	156	149	143	133	130	130	115	126	134	139	149
COUNTIES.													
Middlesex	10,885	1,067	925	977	934	882	825	880	754	796	939	891	1,015
Suffolk	10,992	1,048	990	1,040	966	886	855	863	790	836	870	858	990
Essex	5,693	559	537	504	473	447	424	449	419	416	482	455	528
Worcester	6,031	577	524	530	503	485	485	512	395	451	480	527	582
Bristol	4,277	404	371	408	380	346	305	336	316	299	377	367	368
Hampden	3,626	346	315	348	277	300	284	292	278	280	290	317	299
Norfolk	3,422	312	308	302	296	299	282	249	219	255	278	309	313
Plymouth	2,239	223	206	200	166	172	166	187	160	198	161	180	220
Berkshire	1,476	153	143	127	120	128	130	114	105	107	111	103	135
Hampshire	799	84	76	63	85	83	61	54	54	62	64	54	59
Franklin	620	65	51	66	43	48	43	49	43	51	53	55	53
Barnstable	505	49	46	48	36	43	44	47	38	36	33	36	49
Dukes	77	6	11	5	5	5	4	5	3	9	11	9	4
Nantucket	56	3	7	4	8	1	3	3	3	7	9	4	4
CITIES OVER 100,000.													
Boston	10,005	954	898	947	877	810	775	769	725	763	801	782	904
Worcester	2,282	215	220	195	185	175	156	185	166	173	193	181	238
Springfield	1,674	173	147	146	120	149	137	135	124	134	135	145	129
Fall River	1,313	115	121	132	119	115	87	102	77	97	127	123	98
Cambridge	1,380	141	138	148	114	109	76	112	92	92	118	109	131
New Bedford	1,327	134	102	119	105	116	107	96	111	96	111	107	123
Somerville	1,142	125	90	104	98	86	96	91	87	84	83	96	102
Lowell	1,311	140	107	120	120	106	105	108	88	91	106	107	113
CITIES 50,000 TO 100,000.													
Lynn	1,218	118	90	108	105	93	100	96	72	97	111	110	118
Lawrence	962	101	91	84	92	75	74	91	54	62	72	77	89
Quincy	737	60	71	64	66	63	67	47	53	53	58	62	73
Newton	790	79	76	60	71	64	60	51	50	66	91	62	60
Medford	632	63	40	56	58	59	35	52	49	38	61	56	65
Brockton	818	91	74	63	58	57	61	73	65	66	56	72	82
Malden	696	61	52	66	59	51	62	59	32	57	65	57	75
Holyoke.	647	57	59	67	61	45	53	55	49	53	45	49	54

¹ Exclusive of stillbirths.

Table 12	DEATHS. ¹		LIVE BIRTHS.		DEATHS UNDER 1 YEAR.		STILLBIRTHS.	
	Number	Per 1,000 population.	Number.	Per 1,000 population.	Number.	Per 1,000 live births.	Number.	Per 1,000 live births.
1914	52,978	14.5	93,399	25.6	9,894	105.9	3,349	35.9
1915	53,131	14.4	93,155	25.2	9,490	101.9	3,161	33.9
1916	56,366	14.9	93,487	24.8	9,334	99.8	3,300	35.3
1917	56,628	14.7	95,731	24.9	9,325	97.4	3,324	34.7
1918	78,842	20.2	95,607	24.5	10,820	113.2	3,779	39.5
1919	52,345	13.6	87,827	22.9	7,769	88.5	3,092	35.2
1920	53,632	13.9	91,859	23.8	8,382	91.2	3,336	36.3
1921	47,780	12.3	92,245	23.7	7,005	75.9	3,428	37.2
1922	51,115	13.0	87,636	22.3	7,129	81.3	3,268	37.3
1923	52,380	13.2	89,210	22.5	6,968	78.1	3,332	37.3
1924	49,466	12.4	91,463	22.8	6,191	67.7	3,548	38.8
1925	51,890	12.5	86,014	20.8	6,294	73.1	3,141	36.5
1926	52,888	12.7 ²	83,502	20.0	6,130	73.4	2,997	35.9
1927	49,324	11.8 ²	82,273	19.6	5,320	64.7	2,969	36.1
1928	51,442	12.2 ²	79,054	18.8	5,118	64.7	2,821	35.7
1929	52,171	12.3 ²	74,122	17.5	4,592	62.0	2,540	34.3
1930	49,503	11.6	73,690	17.3	4,440	60.3	2,597	35.2
1931	48,743	11.4	69,385	16.2	3,803	54.8	2,440	35.2
1932	49,531	11.5	68,518	15.9	3,635	53.1	2,350	34.3
1933	50,832	11.8	63,457	14.7	3,294	51.9	2,173	34.2
1934	50,760	11.7	63,767	14.7	3,136	49.2	1,997	31.3
1935*	49,634	11.4	62,416	14.3	3,014	48.3	1,886	30.2
1936*	51,435	11.7	61,184	14.0	2,854	46.6	1,816	29.5
1937*	51,739	11.7	61,272	13.9	2,684	43.8	1,744	28.7
1938*	49,285	11.1	62,382	14.1	2,439	39.1	1,730	27.7
1939*	50,292	11.3	62,575	14.1	2,338	37.4	1,765	28.2
1940*	50,698	11.7	65,369	15.1	2,450	37.5	1,774	27.1

¹ Exclusive of stillbirths.

*Allocated.

² Revised.

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
38c	Herpes zoster	T	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	-	-	-	-	-	-	-	-	-	-	-	-	-
38d	German measles	T	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	-	-	-	-	-	-	-	-	-	-	-	-	-
38e	Chickenpox	T	M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	1	1	-	-	-	-	-	-	-	-	-	-	-
38f	Other diseases ascribed to viruses	T	M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	F	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Typhus fever	T	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	-	-	-	-	-	-	-	-	-	-	-	-	-
40	Ankylostomiasis	T	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	T	M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	1	-	-	-	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	T	M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	2	1	-	-	-	-	-	-	-	-	1	-	-
43	Mycoses	T	M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	F	9	-	-	-	-	-	-	-	-	-	-	-	-
		T	M	8	-	2	-	2	-	-	-	-	1	2	1	-
		F	F	1	-	-	-	-	-	-	1	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	T	M	82	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	53	-	3	6	7	5	1	6	2	9	5	3	-
44a	Venereal diseases (except gonorrhea and syphilis)	T	M	29	3	4	5	3	-	1	2	2	2	2	3	6
		F	F	-	-	-	-	-	-	-	-	-	-	-	-	2
44b	Lymphogranulomatosis (Hodgkin's disease)	T	M	79	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	51	-	3	6	7	5	1	6	1	8	5	3	6
44c	Mumps	T	M	28	2	4	5	3	-	1	2	2	2	2	3	2
		F	F	3	-	-	-	-	-	-	-	-	-	-	-	-
44d	Other infectious and parasitic (communicable) diseases	T	M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	F	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	CANCER AND OTHER TUMORS	T	M	7,464	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	3,306	286	248	284	272	281	253	302	268	283	296	250	283
45-55	Cancer and other malignant tumors	T	M	4,158	351	356	372	324	348	345	354	313	338	350	367	340
		F	F	7,219	-	-	-	-	-	-	-	-	-	-	-	-
		T	M	3,234	279	243	279	264	274	247	297	264	276	288	246	277
		F	F	3,985	337	337	348	312	330	331	344	303	328	335	355	325
45	Cancer of the buccal cavity and pharynx	T	M	213	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	176	12	18	16	11	13	12	10	18	22	19	14	11
45a	Lip	T	M	37	-	2	4	4	3	2	3	4	3	5	3	4
		F	F	15	-	-	-	-	-	-	-	-	-	-	-	-
45b	Tongue	T	M	15	1	1	-	2	-	2	2	1	1	3	-	2
		F	F	15	-	-	-	-	-	-	-	-	-	-	-	-
45c	Mouth	T	M	64	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	55	5	8	7	5	7	-	1	5	5	5	6	1
45c	Unspecified parts of the buccal cavity	T	M	9	-	1	-	2	1	1	-	2	-	-	-	2
		F	F	30	-	-	-	-	-	-	-	-	-	-	-	-
45d	Pharynx	T	M	25	3	1	-	2	3	4	-	2	4	3	1	2
		F	F	5	-	-	1	1	-	-	-	-	-	-	2	-
45d	Jaw bone	T	M	26	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	18	1	2	3	-	-	2	-	3	5	-	2	-
45e	Unspecified parts of the buccal cavity	T	M	8	-	-	1	-	-	1	-	-	2	2	1	1
		F	F	3	-	-	-	-	-	-	-	-	-	-	-	-
45j	Pharynx	T	M	2	-	-	-	-	-	-	1	-	-	1	-	-
		F	F	1	-	-	1	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	T	M	75	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	61	2	6	6	2	3	4	6	7	7	7	5	6
46a	Esophagus	T	M	14	-	1	1	1	2	-	3	1	1	3	-	1
		F	F	3,508	-	-	-	-	-	-	-	-	-	-	-	-
46a	Stomach	T	M	1,727	158	129	147	134	139	134	158	138	150	152	130	158
		F	F	1,781	156	145	156	141	142	154	149	138	142	153	168	137
46a	Stomach	T	M	153	-	-	-	-	-	-	-	-	-	-	-	-
		F	F	122	12	11	10	11	6	6	13	9	16	9	7	12
46b	Stomach	T	M	31	5	2	3	2	1	1	2	2	5	-	5	3
		F	F	1,120	-	-	-	-	-	-	-	-	-	-	-	-
		T	M	627	57	42	45	47	61	61	52	49	48	48	53	64
		F	F	493	43	35	38	37	51	41	45	44	38	41	50	30

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
46c	Duodenum	T	14	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	2	-	-	-	3	-	-
		F	7	-	-	-	-	-	-	-	1	-	-	-	-	-
46d	Rectum and anus	T	479	-	-	-	-	-	-	-	-	-	-	1	2	1
		M	244	25	18	21	17	22	15	27	17	21	25	19	17	17
		F	235	15	17	26	22	14	21	18	25	16	20	17	24	24
46e	Intestines (except duo- denum and rectum)	T	1,078	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	425	27	40	52	31	29	33	36	36	35	42	27	27	27
		F	653	59	63	61	51	41	53	56	40	53	69	62	45	45
46f	Liver and biliary passages	T	348	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	137	9	7	10	13	15	6	7	8	16	14	14	18	18
		F	211	22	11	14	18	20	22	13	16	17	11	21	26	26
46g	Pancreas	T	262	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	145	16	10	8	14	4	9	20	18	13	10	8	15	15
		F	117	8	17	8	10	10	11	14	8	8	6	10	7	7
46h	Mesentery and peritoneum	T	32	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	2	-	1	1	2	1	2	-	-	1	2	2	2
		F	18	4	-	2	1	-	1	-	1	3	4	1	1	1
46m	Other and unspecified sites	T	22	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	-	-	-	1	1	1	1	-	-	-	-
		F	16	-	-	4	-	5	4	-	2	-	1	-	-	-
47	Cancer of the respiratory system	T	433	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	327	27	19	23	35	28	23	36	27	30	31	20	28	28
		F	106	12	5	11	6	3	8	6	9	8	14	11	13	13
47a	Larynx	T	61	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	54	5	5	2	7	-	5	6	6	4	7	4	3	3
		F	7	1	-	-	1	1	1	-	1	-	1	1	-	-
47b	Trachea	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47c	Bronchus	T	60	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	48	2	3	8	5	3	4	1	5	5	5	4	3	3
		F	12	3	-	1	1	-	1	1	1	1	-	2	1	-
47d	Lung	T	289	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	212	19	10	13	23	24	13	28	14	20	17	11	20	20
		F	77	6	4	10	4	2	5	5	7	5	11	7	11	11
47e	Pleura	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	-	-	-	-	1	-	-	1	-
47f	Mediastinum and unspeci- fied sites	T	18	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	-	-	-	1	1	2	1	2	1	2	2
		F	7	2	-	-	-	-	1	-	-	1	2	1	-	-
48	Cancer of the uterus	T	624	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	624	51	50	62	52	53	54	56	47	57	56	45	41	41
48a	Cervix	T	227	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	227	13	11	27	11	21	24	19	20	25	22	19	15	15
48b	Other and unspecified sites	T	397	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	397	38	39	35	41	32	30	37	27	32	34	26	26	26
49	Cancer of other female genital organs	T	210	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	210	15	22	13	10	20	15	23	21	19	17	20	15	15
49a	Ovary	T	180	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	180	14	22	10	10	16	12	19	19	17	15	13	13	13
49b	Fallopian tube and para- metrium	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	1	-	-	-	-	-	-	-	-	-	-
49c	Vagina	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	3	1	-	-	2	1	-	-
49d	Vulva	T	18	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	-	-	2	-	4	-	2	2	2	-	4	2	2
49e	Other and unspecified sites	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	1	-
50	Cancer of the breast	T	797	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	1	1	1	-	-	-	1	-	1	1	1	2
		F	789	71	77	58	68	74	59	71	49	58	63	73	68	68
51	Cancer of the male genital organs	T	429	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	429	44	19	42	40	43	37	36	30	35	27	43	33	33
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51a	Scrotum	T	6	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	2	1	2	-	-	-	-	-

No. Detailed Int. List	Table 13	CAUSE OF DEATH	SEX	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
				Total	MONTHS											
					January	February	March	April	May	June	July	August	September	October	November	December
51b	Prostate	T	376	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	376	39	17	33	37	38	33	30	26	32	26	34	31	
51c	Testes	T	25	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	2	-	6	2	5	1	2	-	1	-	5	1	
51d	Penis	T	19	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	3	2	2	1	-	-	2	1	2	1	4	1	
51e	Other and unspecified sites	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	1	1	-	-	-	-	-
52	Cancer of the urinary organs (male and female)	T	352	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	229	13	23	22	15	21	21	23	22	14	22	13	20	
52a	Kidney	T	123	9	5	8	11	7	10	13	7	13	10	12	18	
		M	102	-	-	-	-	-	-	-	-	-	-	-	-	-
52b	Bladder	T	58	2	3	8	2	2	8	11	8	2	7	1	4	
		M	44	6	-	3	3	3	4	4	3	4	3	4	7	
52c	Other and unspecified sites	T	247	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	170	11	19	14	13	19	13	12	14	12	15	12	16	
52d	Other and unspecified sites	T	77	3	5	5	8	4	6	8	4	9	7	8	10	
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-
53	Cancer of the skin (except vulva and scrotum)	T	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	1	
53	Cancer of the skin (except vulva and scrotum)	T	99	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	58	6	9	4	3	4	4	4	3	4	7	7	3	
54	Cancer of the brain and other parts of the central nervous system	T	41	5	4	4	1	5	2	3	5	4	1	3	4	
		M	110	-	-	-	-	-	-	-	-	-	-	-	-	-
54a	Glioma (not specified as benign)	T	60	2	6	5	6	3	3	5	9	6	6	4	5	
		M	50	3	10	5	6	5	3	-	4	3	5	3	3	
54b	Others	T	23	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	3	1	3	1	1	2	1	-	3	-	-	-
54c	Others	T	8	-	1	2	2	1	1	-	-	1	-	-	-	-
		M	87	-	-	-	-	-	-	-	-	-	-	-	-	-
55	Cancer of other and unspeci- fied organs	T	45	2	3	4	3	2	2	3	8	6	3	4	5	
		M	42	3	9	3	4	4	2	-	4	2	5	3	3	
55a	Adrenal gland	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	-	-	3	-	1	-	-	-	-	-	-
55b	Bone (except jaw bone and accessory sinuses)	T	4	-	-	1	1	-	-	1	-	-	1	-	-	-
		M	84	-	-	-	-	-	-	-	-	-	-	-	-	-
55c	Thyroid gland	T	40	2	1	3	4	3	4	8	4	1	3	6	1	
		M	44	-	2	4	2	2	7	8	6	1	2	6	4	
55d	Nasal cavity and accessory sinuses	T	15	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	1	-	-	-	-	-	-	-	-	-	-
55e	Other and unspecified or- gans	T	12	-	-	2	1	2	4	1	1	-	-	-	1	
		M	15	-	-	-	-	-	-	-	-	-	-	-	-	-
55f	Other and unspecified or- gans	T	10	-	-	-	2	1	1	2	-	3	1	-	-	-
		M	5	-	2	1	-	-	1	-	-	1	-	-	-	-
56	Nonmalignant tumors (in- cluding dermoid cysts)	T	321	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	162	13	17	15	13	16	8	14	12	11	19	8	16	
56a	Ovary	T	155	15	13	19	9	14	12	10	12	19	8	11	17	
		M	33	4	1	4	5	5	2	3	1	2	4	1	1	
56b	Uterus	T	109	8	9	15	7	11	12	5	5	7	11	9	10	
		M	21	-	-	-	-	-	-	-	-	-	-	-	-	-
56c	Other female genital organs	T	21	1	1	2	-	2	1	1	2	2	2	4	3	
		M	56	-	-	-	-	-	-	-	-	-	-	-	-	-
56d	Brain and other parts of the central nervous sys- tem	T	56	5	5	9	6	6	5	3	-	4	7	3	3	
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-
56e	Other and unspecified or- gans	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	44	-	-	-	-	-	2	-	-	-	-	-	-	-
56f	Other and unspecified or- gans	T	22	3	1	2	3	2	2	3	1	1	2	1	1	
		M	22	2	2	3	1	2	3	1	2	1	2	1	2	
56g	Tumors of unspecified nature	T	19	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	2	2	3	-	-	-	1	2	-	-	-
57	Tumors of unspecified nature	T	8	-	1	1	-	1	1	-	1	-	1	-	2	
		M	103	-	-	-	-	-	-	-	-	-	-	-	-	-
57a	Ovary	T	39	3	4	1	3	2	4	2	3	5	4	3	5	
		M	64	6	10	9	5	7	2	5	5	3	4	3	5	
57b	Other female genital organs	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-
57c	Brain and other parts of the central nervous sys- tem	T	5	-	-	1	2	1	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
57b	Uterus	T	M	19	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	19	5	4	-	-	2	-	-	1	2	1	1	1
57c	Other female genital organs	T	M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	2	-	-	-	-	-	-	-	-	-	-	-	-
57d	Brain and other parts of the central nervous system	T	M	54	-	-	-	-	1	-	-	-	-	1	-	-
		F	M	24	2	1	1	3	2	3	1	3	4	1	-	3
57e	Other and unspecified organs	T	M	30	1	4	7	3	2	1	2	4	1	2	1	2
		F	M	23	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	15	1	3	-	-	-	1	1	-	1	3	3	2
		F	M	8	-	2	1	-	1	1	1	-	-	-	1	2
III.	RHEUMATISM, DISEASES OF NUTRITION AND OF THE ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND AVITAMINOSES	T	M	1,746	603	73	60	65	36	63	46	40	30	-	-	-
		F	M	1,143	121	99	99	114	70	99	93	95	82	39	49	53
		F	M													
58	Acute rheumatic fever	T	M	42	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	22	1	3	3	-	5	2	1	-	4	1	2	-
58a	Acute rheumatic pericarditis	T	M	20	4	2	3	2	5	1	-	1	-	2	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	T	M	13	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	6	-	-	1	-	1	-	-	-	2	1	1	-
58c	Acute rheumatic myocarditis	T	M	7	-	1	2	1	1	1	-	-	-	1	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	T	M	11	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	3	1	1	1	-	-	-	-	-	-	-	-	-
58e	Other forms of acute rheumatic fever	T	M	8	3	1	1	-	3	-	-	-	-	-	-	-
		F	M	18	-	-	-	-	-	-	-	-	-	-	-	-
58f	Rheumatism (not specified as acute or chronic)	T	M	13	-	2	1	-	4	2	1	-	2	-	1	-
		F	M	5	1	-	-	1	1	-	-	1	-	1	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Chronic rheumatism and other rheumatic diseases	T	M	40	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	13	2	1	1	1	2	3	1	1	-	-	2	-
59a	Rheumatoid arthritis	T	M	27	4	1	3	2	3	1	2	4	4	1	1	1
		F	M	9	-	-	-	-	-	-	-	-	-	-	-	-
59b	Other chronic articular rheumatism	T	M	4	-	-	1	1	1	1	-	1	-	-	-	-
		F	M	5	1	-	1	1	1	-	-	1	-	-	-	-
59c	Other and unspecified forms of chronic rheumatism	T	M	25	2	-	-	-	-	-	-	-	-	-	-	-
		F	M	6	2	-	-	-	1	1	-	-	-	-	2	-
		F	M	19	3	-	2	-	1	1	2	3	4	1	1	1
60	Gout	T	M	6	-	1	-	1	1	-	-	-	-	-	-	-
		F	M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	T	M	1,570	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	541	69	55	57	34	53	41	36	29	31	47	39	50
62	Diseases of the pituitary gland	T	M	1,929	107	92	104	61	85	86	87	71	75	90	82	89
		F	M	3	-	-	-	-	-	-	-	-	-	-	-	-
63	Diseases of the thyroid and parathyroid glands	T	M	3	-	-	-	-	-	2	-	-	-	-	-	1
		F	M	48	5	1	1	-	2	1	-	-	-	-	-	-
63a	Simple goiter	T	M	43	4	2	4	3	5	2	4	4	3	5	3	4
		F	M	4	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	T	M	4	-	-	1	-	-	-	2	-	1	-	-	-
		F	M	36	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	5	1	-	1	-	2	1	-	-	-	-	-	-
63c	Myxedema and cretinism	T	M	25	3	-	-	3	4	1	1	2	1	4	2	4
		F	M	8	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	8	-	-	2	-	1	1	1	1	1	1	-	-
63d	Other diseases of the thyroid glands	T	M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	3	-	1	-	-	-	-	-	-	-	-	-	-
63e	Diseases of the parathyroid glands	T	M	3	-	-	-	-	-	-	-	-	-	-	1	-
		F	M	3	1	1	1	-	-	-	-	-	-	-	-	-

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.

Detailed Int. List No.	CAUSE OF DEATH	Sex	Total	MONTHS											
				January	February	March	April	May	June	July	August	September	October	November	December
64	Diseases of the thymus gland	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	12	-	-	-	-	-	-	1	3	2
		F	7	-	1	-	1	1	1	-	1	1	1	-	-
65	Diseases of the adrenal glands (not specified as tuberculous)	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	1	1	1	2	1	1	-
		F	7	-	-	-	-	1	1	1	1	1	2	1	1
65a	Addison's disease	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	-	-	-	2	1	1	-
		F	7	-	-	-	-	-	-	1	1	1	2	1	1
65b	Other diseases of the adrenal glands	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-
66	Other general diseases	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	-	1	-
		F	5	2	-	-	-	-	-	1	-	-	2	-	-
66a	Osteomalacia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
66b	Others	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	2	-	-	1	-	-	-	-	-	2	1	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-
67	Scurvy	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
70	Rickets	T	1	-	-	-	-	-	-	-	-	-	-	1	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
71	Other avitaminoses	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	T	317	13	16	16	15	14	14	10	12	15	13	12	11
		M	161	10	16	16	17	7	15	8	12	13	13	15	14
		F	156	-	-	-	-	-	-	-	-	-	-	-	-
72	Hemorrhagic conditions	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	-	-	-	-	1	1	1	-	1	-
		F	7	1	2	-	-	-	2	1	1	-	-	-	-
72a	Primary purpuras	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	-	-	-	-	1	1	1	-	1	-
		F	7	1	2	-	-	-	2	1	1	-	-	-	-
72b	Hemophilia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
72c	Other hemorrhagic conditions	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
73	Anemias (except splenic anemia)	T	100	4	3	5	4	2	5	3	2	3	1	1	5
		M	38	4	5	8	7	5	7	5	5	5	4	2	5
		F	62	-	-	-	-	-	-	-	-	-	-	-	-
73a	Pernicious anemia	T	70	1	2	5	2	1	5	1	1	2	1	-	3
		M	24	1	4	6	5	4	5	3	4	4	3	2	5
		F	46	-	-	-	-	-	-	-	-	-	-	-	-
73b	Other hyperchromic anemias	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-
73c	Hypochromic anemias	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-
73d	Other and unspecified anemias	T	24	3	1	-	2	1	-	2	1	1	-	1	2
		M	14	1	1	2	2	1	-	1	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-
74	Leukemias and aleukemias	T	189	9	11	10	10	9	5	9	10	11	9	9	6
		M	109	5	8	7	8	2	6	2	6	6	9	12	9
		F	80	-	-	-	-	-	-	-	-	-	-	-	-
74a	Leukemias	T	172	8	10	10	9	8	5	7	9	10	8	6	6
		M	99	3	6	6	8	2	6	2	6	5	9	11	9
		F	73	-	-	-	-	-	-	-	-	-	-	-	-
74b	Aleukemias	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	1	-	1	2	-	-	2	1	1	1	-
		F	7	-	2	1	-	-	-	-	-	-	-	-	-
75	Diseases of the spleen	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	1	1	1	-	-	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	1	1	-	-	-	2	-	1	-	-

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
75a	Splenic anemia	T	3	-	-	1	-	1	-	-	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
75b	Splenomegaly (of undetermined nature)	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	1	-	-	-	-	-	-	-	-
75c	Other diseases of the spleen	T	2	-	-	-	-	-	-	-	-	1	-	1	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
76	Other diseases of the blood and blood-forming organs	T	6	-	-	-	-	-	-	-	-	1	-	-	-
		M	4	-	-	-	-	1	-	1	-	1	-	1	-
		F	2	-	1	-	1	-	-	-	-	-	-	-	-
76a	Agranulocytosis	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	1	-	1	-	1	-
		F	2	-	1	-	1	-	-	-	-	-	-	-	-
76b	Erythrocytosis	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
76c	Hemoglobinemia	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
76d	Others	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	CHRONIC POISONING AND INTOXICATION	T	186	-	-	-	-	-	-	-	-	-	-	-	-
		M	157	18	9	9	14	13	14	21	9	8	16	13	13
		F	29	3	2	2	4	1	3	-	-	3	3	3	5
77	Alcoholism (ethylism)	T	178	-	-	-	-	-	-	-	-	-	-	-	-
		M	152	18	8	9	13	10	14	21	9	8	16	13	13
		F	26	2	1	2	4	1	3	-	-	3	2	3	5
77a	Alcoholic pellagra	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
77b	Other deficiency states associated with alcoholism	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
77c	Acute alcoholism	T	69	-	-	-	-	-	-	-	-	-	-	-	-
		M	60	7	1	2	5	2	4	12	4	3	7	5	8
		F	9	-	-	-	1	-	1	-	-	2	2	1	2
77d	Chronic alcoholism	T	22	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	2	-	1	1	2	2	3	-	-	1	4	2
		F	4	-	-	-	1	-	-	-	-	-	-	1	2
77e	Other and unspecified alcoholism	T	84	-	-	-	-	-	-	-	-	-	-	-	-
		M	71	7	7	6	7	6	8	6	5	5	7	4	3
		F	13	2	1	2	2	1	2	-	-	1	-	1	1
78	Lead poisoning	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	1	1	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	1	-	-
78a	Specified as occupational	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
78b	Not specified as occupational	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	1	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	1	-	-
79	Chronic poisoning by other mineral or organic substances	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	2	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
79a	Specified as occupational	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
79b	Not specified as occupational	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	2	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	T	5,072	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,215	230	192	185	191	174	167	174	156	176	172	187	211
		F	2,857	256	269	252	241	225	226	232	199	213	232	254	258
80	Encephalitis (nonepidemic)	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	1	2	1	2	1	1	1	1	2	1	3	-
		F	9	1	2	-	1	2	1	-	-	-	2	-	-
80a	Intracranial abscess	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	-	1	1	1	1	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	1	-	-
80b	Others	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	2	-	2	1	-	-	-	1	1	3	-
		F	7	1	2	-	1	1	1	-	-	-	1	-	-
81	Meningitis (not due to meningococcus)	T	69	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	4	4	4	7	2	3	2	3	4	1	6	3
		F	26	2	5	2	3	3	1	1	1	3	1	3	1

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX	Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
81a	Simple meningitis	T	M	66	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	41	4	4	4	6	2	3	2	3	4	1	5	3
		T	F	25	1	5	-	3	3	1	1	1	3	1	3	1
81b	Acute cerebrospinal meningitis	T	M	3	-	-	-	1	-	-	-	-	-	-	1	-
		F	M	2	1	-	-	-	-	-	-	-	-	-	-	-
82	Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis)	T	M	52	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	30	3	2	4	3	1	1	-	1	2	3	2	8
		T	F	22	1	3	1	-	4	3	1	-	2	3	1	2
83	Intracranial lesions of vascular origin	T	M	4,642	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	1,973	209	175	163	164	160	153	156	138	155	150	164	188
		T	F	2,669	243	246	241	220	207	206	216	189	201	215	242	243
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	T	M	4,005	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	1,695	185	153	140	142	134	127	125	119	135	130	140	165
		T	F	2,310	218	212	197	196	175	178	189	171	164	184	215	211
83b	Cerebral embolism and thrombosis	T	M	598	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	258	21	20	21	21	26	21	30	17	20	19	21	21
		T	F	340	24	29	44	25	31	27	27	17	34	30	25	29
83c	Cerebral softening	T	M	26	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	15	3	-	1	1	-	4	1	1	-	1	2	1
		T	F	11	1	3	-	-	1	-	-	1	3	1	-	1
83d	Hemiplegia and other paralysis of unspecified origin	T	M	13	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	5	-	-	1	-	-	1	-	1	-	-	1	1
		T	F	8	-	2	-	1	-	1	-	-	-	-	2	2
84	Mental diseases and deficiency (except general paralysis of the insane)	T	M	8	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	6	-	-	-	-	2	1	-	1	-	1	1	-
		T	F	2	-	-	-	1	-	-	1	-	-	-	-	-
84a	Mental deficiency	T	M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	M	1	-	-	-	-	-	-	-	-	-	-	-	-
84b	Schizophrenia (dementia praecox)	T	M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	-	-	-	1	-	-	-	-	-	-
84c	Manic-depressive psychosis	T	M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	2	-	-	-	-	1	-	-	1	-	-	-	-
84d	Other mental diseases	T	M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	2	-	-	-	-	1	-	-	-	-	1	-	-
85	Epilepsy	T	M	72	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	44	1	3	-	5	3	1	5	5	4	6	5	6
		T	F	18	1	2	3	3	2	3	5	4	1	2	1	1
86	Convulsions (under 5 years of age)	T	M	10	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	7	-	1	-	-	1	1	-	-	-	1	-	-
		T	F	3	-	-	-	1	-	-	-	-	2	-	-	-
87	Other diseases of the nervous system	T	M	105	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	50	7	3	4	3	1	5	6	4	5	6	2	4
		T	F	55	3	5	1	7	3	6	5	3	3	6	7	6
87a	Chorea	T	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	-	-	-	-	-	-	-	-	-	-	-	-	-
87b	Neuritis (except rheumatic or alcoholic)	T	M	6	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	-	-	-	1	-	-	-	-	-	-
		T	F	5	1	-	-	-	-	2	1	-	-	1	-	-
87c	Paralysis agitans (except result of encephalitis)	T	M	42	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	18	2	1	3	2	1	2	2	1	1	1	2	2
		T	F	24	1	2	-	5	-	1	3	-	-	-	-	-
87d	Disseminated sclerosis	T	M	36	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	18	4	1	1	1	-	1	4	1	2	1	1	1
		T	F	18	1	1	1	1	1	3	1	2	1	2	2	2
87e	Other diseases of the nervous system	T	M	21	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	12	1	1	-	-	-	1	-	2	2	4	1	1
		T	F	8	-	2	-	1	2	-	-	1	1	1	-	-
88	Diseases of the organs of vision	T	M	4	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	4	-	-	-	-	-	-	-	-	-	-	-	-
		T	F	4	1	-	-	-	1	1	-	-	1	-	-	-
89	Diseases of the ear and mastoid process	T	M	85	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	46	5	4	9	7	3	1	4	3	4	3	1	2
		T	F	39	4	6	4	5	3	5	3	1	-	3	-	5
89a	Otitis and other diseases of the ear	T	M	67	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	37	3	3	8	5	2	1	3	3	4	3	1	1
		T	F	30	3	6	3	4	-	5	2	1	-	2	-	4
89b	Diseases of the mastoid process	T	M	18	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	9	2	1	1	2	1	-	1	-	-	-	-	1
		T	F	9	1	-	1	1	3	-	-	-	-	1	-	1
VII.	DISEASES OF THE CIRCULATORY SYSTEM	T	M	19,152	-	-	-	-	-	-	-	-	-	-	-	-
		F	M	10,146	1,011	904	930	852	795	735	811	702	739	860	844	963
		T	F	9,006	896	799	857	783	712	666	688	583	647	704	780	891

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	SEX	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
90	Pericarditis (except acute rheumatic)	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	2	-	1	1	-	-	-	1	-	-	1
		F	13	2	1	2	-	1	1	1	-	2	-	1	2
90a	Chronic rheumatic pericarditis	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	2	-	1	1	-	-	-	1	-	-	1
		F	13	2	1	2	-	1	1	1	-	2	-	1	2
91	Acute endocarditis (except rheumatic)	T	102	-	-	-	-	-	-	-	-	-	-	-	-
		M	56	4	1	4	6	2	3	13	7	4	6	3	3
		F	46	3	6	5	2	3	8	8	1	2	1	2	5
91a	Bacterial endocarditis (acute, subacute or unspecified)	T	84	-	-	-	-	-	-	-	-	-	-	-	-
		M	48	1	-	3	6	2	2	12	6	4	6	3	3
		F	36	1	4	4	1	3	6	7	1	2	1	2	4
91b	Other acute or subacute endocarditis	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	2	1	1	-	-	-	1	-	-	-	-	-
		F	3	-	1	-	-	-	1	1	-	-	-	-	-
91c	Endocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	1	-	1	-	-	-	-
		F	7	2	1	1	1	-	1	-	-	-	-	-	1
92	Chronic affections of the valves and endocardium	T	1,534	-	-	-	-	-	-	-	-	-	-	-	-
		M	704	64	75	64	54	49	55	50	42	53	60	64	74
		F	830	83	86	88	71	50	69	58	48	53	68	82	74
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T	239	-	-	-	-	-	-	-	-	-	-	-	-
		M	136	9	15	8	8	11	6	14	8	9	18	16	14
		F	103	14	11	15	6	8	6	8	8	5	6	8	8
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T	570	-	-	-	-	-	-	-	-	-	-	-	-
		M	251	18	24	24	16	11	22	22	14	17	17	19	27
		F	339	29	38	30	26	21	31	23	19	22	30	38	32
92c	Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic	T	35	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	4	1	1	2	-	2	1	1	-	2	-	1
		F	20	5	5	3	1	-	1	1	-	2	2	-	-
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T	612	-	-	-	-	-	-	-	-	-	-	-	-
		M	288	31	29	29	28	24	22	12	17	22	22	27	25
		F	324	34	25	39	35	15	28	22	15	22	23	34	32
92e	Endocarditis (not specified as acute, chronic or rheumatic, 45 years of age and over)	T	78	-	-	-	-	-	-	-	-	-	-	-	-
		M	34	2	6	2	-	3	3	1	2	5	1	2	7
		F	44	1	7	1	3	6	3	4	6	2	7	2	2
93	Diseases of the myocardium	T	9,932	-	-	-	-	-	-	-	-	-	-	-	-
		M	4,600	471	447	484	433	366	313	349	302	311	399	371	444
		F	5,242	543	470	490	455	425	378	401	334	392	495	450	499
93a	Acute myocarditis (except rheumatic)	T	159	-	-	-	-	-	-	-	-	-	-	-	-
		M	62	7	5	9	6	-	4	4	4	5	10	3	5
		F	97	7	13	14	10	2	3	8	6	5	9	14	6
93b	Myocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	1	-	-	1	-
		F	9	-	2	1	-	1	1	1	2	-	-	-	1
93c	Chronic myocarditis and myocardial degeneration, specified as rheumatic	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	1	-	-	-	-	-	3	-	2
		F	13	2	2	1	1	-	-	3	1	1	-	-	2
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T	8,373	-	-	-	-	-	-	-	-	-	-	-	-
		M	3,900	404	379	408	367	298	271	295	259	266	341	308	394
		F	4,383	462	389	402	365	344	313	332	289	334	345	384	424
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	T	1,369	-	-	-	-	-	-	-	-	-	-	-	-
		M	629	60	63	67	58	68	38	50	38	49	45	59	43
		F	749	72	64	72	79	78	61	57	36	52	51	52	66
94	Diseases of the coronary arteries and angina pectoris	T	5,374	-	-	-	-	-	-	-	-	-	-	-	-
		M	3,066	358	291	294	267	281	286	297	274	274	304	333	347
		F	1,768	145	152	163	154	135	116	132	128	135	151	167	190
94a	Diseases of the coronary arteries	T	5,180	-	-	-	-	-	-	-	-	-	-	-	-
		M	3,479	335	283	285	257	272	279	276	266	265	296	325	340
		F	1,701	134	142	160	148	130	114	123	126	126	148	163	187
94b	Angina pectoris	T	194	-	-	-	-	-	-	-	-	-	-	-	-
		M	127	23	8	9	10	9	7	21	8	9	8	8	7
		F	67	11	10	3	6	5	2	9	2	9	3	4	3
95	Other diseases of the heart	T	1,186	-	-	-	-	-	-	-	-	-	-	-	-
		M	631	70	50	49	56	52	43	60	39	57	51	46	58
		F	555	74	45	53	48	54	38	46	40	31	28	38	60
95a	Functional diseases of the heart (without mention of organic lesion)	T	42	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	2	-	1	-	4	2	1	2	1	1	-	2
		F	23	6	1	1	1	7	1	3	-	-	1	4	1

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
95b	Other diseases of the heart, specified as rheumatic . . .	T	376	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	189	20	21	16	23	19	15	20	8	14	5	11	17	
		F	187	14	19	25	18	16	13	15	16	13	11	10	17	
95c	Other diseases of the heart, not specified as rheu- matic . . .	T	768	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	426	48	29	32	33	29	26	39	29	42	45	35	39	
		F	342	54	25	27	29	31	24	28	24	18	16	24	42	
96	Aneurysm (except of heart and aorta) . . .	T	30	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	1	1	1	-	5	2	1	-	3	1	3	4	
		F	8	-	-	1	-	-	5	-	-	1	-	1	-	
97	Arteriosclerosis (except cor- onary or renal sclerosis) . .	T	827	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	351	36	29	27	30	31	26	35	26	28	36	20	27	
		F	476	40	36	48	49	37	45	35	26	26	49	34	51	
98	Gangrene . . .	T	15	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	3	-	1	-	1	5	1	-	1	-	-	-
		F	3	1	1	1	-	-	-	-	-	-	-	-	-	-
99	Other diseases of the arteries	T	66	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	35	2	2	4	3	3	2	-	7	6	2	3	1	
		F	31	3	1	5	3	1	4	3	3	3	1	1	3	
100	Diseases of the veins . . .	T	41	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	2	-	3	1	1	2	-	4	-	-	1	3	
		F	24	1	1	1	-	5	2	4	3	2	-	2	3	
100a	Varices . . .	T	13	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	-	1	1	
		F	10	-	1	-	-	1	2	1	-	1	-	2	2	
100b	Others . . .	T	28	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	2	-	3	1	1	1	-	4	-	-	-	2	
		F	14	1	-	1	-	4	-	3	3	1	-	-	1	
101	Diseases of the lymphatic system . . .	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	-	-	2	1	-	-	-	-	-	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idio- pathic) . . .	T	16	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	1	-	-	1	1	1	-	2	-	-	-	-
		F	9	1	-	-	1	1	-	-	-	-	-	1	4	
103	Other diseases of the circula- tory system . . .	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	DISEASES OF THE RESPIRA- TORY SYSTEM . . .	T	3,104	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,698	173	217	158	204	135	108	89	77	112	117	136	172	
		F	1,406	179	181	161	126	96	68	81	54	83	105	95	177	
104	Diseases of the nasal fossae and accessory sinuses . . .	T	35	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	-	3	2	1	1	1	-	3	2	1	2	2	
		F	17	1	2	2	2	1	-	-	2	1	3	3	-	
104a	Diseases of the nasal fossae	T	12	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	-	-	-	1	-	-	-	1	1	2	
		F	6	1	2	-	1	-	-	-	-	1	1	-	-	
104b	Diseases of the accessory sinuses . . .	T	23	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	2	2	1	1	-	-	3	2	-	1	-	
		F	11	-	-	2	1	1	-	-	2	-	2	3	-	
105	Diseases of the larynx . . .	T	10	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	3	-	3	1	-	-	-	-	1	-	-	
		F	2	1	1	-	-	-	-	-	-	-	-	-	-	
106	Bronchitis . . .	T	122	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	72	12	12	7	6	6	4	5	1	3	5	4	7	
		F	50	5	7	5	7	3	4	5	-	4	2	4	4	
106a	Acute . . .	T	48	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	6	5	2	4	2	-	3	-	1	1	2	2	
		F	20	4	3	3	2	3	1	1	-	-	-	2	1	
106b	Chronic . . .	T	55	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	34	6	5	2	1	3	3	1	1	2	3	2	5	
		F	21	1	1	-	3	-	3	3	-	4	2	2	2	
106c	Unspecified . . .	T	19	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	2	3	1	1	1	1	-	-	1	-	-	
		F	9	-	3	2	2	-	-	1	-	-	-	-	1	
107	Bronchopneumonia (including capillary bronchitis) . . .	T	1,696	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	847	82	89	75	97	71	56	49	40	66	60	73	89	
		F	849	112	115	87	67	61	44	46	36	54	65	53	109	
108	Lobar pneumonia . . .	T	925	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	570	63	90	55	76	42	35	26	17	29	34	46	57	
		F	355	46	45	54	44	20	16	19	6	8	23	26	48	
109	Pneumonia (unspecified) . .	T	40	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	1	4	1	3	-	1	1	1	1	2	2	8	
		F	15	3	2	-	-	2	1	1	-	2	1	2	1	
110	Pleurisy (not specified as tuberculous) . . .	T	84	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	59	6	5	10	6	6	5	2	4	4	6	2	3	
		F	25	4	3	3	2	4	-	1	1	3	2	-	2	
110a	Empyema . . .	T	62	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	6	2	8	4	6	3	1	4	4	3	-	2	
		F	19	3	1	1	2	4	-	1	1	3	1	-	2	

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.

Detailed Int. List	CAUSE OF DEATH.	SEX.	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
110b	Other and unspecified forms of pleurisy	T	22	-	-	1	-	-	-	-	-	-	-	-	-
		M	16	-	3	-	2	-	2	1	-	-	3	2	1
		F	6	1	2	2	-	-	-	-	-	-	1	-	-
111	Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	T	72	-	-	-	-	-	-	-	-	-	-	-	-
		M	30	5	3	2	-	1	-	1	2	5	4	6	1
		F	42	4	2	5	3	1	2	3	5	2	5	4	6
111a	Hemorrhagic infarction and thrombosis of the lungs	T	42	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	4	2	1	-	-	-	1	2	3	1	4	-
		F	24	2	1	4	3	-	-	1	-	2	4	4	3
111b	Acute edema of the lungs	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	1	-	-	1	-	-	-	-	1	-	1
		F	6	1	1	1	-	-	-	-	1	-	-	-	2
111c	Chronic and unspecified congestion of the lungs	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	1	-	-	-	-	-	2	2	2	-
		F	12	1	-	-	-	1	2	2	4	-	1	-	1
112	Asthma	T	65	-	-	-	-	-	-	-	-	-	-	-	-
		M	31	2	5	1	5	3	1	4	4	2	2	-	2
		F	34	2	4	3	-	3	1	5	1	6	3	2	4
113	Pulmonary emphysema	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	1	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
114	Other diseases of the respiratory system (except tuberculosis)	T	51	-	-	-	-	-	-	-	-	-	-	-	-
		M	35	2	2	5	6	4	5	-	5	-	2	1	3
		F	16	1	-	2	1	1	-	1	3	3	1	1	2
114a	Silicosis	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	2	2	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
114b	Other and unspecified forms of pneumoconioses	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
114c	Gangrene of lung	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
114d	Abscess of lung	T	31	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	2	2	4	4	1	4	-	3	-	2	1	1
		F	7	1	-	1	-	-	-	-	3	1	-	-	-
114e	Other and unspecified diseases of the respiratory system	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	1	1	-	1	-	-	-	1
		F	9	-	-	1	1	1	-	1	-	2	1	-	2
IX.	DISEASES OF THE DIGESTIVE SYSTEM	T	2,323	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,335	143	104	114	114	114	94	116	91	105	124	108	108
		F	988	93	71	78	73	108	71	88	74	72	102	86	72
115	Diseases of the buccal cavity, pharynx, tonsils, and adnexa	T	92	-	-	-	-	-	-	-	-	-	-	-	-
		M	47	4	6	-	4	5	3	7	2	5	5	2	4
		F	45	4	5	2	2	5	2	6	4	1	6	5	3
115a	Diseases of the teeth and gums	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	1	2	-	2	-	-	-
		F	4	-	-	1	1	-	-	-	1	-	-	1	-
115b	Septic sore throat	T	30	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	1	2	-	2	4	1	1	1	-	2	1	3
		F	12	4	2	1	-	-	-	4	-	-	-	-	1
115c	Diseases of the pharynx and tonsils	T	40	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	3	3	-	1	1	1	3	1	3	2	1	1
		F	20	-	3	-	1	2	2	1	3	1	3	3	1
115d	Diseases of other and unspecified parts of the buccal cavity and adnexa	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	1	-	-	1	-	-	1	-	-
		F	9	-	-	-	-	3	-	1	-	-	3	1	1
116	Diseases of the esophagus	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	2	-	-	-	-	1	-	-	1	1	2	2
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
117	Ulcer of stomach or duodenum	T	23	-	-	-	-	-	-	-	-	-	-	-	-
		M	258	31	14	24	27	27	21	18	13	22	23	14	24
		F	65	11	6	3	2	7	1	9	2	4	9	5	6
117a	Stomach	T	203	-	-	-	-	-	-	-	-	-	-	-	-
		M	153	23	8	15	13	18	10	10	9	14	18	10	15
		F	40	8	3	3	-	5	1	6	2	4	4	2	2
117b	Duodenum	T	120	-	-	-	-	-	-	-	-	-	-	-	-
		M	95	8	6	9	14	9	11	8	4	8	5	4	9
		F	25	3	3	-	2	2	-	3	-	-	5	3	4
118	Other diseases of the stomach (except cancer)	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	2	-	-	-	1	-	-	-	1	1	2
		F	12	1	-	1	3	2	1	-	3	-	-	-	1
119	Diarrhea, enteritis and ulceration of the intestines (under 2 years of age)	T	127	-	-	-	-	-	-	-	-	-	-	-	-
		M	77	4	5	4	5	4	6	4	6	7	14	8	10
		F	50	1	1	1	3	5	4	5	2	6	11	4	7

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	MONTHS												
				Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
119a	Diarrhea and enteritis	T	124	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	75	4	5	3	5	4	5	4	6	7	14	8	10	
		F	49	1	1	1	3	5	3	5	2	6	11	4	7	
119b	Ulceration of the intestines (except duodenum)	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
120	Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	T	82	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	41	3	7	1	6	4	6	6	5	3	2	2	2	
		F	41	2	5	4	3	7	2	5	1	2	4	4	2	
120a	Diarrhea and enteritis	T	46	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	1	5	1	3	2	3	-	4	2	1	1	-	-
		F	21	1	4	1	1	4	1	3	1	1	2	2	-	-
120b	Ulceration of the intestines (except duodenum)	T	36	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	2	2	-	3	2	3	-	1	1	1	1	2	
		F	20	1	1	3	2	3	1	2	-	1	2	2	2	
121	Appendicitis	T	419	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	240	22	18	23	23	23	13	23	27	15	20	19	14	
		F	179	17	11	10	11	23	20	21	13	13	15	19	6	
122	Hernia and intestinal obstruction	T	342	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	175	21	13	19	14	14	14	12	10	16	14	17	11	
		F	167	23	7	16	11	15	13	14	13	11	18	17	9	
122a	Hernia	T	175	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	99	11	10	14	7	8	7	6	6	11	4	7	8	
		F	76	6	2	6	9	2	7	9	5	6	10	8	6	
122b	Intestinal obstruction	T	167	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	76	10	3	5	7	6	7	6	4	5	10	10	3	
		F	91	17	5	10	2	13	6	5	8	5	8	9	3	
123	Other diseases of the intestines	T	98	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	47	5	3	4	4	2	2	7	2	7	5	3	3	
		F	51	-	4	6	4	4	3	7	5	5	4	2	7	
124	Cirrhosis of the liver	T	401	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	267	29	23	28	15	23	16	23	17	20	26	18	29	
		F	134	9	14	15	9	14	9	8	10	11	12	10	13	
124a	With mention of alcoholism	T	73	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	66	6	6	9	3	6	6	7	6	5	7	3	2	
		F	7	-	1	-	-	-	-	2	2	1	1	-	-	
124b	Without mention of alcoholism	T	328	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	201	23	17	19	12	17	10	16	11	15	19	15	27	
		F	127	9	13	15	9	14	9	6	8	10	11	10	13	
125	Other diseases of the liver	T	45	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	5	1	2	3	1	3	4	2	-	3	3	1	
		F	17	-	-	-	2	-	1	2	1	2	3	3	3	
125a	Acute yellow atrophy of the liver (nonpuerperal)	T	12	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	-	1	1	1	1	1	-	-	2	1	-	
		F	3	-	-	-	-	-	-	1	-	1	-	1	-	
125b	Others	T	33	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	4	1	1	2	-	2	3	2	-	1	2	1	
		F	14	-	-	-	2	-	1	1	1	1	3	2	3	
126	Biliary calculi	T	201	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	64	11	7	7	3	5	2	7	5	5	2	9	1	
		F	137	15	9	14	16	15	7	4	15	7	13	10	12	
127	Other diseases of the gall-bladder and biliary ducts	T	92	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	58	4	3	-	3	2	3	8	1	4	3	5	2	
		F	54	5	6	4	3	7	5	5	3	6	5	4	1	
127a	Cholecystitis (without mention of biliary calculus)	T	65	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	3	1	-	3	1	2	7	1	4	2	3	2	
		F	36	2	3	2	1	5	1	5	2	6	5	3	1	
127b	Others	T	27	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	2	-	-	1	1	1	-	-	1	2	-	
		F	18	3	3	2	2	2	4	-	1	-	-	1	-	
128	Diseases of the pancreas (except diabetes mellitus)	T	35	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	-	-	-	6	1	2	3	-	-	-	2	3	
		F	16	3	2	1	2	-	1	1	1	2	1	2	-	
129	Peritonitis (cause not stated)	T	36	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	1	2	2	1	3	1	-	1	-	3	2	1	
		F	19	2	1	1	2	4	2	1	1	2	1	-	2	
X.	DISEASES OF THE GENITO-URINARY SYSTEM	T	3,629	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,912	182	174	172	158	169	179	139	148	130	159	154	148	
		F	1,717	170	166	179	153	147	158	125	107	127	128	123	134	
130	Acute nephritis	T	63	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	30	3	1	4	4	2	5	1	1	1	3	3	2	
		F	33	3	1	3	3	4	2	2	2	4	1	4	4	
131	Chronic nephritis	T	2,905	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,400	142	126	124	111	123	123	100	107	96	118	121	109	
		F	1,505	149	144	162	128	125	137	104	98	110	120	110	118	
131a	Arteriosclerotic kidney	T	1,111	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	527	39	33	30	44	39	49	50	53	39	51	53	47	
		F	584	25	41	40	47	47	66	48	54	61	48	46	61	

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
131b	Other chronic nephritis .	T	1,794	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	873	103	93	94	67	84	74	50	54	57	67	68	62	
		F	921	124	103	122	81	78	71	56	44	49	72	64	57	
132	Nephritis unspecified (10 years of age and over) .	T	48	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	1	1	5	1	2	4	-	2	2	2	3	6	
		F	19	3	1	2	1	2	-	4	3	1	-	-	2	
133	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth or the puer- perium) .	T	153	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	73	6	7	6	8	9	7	6	7	4	6	3	4	
		F	80	8	13	2	9	8	13	6	2	3	3	7	6	
133a	Pyelitis, pyelonephritis and pyelocystitis .	T	123	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	56	3	6	3	4	7	7	6	6	4	6	1	3	
		F	67	4	12	2	9	7	10	5	2	2	3	6	5	
133b	Others	T	30	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	3	1	3	4	2	-	-	1	-	-	2	1	
		F	13	4	1	-	-	1	3	1	-	1	-	1	1	
134	Calculi of the urinary pas- sages	T	54	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	39	6	5	1	3	4	6	2	1	-	5	5	1	
		F	15	1	1	1	2	3	-	-	-	2	2	1	2	
134a	Kidneys and ureters .	T	35	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	4	3	-	2	2	4	1	1	-	3	2	1	
		F	12	1	1	1	2	1	-	-	-	2	1	1	2	
134b	Bladder	T	15	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	2	2	1	1	1	1	1	-	-	2	3	-	
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	
134c	Others	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	2	-	-	-	-	-	-	-	-
135	Diseases of the urinary bladder	T	28	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	3	3	2	2	2	1	1	1	-	-	-	-	-
		F	13	-	1	1	1	1	2	4	-	2	1	-	-	-
135a	Cystitis	T	20	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	3	3	1	1	2	1	-	1	-	-	-	-	-
		F	8	-	1	-	1	1	-	4	-	1	-	-	-	-
135b	Others	T	8	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	1	-	-	1	-	-	-	-	-	-
		F	5	-	-	1	-	-	2	-	-	1	1	-	-	-
136	Diseases of the urethra (ex- cept calculus)	T	16	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	1	3	-	5	1	1	1	-	1	2	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136a	Stricture of the urethra .	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	-	2	-	4	1	1	1	-	-	1	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136b	Others	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	1	-	1	-	-	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate .	T	306	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	306	21	29	27	29	21	31	28	28	27	23	17	25	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137a	Hypertrophy of the prostate	T	266	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	266	17	24	17	24	21	28	26	24	26	21	16	22	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137b	Others	T	40	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	40	4	5	10	5	-	3	2	4	1	2	1	3	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Diseases of other male genital organs (not specified as venereal)	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	-	1	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	Diseases of the female genital organs	T	52	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	52	6	5	8	9	4	4	5	2	5	1	1	2	
139a	Ovaries, fallopian tubes and parametria	T	24	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	24	-	1	6	3	2	2	2	1	4	1	1	1	
139b	Uterus	T	21	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21	3	3	2	5	1	2	3	1	1	-	-	-	-
139c	Others	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	3	1	-	1	1	-	-	-	-	-	-	1	
XI.	DISEASES OF PREGNANCY, CHILD BIRTH AND THE PUE- RPERIUM	T	181	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	181	25	7	19	15	17	6	20	12	12	16	15	17	
140	Abortion, with mention of infection	T	21	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21	1	-	2	3	4	-	5	2	-	1	2	1	

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
140a	Spontaneous, therapeutic or of unspecified origin, with mention of pyelitis	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	1	-	-	-	-	-	-	-	-	-
140b	Spontaneous, therapeutic, or of unspecified origin, with mention of other infection	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	3	-	3	1	-	-	-	1	1
140c	Self-induced	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-
140d	Induced by other persons, for reasons other than therapeutic	T	3	1	-	1	1	1	-	2	-	-	-	-	1	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141	Abortion without mention of infection	T	15	-	-	-	1	-	-	-	1	-	-	1	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	-	-
141a	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock and toxemia	T	1	2	1	-	1	1	2	2	1	2	2	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock (but not toxemia)	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	1	-	-
141c	Spontaneous, therapeutic, or of unspecified origin, with mention of toxemia (but not hemorrhage, trauma or shock)	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d	Spontaneous, therapeutic, or of unspecified origin, without mention of hemorrhage, trauma or shock, or toxemia	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	1	-	1	1	-	1	-	1	1	-	-	-
141e	Self-induced	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141f	Induced by other persons, for reasons other than therapeutic	T	3	1	-	-	-	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-
142	Ectopic gestation	T	6	-	-	-	-	-	-	1	1	-	-	-	1	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-
142a	With mention of infection	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
142b	Without mention of infection	T	5	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)	T	3	-	-	-	-	-	-	-	-	-	1	3	-	-
		M	3	-	1	-	-	1	-	-	-	-	-	-	1	-
143a	Placenta praevia	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143b	Premature separation of placenta	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143c	Others	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	1	-	-	-	-	-	-	1	-
144	Toxemias of pregnancy (death before delivery)	T	20	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	2	1	1	-	2	-	1	1	1	4	2	5	-
144a	Eclampsia of pregnancy	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	-	-	-	-	-	1	-	-	1	-	1	-
144b	Albuminuria and nephritis of pregnancy	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-
144c	Acute yellow atrophy of liver (during pregnancy)	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
144d	Others	T	11	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	1	1	-	2	-	-	1	1	2	1	2	-

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
145	Other diseases and accidents of pregnancy (death before delivery)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
146	Hemorrhage of childbirth and the puerperium	T	21	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21	3	-	3	3	-	1	1	-	2	3	4	-
146a	Placenta praevia (with childbirth)	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	1	-	3	-	-	-	-	-	1	2	1	-
146b	Premature separation of placenta (with childbirth)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
146c	Others	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	2	-	-	3	-	1	-	-	1	1	3	-
147	Infection during childbirth and the puerperium	T	51	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	51	11	1	8	6	4	2	3	2	4	1	4	-
147a	Puerperal pyelitis and pyelonephritis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
147b	General or local puerperal infection (except pyelitis)	T	22	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	22	4	1	3	6	1	1	-	-	4	-	1	-
147c	Puerperal thrombophlebitis	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	-	2	-	-	-	-	-
147d	Puerperal embolism and sudden death	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	25	7	-	4	-	3	-	1	2	-	1	3	-
148	Puerperal toxemias (excluding death before delivery)	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	1	-	1	2	1	-	1	2	1	-	-	-
148a	Puerperal eclampsia	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	1	-	-	-	1	-	-	2	-	-	-	-
148b	Puerperal albuminuria and nephritis	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	1	-	-	1	-	1	-	-	-
148c	Acute yellow atrophy of liver (puerperal)	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
148d	Others	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	1	-	-	-	-	-	-	-	-
149	Other accidents and specified conditions of childbirth	T	21	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21	3	1	3	-	1	-	5	3	1	2	1	-
149a	Laceration, rupture or other trauma of pelvic organs and tissue	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	1	-	-	-
149b	Other specified conditions	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	19	3	1	2	-	1	-	5	3	-	2	1	-
150	Other and unspecified conditions of childbirth and the puerperium	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	2	1	1	-	3	-	2	-	-	-	-	-
150a	Infection of breast during lactation	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
150b	Psychosis of the puerperium	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
150c	Others	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	2	1	1	-	2	-	2	-	-	-	-	-
XII.	DISEASES OF THE SKIN AND CELLULAR TISSUE	T	59	-	-	-	-	-	-	-	-	-	-	-	-
		M	31	5	4	3	3	2	-	2	6	-	2	-	-
		F	28	1	2	3	2	2	4	5	2	3	1	2	-
151	Carbuncle and furuncle	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	1	-	-	-	-	3	-	2	-	-
		F	7	-	1	-	1	-	1	1	1	-	1	1	-
152	Phlegmon and acute abscess	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	1	2	2	2	1	-	2	2	-	-	-	-
		F	12	1	-	2	1	2	2	1	-	2	-	-	-
153	Other diseases of the skin and cellular tissue	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	3	2	-	1	1	-	-	1	-	-	-	-
		F	9	-	1	1	-	-	1	3	1	1	-	1	-

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX	MONTHS.											
				Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
XIII	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	T	43	-	-	-	-	-	-	-	-	-	-	-	-
		M	31	3	2	1	3	1	5	-	6	7	1	4	1
		F	9	-	1	2	1	1	1	-	1	-	-	-	-
154	Osteomyelitis and periostitis	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	1	-	-	1	1	4	-	3	6	1	-	-
		F	4	-	1	-	1	1	-	-	1	-	-	-	-
154a	Acute	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	1	-	-	1	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
154b	Chronic or unspecified	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	1	3	-	3	5	1	-	-
		F	3	-	-	-	-	1	1	-	1	-	-	-	-
155	Other diseases of the bones (except tuberculosis)	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	1	-	2	-	-	-	1	-	-	4	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
156	Diseases of the joints and other organs of movement	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	1	1	-	1	1	1	2	1	-	-	-
		F	4	-	-	2	-	-	1	-	-	-	1	-	-
156a	Diseases of the joints (except tuberculosis and rheumatism)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
156b	Diseases of other and unspecified organs of movement	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	-	-	1	1	-	2	1	-	-	-
		F	3	-	-	2	-	-	-	-	-	-	1	-	-
XIV	CONGENITAL MALFORMATIONS	T	378	-	-	-	-	-	-	-	-	-	-	-	-
		M	191	11	19	13	9	19	15	21	16	17	17	18	16
		F	187	18	10	12	12	10	9	15	9	19	27	26	20
157	Congenital malformations (stillbirths not included)	T	378	-	-	-	-	-	-	-	-	-	-	-	-
		M	191	11	19	13	9	19	15	21	16	17	17	18	16
		F	187	18	10	12	12	10	9	15	9	19	27	26	20
157a	Congenital hydrocephalus	T	35	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	1	1	-	2	2	-	4	-	-	-	2	2
		F	21	1	-	2	1	-	2	4	1	-	5	4	1
157b	Spina bifida and meningocele	T	68	-	-	-	-	-	-	-	-	-	-	-	-
		M	32	-	5	3	3	1	-	2	4	3	2	7	2
		F	36	2	3	3	3	2	2	1	1	6	5	4	4
157c	Anencephalus	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	2	-	-	1	-	-	1	1	1	3	-	2
157d	Other congenital malformations of the central nervous system	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	-	-	1	-	-	1
		F	6	2	-	-	-	-	2	-	-	-	-	2	-
157e	Congenital malformation of the heart	T	150	-	-	-	-	-	-	-	-	-	-	-	-
		M	87	6	7	7	3	10	8	10	6	9	10	6	5
		F	63	8	3	3	5	5	1	6	1	5	9	9	8
157f	Other congenital malformations of the cardiovascular system	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	2	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
157g	Congenital malformations of the digestive system	T	49	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	1	2	-	-	4	3	1	3	2	1	2	3
		F	27	2	2	3	-	2	-	-	3	6	3	3	3
157h	Congenital malformations of the genito-urinary system	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	2	-	1	-	-	-	-	-	-	-	1	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	-
157m	Other and unspecified congenital malformations	T	45	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	1	3	2	1	2	2	4	3	2	1	1	2
		F	21	1	1	1	2	1	2	3	2	1	2	3	2
XV	DISEASES PECULIAR TO THE FIRST YEAR OF LIFE	T	1,321	-	-	-	-	-	-	-	-	-	-	-	-
		M	778	57	77	66	65	67	72	67	62	63	65	49	68
		F	543	44	57	38	39	39	49	48	46	44	47	51	41
158	Congenital debility (cause not stated)	T	29	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	1	1	1	1	1	2	3	1	1	-	3	6
		F	8	2	1	1	-	-	-	-	-	-	1	1	2
159	Premature birth (cause not stated)	T	857	-	-	-	-	-	-	-	-	-	-	-	-
		M	501	41	47	45	39	44	47	45	39	37	48	32	40
		F	353	26	37	23	23	21	28	33	33	35	35	34	25
160	Injury at birth	T	207	-	-	-	-	-	-	-	-	-	-	-	-
		M	121	9	10	10	15	12	10	7	12	10	8	7	11
		F	86	8	11	9	7	4	8	5	9	3	5	10	7
160a	Intracranial or spinal hemorrhage	T	134	-	-	-	-	-	-	-	-	-	-	-	-
		M	79	7	6	5	11	8	4	2	4	9	7	5	8
		F	55	5	8	6	5	3	6	3	1	2	4	7	5
160b	Other intracranial or spinal injuries	T	42	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	1	2	4	-	3	1	4	7	-	-	-	2
		F	18	2	2	3	2	1	1	1	5	-	-	-	-
160c	Other injuries at birth	T	31	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	1	2	1	1	1	5	1	1	1	1	2	1
		F	13	1	1	-	-	-	1	1	3	1	1	2	2

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	SEX.	MONTHS												
			Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
161	Other diseases peculiar to the first year of life	T	228	-	-	-	-	-	-	-	-	-	-	-	-
		M	132	6	19	10	10	10	13	12	10	15	9	7	11
		F	96	8	8	5	9	14	13	10	4	6	6	6	7
161a	Asphyxia (cause not specified), atelectasis	T	149	-	-	-	-	-	-	-	-	-	-	-	-
		M	95	6	13	5	9	9	8	9	9	9	6	3	9
		F	54	5	3	2	6	8	8	6	2	3	1	3	7
161b	Infection of the umbilicus; pemphigus and other infections (nonsyphilitic)	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	-	-	-	1	-	-	1
		F	2	-	-	-	-	1	1	-	-	-	-	-	-
161c	Other specified diseases peculiar to the first year of life	T	74	-	-	-	-	-	-	-	-	-	-	-	-
		M	34	-	6	4	1	1	5	3	1	5	3	4	1
		F	40	3	5	3	3	5	4	4	2	3	5	3	-
XVI.	SENILITY	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	2	3	-	-	-	1	1	-	-	2	2
		F	28	2	4	3	1	1	1	3	4	3	-	4	2
162	Senility	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	2	3	-	-	-	1	1	-	-	2	2
		F	28	2	4	3	1	1	1	3	4	3	-	4	2
162a	With mention of senile dementia	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	1	1	-	-	-	-	2	-
162b	Without mention of senile dementia	T	34	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	2	3	-	-	-	-	1	-	-	2	2
		F	24	2	4	3	1	-	-	3	4	3	-	2	2
XVII.	VIOLENT OR ACCIDENTAL DEATHS	T	3,316	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,149	203	146	161	173	183	181	195	206	170	164	174	193
		F	1,167	119	95	107	81	75	111	95	93	108	106	74	103
163-164	Suicide	T	570	-	-	-	-	-	-	-	-	-	-	-	-
		M	433	30	23	45	38	39	36	38	41	36	39	37	31
		F	137	11	10	11	10	10	14	11	13	15	15	6	11
163	Suicide by solid or liquid poisons or by poisonous gases	T	228	-	-	-	-	-	-	-	-	-	-	-	-
		M	153	10	10	20	16	9	11	9	19	15	11	15	8
		F	75	6	8	7	5	5	6	7	5	10	7	4	5
163a	Arsenic and compounds	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	2	2	3	-	-	-	-	-
		F	4	-	2	-	-	-	-	2	-	-	-	-	-
163b	Barbituric acid and derivatives	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	1	-	-	-	-	1	3	-	1	-
		F	10	1	1	2	1	2	-	-	-	1	1	1	-
163c	Cresol compounds	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	1	-	-	-	-	1	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
163d	Mercury and compounds	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163e	Nux vomica and strychnine	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163f	Carbolic acid and phenol	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163g	Other solid or liquid poisons	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	2	1	-	2	1	2	-	2	1	2	2	1
		F	9	1	1	-	-	2	-	-	2	1	1	1	-
163h	Illuminating gas	T	112	-	-	-	-	-	-	-	-	-	-	-	-
		M	71	6	7	11	7	3	3	1	13	5	3	6	6
		F	41	2	3	2	4	2	3	5	3	8	3	2	4
163m	Motor-vehicle exhaust gas	T	45	-	-	-	-	-	-	-	-	-	-	-	-
		M	41	2	-	7	5	2	4	4	3	4	4	6	-
		F	4	-	1	-	-	1	-	-	-	-	2	-	-
163n	Other carbon monoxide gas	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	2	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163x	Other poisonous gases	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	1	-	1	1	-	1
		F	6	1	-	3	-	-	-	-	-	-	-	-	1
164	Suicide by other means	T	342	-	-	-	-	-	-	-	-	-	-	-	-
		M	280	20	13	25	22	30	25	29	22	21	28	22	23
		F	62	5	2	4	5	5	8	4	8	5	8	2	6
164a	Suicide by hanging or strangulation	T	124	-	-	-	-	-	-	-	-	-	-	-	-
		M	102	8	6	13	6	8	9	10	6	5	14	5	12
		F	22	2	-	-	-	3	2	1	5	-	3	1	5
164b	Suicide by drowning	T	49	-	-	-	-	-	-	-	-	-	-	-	-
		M	36	2	2	3	3	5	5	3	2	5	2	3	1
		F	13	2	-	1	1	-	2	3	1	1	1	-	1
164c	Suicide by firearms and explosives	T	103	-	-	-	-	-	-	-	-	-	-	-	-
		M	97	7	4	4	9	11	7	12	9	8	7	11	8
		F	6	-	-	-	-	-	1	-	1	1	2	1	-

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.											
				Total.	MONTHS.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
175d	Accidents involving forestry machinery and vehicles	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	2	2	2	1	-	1	1	-	1	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
177	Food poisoning	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	T	67	-	-	-	-	-	-	-	-	-	-	1	-
		M	42	6	3	1	1	4	3	2	2	1	6	7	6
		F	25	3	1	1	-	2	3	-	1	1	1	4	8
178a	Illuminating gas	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	1	1	1	1	3	1	2	2	-	1	3	4
		F	19	2	-	1	-	1	3	-	1	-	-	4	7
178b	Motor vehicle exhaust gas	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	2	2	-	-	-	1	-	-	1	2	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
178c	Other carbon monoxide gas	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	3	-	-	-	1	-	-	-	-	3	2	2
		F	6	1	1	-	-	1	-	-	-	1	1	-	1
178x	Other poisonous gases	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids	T	60	-	-	-	-	-	-	-	-	-	-	-	-
		M	34	1	3	4	4	5	1	3	1	5	3	1	3
		F	26	3	2	3	1	1	3	4	2	3	1	2	1
179a	Arsenic and compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
179b	Barbituric acid and derivatives	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	1	1	-	1	-	-	1	1	-	1
		F	11	2	2	1	-	1	2	-	-	-	-	-	-
179c	Cresol compounds	T	2	-	-	-	-	-	-	-	-	1	1	1	-
		M	2	-	-	-	1	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179d	Mercury and compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179e	Nux vomica and strychnine	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179f	Carbolic acid and phenol	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-	-	-
179g	Lye and potash	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	1	1	-	-	-	-
179h	Tobacco and derivatives	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179m	Narcotics	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179o	Methanol and other alcohols	T	9	-	-	-	-	-	-	-	-	-	1	-	-
		M	8	-	1	-	-	2	-	1	-	3	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
179z	Other and unspecified substances	T	21	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	2	2	2	2	-	2	-	1	1	-	1
		F	8	1	-	2	1	-	3	-	-	-	-	-	-
180	Conflagration	T	43	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	5	1	5	-	-	3	-	2	1	3	3	6
		F	14	1	4	4	-	1	-	1	-	-	1	1	1
181	Accidental burns (except conflagration)	T	129	-	-	-	-	-	-	-	-	-	-	-	-
		M	65	11	6	3	8	5	3	4	7	1	5	5	7
		F	64	8	2	11	6	2	10	3	5	3	6	4	4
182	Accidental mechanical suffocation	T	51	-	-	-	-	-	-	-	-	-	-	-	-
		M	34	3	6	3	2	3	1	2	3	4	2	1	4
		F	17	2	4	3	1	-	2	-	3	-	-	-	2
183	Accidental drowning	T	201	-	-	-	-	-	-	-	-	-	-	-	-
		M	185	7	4	5	13	23	26	43	22	19	4	10	9
		F	16	-	-	2	-	1	3	3	4	2	1	-	-
184	Accidental injury by firearms	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	-	2	2	1	1	1	1	1	-	3	3	4
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1940.												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
185	Accidental injury by cutting or piercing instruments	T	7	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	1	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	-
186	Accidental injury by fall or crushing	T	1,141	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	519	63	38	52	46	41	43	41	47	32	43	31	42	-
		F	622	72	60	61	50	39	55	41	43	53	54	40	54	-
186a	Fall	T	1,137	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	515	63	38	51	46	40	43	41	46	32	42	31	42	-
		F	622	72	60	61	50	39	55	41	43	53	54	40	54	-
186b	Crushing	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	1	-	-	1	-	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	T	5	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	1	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-
189	Hunger or thirst	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	T	8	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	3	2	2	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191	Excessive heat	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	2	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-
192	Lightning	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-
193	Accidents due to electric currents	T	10	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	1	-	2	1	3	1	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195	Other accidents	T	167	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	125	12	15	5	10	14	10	14	10	9	5	10	11	-
		F	42	3	1	-	2	4	6	7	4	5	5	3	2	-
195a	Sequelae of preventive immunization, inoculation or vaccination	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-
195c	Lack of care of the newborn	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation or puncture by ingested objects	T	34	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	2	2	2	1	-	3	2	1	4	-	2	1	-
		F	14	1	-	-	1	1	2	2	-	3	3	1	-	-
195e	Others	T	125	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	101	10	13	3	9	13	7	11	8	5	5	8	9	-
		F	24	2	1	-	1	3	3	5	2	2	2	2	1	-
196	Deaths of military personnel during operations of war	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII	ILL-DEFINED AND UNKNOWN CAUSES	T	26	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	1	1	1	2	3	3	-	-	-	1	1	-
		F	13	3	1	2	1	-	3	-	-	-	1	-	-	2
199	Sudden death	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200	Ill-defined and unknown causes	T	26	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	1	1	1	2	3	3	-	-	-	1	1	-
		F	13	3	1	2	1	-	3	-	-	-	-	1	-	-

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX 1940.												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
200a	Ill-defined	T	14	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	1	1	1	2	1	-	-	-	-	1	-
		F	6	3	1	1	1	-	-	-	-	-	-	-	-	1
200b	Found dead (cause un- known)	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
200c	Unknown or unspecified cause	T	10	-	-	-	-	-	-	-	-	-	-	-	1	-
		M	4	-	-	-	-	-	-	-	3	-	-	-	-	-
		F	6	-	-	1	1	-	-	1	3	-	-	-	-	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1940.

[illegible]

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
19	1							2	1		1						
20	3	2	2	1	2	2	1	1			1						
21		1					3	1									
21a				1													
21b				1													
22						1					1						
22a	1						1	1									
22b	1					1		1			1						
23																	
24			1			1			1	1							
24a			1	1	1	1				1							
24b			1	1	1	1				1							
24c									1								
24d																	
25																	
26	1				1												
26a																	
26b																	
27							1				1	2					
27a											1						
27b											1	1					
27c						1											
28												1					
29																	
30																	
30a	5	4	7	27	30	40	39	39	26	20	9	3					
		2	3	12	14	7	13	12	5	8	2	1					
			1	2			1	3	5	4	3	2					
					1	1	1	1	2	3							

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.		
38e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
43	-	1	-	-	1	-	2	-	2	1	-	-	-	-	-	-	-
44	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
44a	2 3	1 4	9	5 1	4 5	8 3	4 2	4 3	4	4 1	1 1	1	1	1	-	-	-
44b	2 3	1 4	9	5 1	4 5	8 3	3 2	4 3	3	4 1	1 1	1	1	-	-	-	-
44c	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
44d	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
II.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	21 27	33 52	40 109	96 207	164 316	274 360	374 453	422 548	588 596	539 566	402 445	203 282	73 116	16 35	4 1	-	-
45	18 20	31 46	37 94	86 178	156 286	270 339	364 440	420 536	581 588	533 556	399 443	201 278	73 114	16 34	4 1	-	-
45a	1	-	1	2 1	7 2	8 3	16 3	28 9	32 4	36 3	26 6	15 3	3 1	2	-	-	-
45b	-	-	-	-	1	-	1	2	2	1	4	1	3	-	-	-	-
45c	-	-	1	-	3	-	4	9	8	18	8	4	-	-	-	-	-
45d	-	-	-	-	-	1	2	-	1	2	2	1	-	-	-	-	-
45e	-	-	-	1	-	3	4	3	5	2	6	2	-	-	-	-	-
45f	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
46	1	-	-	-	3 2	4 1	5	13 6	12 1	13 1	6	3 1	-	1	1	-	-
46a	2 7	13 14	18 25	44 50	76 80	151 124	207 172	226 242	330 280	299 316	217 254	98 147	30 57	9 9	2	-	-
46b	-	-	1	1	7	11 2	14 5	13 8	20 4	32 5	19 4	3 1	-	1	-	-	-
46c	1 1	1 3	2 4	22 11	26 18	58 30	81 46	96 59	124 84	93 92	72 74	39 49	9 17	-	-	-	-
46d	-	-	-	-	-	1	1 1	-	2	1 2	1 1	1	-	1	-	-	-
	2	5	5	5	10	25 16	19 13	34 28	52 35	36 49	32 40	10 17	5 9	3	2	-	-

[illegible]

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.		
46e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46f	3	5	13	24	34	47	61	99	92	109	86	53	23	3	-	-	-
46g	1	1	1	1	6	15	13	11	27	32	15	9	4	1	-	-	-
46h	-	5	2	4	8	18	23	27	34	32	37	15	5	-	-	-	-
46i	-	2	2	7	11	13	18	21	19	24	13	10	4	1	-	-	-
46j	-	-	-	-	7	6	19	17	27	21	10	9	1	-	-	-	-
46k	-	1	-	-	2	3	-	5	-	2	-	-	-	-	-	-	-
46m	1	1	1	1	3	3	2	3	2	-	-	1	-	-	-	-	-
46n	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
46o	-	-	-	-	1	2	2	-	-	2	1	-	-	-	-	-	-
47	-	-	-	1	-	-	-	-	2	6	2	1	-	-	-	-	-
47a	1	5	5	12	38	49	56	53	58	27	15	4	2	-	-	-	-
47b	-	-	1	2	6	10	21	15	18	17	9	3	-	1	-	-	-
47c	-	-	-	-	6	5	9	8	12	10	2	1	1	-	-	-	-
47d	-	-	-	-	1	1	-	-	1	1	3	1	-	-	-	-	-
47e	-	2	1	3	3	7	12	10	8	2	-	-	-	-	-	-	-
47f	-	-	-	1	1	4	3	-	2	1	-	-	-	-	-	-	-
47g	-	3	3	8	27	34	34	34	37	13	13	3	1	-	-	-	-
47h	1	-	1	1	4	5	15	14	13	14	5	1	-	1	-	-	-
47i	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
47j	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
47k	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47l	-	-	1	1	2	2	1	1	1	1	1	1	-	-	-	-	-
48	-	-	-	-	1	-	1	1	1	1	1	1	-	-	-	-	-
48a	5	14	29	46	72	72	75	83	77	54	50	26	13	6	1	-	-
48b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48c	4	11	16	22	36	36	22	26	25	10	8	6	3	1	-	-	-
48d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48e	1	3	13	24	36	36	53	57	52	44	42	20	10	5	1	-	-
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49a	2	6	10	13	12	21	29	29	32	22	18	11	3	-	-	-	-
49b	2	6	10	12	12	19	26	25	26	18	11	9	2	-	-	-	-
49c	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
49d	-	-	-	1	-	1	-	1	1	2	1	-	-	-	-	-	-
49e	-	-	-	-	-	1	3	1	4	2	5	2	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
51	1	6	22	45	87	70	89	105	112	92	60	64	28	8	-	-	-
51a	3	3	3	2	4	14	21	47	74	89	95	51	17	3	-	-	-
51b	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51d	-	-	-	-	2	10	16	40	67	84	91	48	15	3	-	-	-
51e	3	2	2	1	2	2	3	2	1	2	2	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
51d	-	-	1	-	-	1	1	3	3	3	12	3	12	-	-	-	
51r	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	
52	-	1	1	1	13	17	21	26	47	46	24	17	7	-	-	-	
52a	-	-	2	1	6	8	13	12	20	26	16	6	5	4	-	-	
52b	-	1	1	1	4	5	9	8	14	6	2	1	-	1	-	-	
52c	-	-	-	3	8	12	12	17	33	40	22	16	7	-	-	-	
52e	-	-	1	-	3	2	9	9	12	18	10	5	5	3	-	-	
53	1	-	-	-	1	-	5	3	10	12	4	7	11	1	1	-	
54	-	-	-	2	3	2	1	4	5	5	8	4	3	3	-	-	
54a	5	4	3	6	7	12	9	4	1	1	-	1	-	-	-	-	
54b	1	2	1	6	7	8	7	3	4	1	1	-	-	-	-	-	
54c	1	2	-	1	3	3	1	1	1	-	-	-	-	-	-	-	
54d	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-	-	
54e	4	2	3	5	4	9	8	4	-	1	-	1	-	-	-	-	
55	1	2	1	3	6	8	5	2	4	1	1	-	-	-	-	-	
55a	6	5	6	11	10	18	28	30	29	21	17	8	3	3	1	-	
55b	3	4	4	12	11	21	30	34	36	20	21	14	4	1	-	-	
55c	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	
55d	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	
55e	1	-	1	1	3	4	8	3	6	4	1	2	-	-	-	-	
55f	1	-	-	1	-	3	4	12	10	4	6	1	-	-	-	-	
55g	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
55h	-	-	-	-	-	-	2	3	4	1	2	-	-	-	-	-	
55i	-	-	-	3	1	1	1	-	2	-	2	-	-	-	-	-	
55j	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	
55k	5	5	5	6	6	11	18	26	21	16	13	6	3	3	1	-	
55l	2	4	4	11	11	18	21	18	21	15	12	12	3	1	-	-	
56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
56a	2	-	1	5	4	3	5	1	1	2	2	-	-	-	-	-	
56b	5	6	11	17	23	14	9	6	3	6	1	3	1	1	-	-	
56c	3	-	1	2	4	1	1	2	1	3	-	1	1	1	-	-	
56d	2	5	6	11	14	9	4	2	1	1	-	1	-	-	-	-	
56e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
56f	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
56g	2	-	-	3	2	3	4	-	1	-	1	-	-	-	-	-	
56h	-	-	4	3	4	4	1	-	1	2	1	1	-	-	-	-	
56i	-	-	1	2	2	-	1	1	-	2	1	-	-	-	-	-	
57	-	1	-	1	1	-	1	2	-	-	-	-	-	-	-	-	
57a	1	2	2	5	4	1	5	1	6	4	1	2	1	-	-	-	
57b	2	-	4	12	7	7	4	6	5	4	1	1	1	-	-	-	
57c	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	
57d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
57e	-	-	1	7	3	3	1	1	-	1	-	1	1	-	-	-	
57f	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No	AGE OF DECEDENTS (YEARS).																100 and over	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.			
65b																		
66						1	1			1								
66a							2	1		1								
66b							1											
67					1	1	1	1		1								
68							1	1										
69										1		1						
70								1										
71									1		1							
IV.	3	2	2	11	8	9	11	12	16	19	11	11						
72	7	2	1	5	11	14	9	17	15	21	18	3	2	1				
72a						2	1			1								
72b							1				1							
72c																		
73				1			3	4	4	8	5	6						
73a	2		1	1	3	5	3	7	4	13	15	3	1	1				
73b	1			1	2	4	2	4	3	11	13	3	1	1				
73c	1							1										
73d						1		1		1								
74			1		1		1	2	1	3	2	3						
74a	3	2	1	10	8	7	6	7	10	10	6	4						
74b	4	2	1	7	7	5	6	7	8	10	6	4						
75	1	1		3	1	2		1		1								
75a			1	1	1		1		1									
75b			1				1											
75c				1	1													

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.		
76	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
76a	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
76b	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
76c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	8	12	16	22	17	25	15	19	12	9	-	-	-	-	-	-	-
77	1	-	2	3	4	6	3	-	7	1	-	-	-	-	-	-	-
77a	8	12	16	21	16	25	14	18	12	9	-	-	-	-	-	-	-
77b	1	-	1	3	4	6	3	-	7	1	-	-	-	-	-	-	-
77c	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
77d	2	6	7	11	4	13	3	8	3	2	-	-	-	-	-	-	-
77e	1	-	1	2	1	1	1	-	2	-	-	-	-	-	-	-	-
78	1	1	2	3	3	2	3	1	2	-	-	-	-	-	-	-	-
78a	5	5	7	7	9	10	7	8	7	6	-	-	-	-	-	-	-
78b	-	-	-	-	1	4	2	-	5	1	-	-	-	-	-	-	-
79	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
79a	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
79b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
80	13	29	38	29	81	137	192	241	335	366	318	206	107	24	6	1	-
80a	14	11	24	49	110	127	182	246	363	498	487	394	194	63	18	4	-
80b	-	2	2	-	-	2	1	1	-	-	1	-	-	-	-	-	-
81	-	1	3	-	2	1	1	3	3	-	1	1	-	-	-	-	-
81a	1	-	1	-	-	2	2	2	1	-	-	-	-	-	-	-	-
81b	1	1	3	-	2	1	1	3	2	1	1	1	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	3	6	2	5	1	3	2	2	-	-	-	-	-
-	-	-	-	1	2	3	3	3	3	3	2	-	-	-	-	-	-

No Detailed Int. List	Table 14	CAUSE OF DEATH.	SEX	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
				Total.	AGE OF DECEDENTS (YEARS).								
					Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
83	Intracranial lesions of vascular origin	T	4,642										
		M	1,973		1			1			1	2	1
		F	2,669		1	2		2		2	1	2	3
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	T	4,005										
		M	1,695		1		1	1				2	
		F	2,310							1	1	1	2
83b	Cerebral embolism and thrombosis	T	598										
		M	258								1		1
		F	340		1	2		1		1		1	1
83c	Cerebral softening	T	26										
		M	15										
		F	11										
83d	Hemiplegia and other paralysis of unspecified origin	T	13										
		M	5										
		F	8										
84	Mental diseases and deficiency (ex- cept general paralysis of the insane)	T	8										
		M	6							1			
		F	2										
84a	Mental deficiency	T	1										
		M	1							1			
		F	-										
84b	Schizophrenia (dementia praecox)	T	2										
		M	1										
		F	1										
84c	Manic-depressive psychosis	T	2										
		M	2										
		F	-										
84d	Other mental diseases	T	3										
		M	2										
		F	1					1					
85	Epilepsy	T	72										
		M	44		1					2	3	5	1
		F	28				1			1	1	5	
86	Convulsions (under 5 years of age)	T	10										
		M	7		7								
		F	3		3								
87	Other diseases of the nervous system	T	103			2							
		M	50							2		1	1
		F	53			1		1	1			2	3
87a	Chorea	T	-										
		M	-										
		F	-										
87b	Neuritis (except rheumatic or al- coholic)	T	6										
		M	1										
		F	5										
87c	Paralysis agitans (except result of encephalitis)	T	42										1
		M	18									1	
		F	24										
87d	Disseminated sclerosis	T	36										
		M	18										
		F	18					1				1	1
87e	Other diseases of the nervous sys- tem	T	21										
		M	13			2				2		1	
		F	8			1			1			1	1
88	Diseases of the organs of vision	T	4										
		M	-										
		F	4										
89	Diseases of the ear and mastoid process	T	85										
		M	46		13	2	1			1	3	4	
		F	39		9	1		1		2	2		1
89a	Otitis and other diseases of the ear	T	67										
		M	37		11	1	1			1	3	1	
		F	30		8	1		1		2	2		
89b	Diseases of the mastoid process	T	18										
		M	9		2	1						3	
		F	9		1								1
VII.	DISEASES OF THE CIRCULATORY SYS- TEM	T	19,152										
		M	10,146		3			1		4	19	35	25
		F	9,006		2				1	8	20	36	35
90	Pericarditis (except acute rheumatic)	T	20										
		M	7									1	
		F	13		1							1	
90a	Chronic rheumatic pericarditis	T	-										
		M	-										
		F	-										
90b	Other pericarditis	T	20										
		M	7									1	
		F	13		1							1	

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

AGE OF DECEDENTS (YEARS).

Detailed Int. List No.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over	Unknown.
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	15	20	23	66	119	175	224	322	355	307	200	104	24	6	1	-
83a	5	7	16	39	99	114	169	236	351	487	474	385	191	61	18	4	-
	4	13	19	23	61	107	153	190	268	305	264	173	83	19	6	1	-
83b	-	-	15	35	94	108	148	211	297	418	407	320	170	53	14	3	-
83c	1	2	1	3	5	6	21	31	47	49	39	26	21	4	3	1	-
83c	-	-	-	-	-	-	-	24	53	67	61	59	20	8	-	-	-
83d	-	-	-	-	-	-	1	2	6	1	4	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	1	1	5	3	-	-	1	-	-
84	-	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-
	1	1	2	-	-	1	1	-	-	1	1	3	-	-	-	-	-
84a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84c	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
84d	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	4	6	1	3	2	2	2	6	3	-	-	-	-	-	-	-
86	4	1	4	5	2	2	1	1	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	4	3	1	4	5	5	4	2	4	5	3	3	-	-	-	-
87a	2	-	2	2	4	2	2	3	6	6	9	4	3	2	-	-	-
87b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87c	-	1	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	1	-	-	-	1	-	1	2	-	3	4	2	3	-	-	-	-
87d	-	-	1	-	-	-	-	3	4	3	7	2	3	-	-	-	-
	1	2	1	1	2	2	2	2	2	1	1	1	-	-	-	-	-
87e	-	-	-	-	3	2	1	-	-	3	2	-	-	1	-	-	-
	-	-	2	1	1	3	2	-	-	-	-	-	-	-	-	-	-
88	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-
89	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
	2	2	-	2	3	2	5	2	1	1	2	-	-	-	-	-	-
89a	2	1	1	1	2	3	5	1	2	2	1	2	-	-	-	-	-
	2	2	-	-	2	2	4	2	1	1	2	-	-	-	-	-	-
89b	1	-	-	1	2	3	3	1	1	2	1	1	-	-	-	-	-
	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
VII.	1	1	1	-	1	-	2	-	1	-	-	1	-	-	-	-	-
	42	54	133	263	465	716	923	1,292	1,516	1,613	1,361	1,015	485	148	28	5	-
90	32	56	91	152	228	349	457	826	1,185	1,443	1,431	1,402	798	352	84	18	-
	1	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-
90a	1	-	-	3	1	1	1	1	1	1	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-
	1	-	-	3	1	1	1	1	1	1	-	-	1	-	-	-	-

[illegible]

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.		
91	5	2	4	7	6	5	4	1	2	2	2	3	-	-	-	-	-	
91a	5	2	3	4	4	3	-	3	3	2	-	1	-	-	-	-	-	
91b	5	2	3	1	-	2	-	2	2	2	2	1	-	-	-	-	-	
91c	-	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	
92	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
92a	13 11	17 17	18 33	27 34	41 52	56 44	52 43	92 55	85 97	89 104	84 106	61 111	35 72	9 21	- 6	- 1	-	
92b	1 3	5 1	5 4	8 12	13 -	16 5	11 4	29 11	13 14	13 11	13 14	9 12	3 5	1 2	- 1	-	-	
92c	7 3	5 13	5 17	8 13	13 27	19 25	14 20	28 21	29 34	26 37	27 43	16 45	10 21	2 6	- 4	-	-	
92d	3	1	1	-	2	2	3	-	-	-	1	1	-	-	-	-	-	
92e	-	-	3	1	2	2	1	1	1	-	-	5	2	-	-	-	-	
92f	2 5	6 3	5 9	6 8	8 17	17 11	23 18	39 20	36 43	45 45	37 40	29 46	21 37	6 13	- 1	- 1	-	
93	-	-	-	-	6	1	1	2	7	5	6	6	1	-	-	-	-	
93a	2 7	10 11	18 22	51 47	111 87	221 180	331 235	573 493	707 671	867 891	759 910	613 889	312 496	88 226	19 55	3 11	-	
93b	1 1	2 1	1 2	3 2	7 5	4 6	4 7	10 14	6 13	8 16	6 9	4 10	3 4	2 5	-	-	-	
93c	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
93d	-	-	-	-	-	1	-	2	-	3	3	1	3	-	-	-	-	
93e	1 5	5 10	16 18	45 34	85 68	196 151	286 194	496 427	610 572	755 762	648 770	504 736	257 403	69 180	12 39	3 9	-	
94	-	1	1	2	19	21	40	67	91	104	103	103	51	17	7	-	-	
94a	3 2	19 6	62 12	141 22	253 54	360 74	449 127	545 210	586 313	517 320	379 275	204 206	70 103	23 32	2 8	- 2	-	
94b	3 2	10 6	59 11	139 21	246 54	342 69	429 124	528 203	564 304	502 304	370 266	195 193	66 100	22 32	2 8	- 2	-	
95	-	-	3 1	2 1	7	18 5	20 3	17 7	22 9	15 16	9 9	9 13	4 3	1	-	-	-	
95a	18 6	10 17	27 21	33 32	40 29	64 37	64 46	59 44	88 58	72 65	55 57	44 60	10 22	9 14	2 4	-	-	
95b	-	-	-	1	1	1	1	2	5	-	3	3	-	-	-	-	-	
95c	13 3	7 14	18 17	21 22	19 19	23 13	19 15	12 13	14 13	7 12	5 7	4 4	1 1	-	1	-	-	
96	5 3	3 3	9 4	12 9	20 9	40 23	44 31	45 29	69 41	65 50	47 50	37 50	9 19	9 13	1 3	-	-	
97	-	1	-	-	3 1	-	4	-	8	1	-	-	2	-	-	-	-	
98	-	-	-	1	3	4	11	12	29	54	74	86	52	18	5	2	-	
	-	-	-	-	1	4	1	9	35	49	75	129	101	58	11	3	-	
	-	-	-	-	-	-	1	1	1	2	2	2	2	1	-	-	-	

Detailed Int. List No	Table 14	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL										
				Total.	AGE OF DECEDENTS (YEARS).									
					Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.	
99	Other diseases of the arteries	T	66	-	-	-	-	-	-	-	-	-	-	-
		M	35	-	-	-	-	-	-	-	-	-	-	-
		F	31	-	-	-	-	-	-	1	-	1	-	-
100	Diseases of the veins	T	41	-	-	-	-	-	-	-	-	-	-	-
		M	17	-	-	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-
100a	Varices	T	13	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-
100b	Others	T	28	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-
101	Diseases of the lymphatic system	T	5	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	T	16	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-
103	Other diseases of the circulatory system	T	4	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	T	3,104	-	-	-	-	-	-	-	-	-	-	-
		M	1,688	227	37	17	9	2	13	8	13	13	23	
		F	1,406	178	29	8	10	4	6	15	9	9	13	
104	Diseases of the nasal fossae and accessory sinuses	T	35	-	-	-	-	-	-	-	-	-	-	-
		M	18	3	1	-	-	-	-	1	-	1	5	
		F	17	2	1	-	-	-	-	-	1	1	-	
104a	Diseases of the nasal fossae	T	12	-	-	-	-	-	-	-	-	-	-	-
		M	6	3	-	1	-	-	-	1	-	-	-	-
		F	6	2	1	-	-	-	-	-	1	-	-	-
104b	Diseases of the accessory sinuses	T	23	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	1	5	
		F	11	-	-	-	-	-	-	-	-	1	-	-
105	Diseases of the larynx	T	10	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	2	1	1	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	T	122	-	-	-	-	-	-	-	-	-	-	-
		M	72	8	6	1	-	-	-	-	1	-	1	
		F	50	4	1	1	1	-	-	-	-	1	-	
106a	Acute	T	48	-	3	1	-	-	-	-	-	-	1	
		M	28	4	3	1	-	-	-	-	1	-	1	
		F	20	3	-	1	-	-	-	-	-	-	-	
106b	Chronic	T	55	-	-	-	-	-	-	-	-	-	-	-
		M	34	3	-	-	-	-	-	-	-	-	-	-
		F	21	1	-	-	-	-	-	-	-	1	-	-
106c	Unspecified	T	19	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	3	-	-	-	-	-	-	-	-	-
		F	9	-	1	-	1	-	-	-	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	T	1,696	-	-	-	-	-	-	-	-	-	-	-
		M	847	165	19	8	5	-	5	2	6	6	-	
		F	849	145	20	5	5	1	3	7	4	5	-	
108	Lobar pneumonia	T	925	-	-	-	-	-	-	-	-	-	-	-
		M	570	35	7	4	1	2	4	3	5	10	-	
		F	355	19	4	1	3	1	3	5	1	3	-	
109	Pneumonia (unspecified)	T	40	-	-	-	-	-	-	-	-	-	-	-
		M	25	8	1	-	1	-	-	-	-	-	-	-
		F	15	6	-	-	1	-	-	-	1	1	-	-
110	Pleurisy (not specified as tuberculous)	T	84	-	-	-	-	-	-	-	-	-	-	-
		M	59	7	1	1	1	-	1	1	1	-	-	-
		F	25	-	-	-	-	-	1	-	1	1	2	
110a	Empyema	T	62	-	-	-	-	-	-	-	-	-	-	-
		M	43	5	1	1	1	-	1	-	1	-	-	-
		F	19	-	-	-	-	-	1	-	1	1	2	
110b	Other and unspecified forms of pleurisy	T	22	-	-	-	-	-	-	-	-	-	-	-
		M	16	2	-	-	-	-	-	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-
111	Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	T	72	-	-	-	-	-	-	-	-	-	-	-
		M	30	-	-	-	-	-	-	-	-	-	-	-
		F	42	1	-	-	-	-	1	-	-	-	1	
111a	Hemorrhagic infarction and thrombosis of the lungs	T	42	-	-	-	-	-	-	-	-	-	-	-
		M	18	-	-	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	1	
111b	Acute edema of the lungs	T	11	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	-
111c	Chronic and unspecified congestion of the lungs	T	19	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	1	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
99	-	-	-	1	1	4	3	12	5	6	3	2	1	-	-	1	-
100	-	-	-	1	1	1	3	3	4	6	3	4	1	-	-	-	-
100a	-	1	1	-	5	1	2	2	4	33	12	2	1	-	1	-	-
100b	-	-	-	-	-	-	-	-	3	1	2	2	1	-	-	-	-
101	-	1	1	1	2	1	2	3	3	2	1	-	-	-	-	-	-
102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	-	2	2	1	1	1	1	1	-	1	-	-	1	2	-	-	-
104	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	18	24	42	64	95	98	112	134	181	187	180	125	61	22	6	-	-
104a	23	23	21	30	47	56	59	91	132	155	153	153	107	67	15	2	-
104b	-	1	1	-	2	3	1	-	1	1	1	1	-	-	-	-	-
105	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106a	1	1	1	2	3	5	4	2	8	6	7	7	4	4	1	-	-
106b	-	1	-	1	1	-	1	1	1	3	2	4	2	2	1	-	-
106c	-	1	-	1	1	5	3	1	8	2	5	1	1	1	-	-	-
107	-	-	-	1	-	-	-	1	-	-	1	2	1	1	-	-	-
108	3	10	11	19	31	36	38	53	80	104	110	74	45	12	5	-	-
109	8	4	11	14	21	28	25	45	71	83	97	107	76	50	13	1	-
110	19	12	23	31	44	39	50	55	72	60	56	34	10	3	-	-	-
110a	8	13	3	8	12	17	23	35	45	46	42	33	20	8	1	1	-
110b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No	Table 14	CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
				Total.	AGE OF DECEDENTS (YEARS).								
					Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
112	Asthma	T	65	-	-	-	-	-	-	-	-	-	
		M	31	-	1	-	-	-	-	-	-	-	
		F	34	-	2	1	-	-	1	-	1	1	
113	Pulmonary emphysema	T	4	-	-	-	-	-	-	-	-	-	
		M	3	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	
114	Other diseases of the respiratory system (except tuberculosis)	T	51	-	-	-	-	-	-	-	-	-	
		M	35	1	-	1	-	-	-	1	-	-	
		F	16	1	1	-	-	-	-	-	-	1	
114a	Silicosis	T	6	-	-	-	-	-	-	-	-	-	
		M	6	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
114b	Other and unspecified forms of pneumoconioses	T	-	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
114c	Gangrene of lung	T	-	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
114d	Abscess of lung	T	31	-	-	-	-	-	-	-	-	-	
		M	24	-	-	1	-	-	-	1	-	-	
		F	7	1	-	-	-	-	-	-	-	1	
114e	Other and unspecified diseases of the respiratory system	T	14	-	-	-	-	-	-	-	-	-	
		M	5	1	-	-	-	-	-	-	-	-	
		F	9	-	1	-	-	-	-	-	-	-	
IX.	DISEASES OF THE DIGESTIVE SYSTEM	T	2,323	-	-	-	-	-	-	-	-	-	
		M	1,335	90	14	13	8	5	19	21	34	20	
		F	988	60	7	6	4	5	21	18	14	15	
115	Diseases of the buccal cavity, pharynx, tonsils and adnexa	T	92	-	-	-	-	-	-	-	-	-	
		M	47	5	3	2	-	1	7	-	3	2	
		F	45	3	-	1	1	1	5	3	1	1	
115a	Diseases of the teeth and gums	T	9	-	-	-	-	-	-	-	-	-	
		M	5	-	-	-	-	-	-	-	1	-	
		F	4	-	-	-	-	-	-	-	-	-	
115b	Septic sore throat	T	30	-	-	-	-	-	-	-	-	-	
		M	18	1	1	2	-	-	2	-	1	2	
		F	12	-	-	-	-	-	1	-	1	1	
115c	Diseases of the pharynx and tonsils	T	40	-	-	-	-	-	-	-	-	-	
		M	20	4	2	-	-	1	5	-	1	-	
		F	20	3	-	1	1	1	4	3	-	-	
115d	Diseases of other and unspecified parts of the buccal cavity and adnexa	T	13	-	-	-	-	-	-	-	-	-	
		M	4	-	-	-	-	-	-	-	-	-	
		F	9	-	-	-	-	-	-	-	-	-	
116	Diseases of the esophagus	T	10	-	-	-	-	-	-	-	-	-	
		M	9	-	-	-	-	1	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	
117	Ulcer of stomach or duodenum	T	323	-	-	-	-	-	-	-	-	-	
		M	258	-	-	-	-	-	-	-	1	-	
		F	65	1	-	-	-	-	-	2	-	-	
117a	Stomach	T	203	-	-	-	-	-	-	-	-	-	
		M	163	-	-	-	-	-	-	-	-	-	
		F	40	-	-	-	-	-	-	1	-	-	
117b	Duodenum	T	120	-	-	-	-	-	-	-	-	-	
		M	95	-	-	-	-	-	-	-	1	-	
		F	25	1	-	-	-	-	-	1	-	-	
118	Other diseases of the stomach (except cancer)	T	20	-	-	-	-	-	-	-	-	-	
		M	8	-	1	-	-	-	-	-	-	-	
		F	12	2	-	-	-	-	-	1	-	-	
119	Diarrhea, enteritis and ulceration of the intestines (under 2 years of age)	T	127	-	-	-	-	-	-	-	-	-	
		M	77	75	2	-	-	-	-	-	-	-	
		F	50	46	4	-	-	-	-	-	-	-	
119a	Diarrhea and enteritis	T	124	-	-	-	-	-	-	-	-	-	
		M	75	73	2	-	-	-	-	-	-	-	
		F	49	45	4	-	-	-	-	-	-	-	
119b	Ulceration of the intestines (except duodenum)	T	3	-	-	-	-	-	-	-	-	-	
		M	2	2	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	
120	Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	T	82	-	-	-	-	-	-	-	-	-	
		M	41	-	-	3	-	-	-	1	1	2	
		F	41	-	-	-	1	-	1	-	1	1	
120a	Diarrhea and enteritis	T	46	-	-	-	-	-	-	-	-	-	
		M	25	-	-	2	-	-	-	1	1	1	
		F	21	-	-	-	1	-	1	-	-	-	
120b	Ulceration of the intestines (except duodenum)	T	36	-	-	-	-	-	-	-	-	-	
		M	16	-	-	1	-	-	-	-	-	1	
		F	20	-	-	-	-	-	-	-	-	1	
121	Appendicitis	T	419	-	-	-	-	-	-	-	-	-	
		M	240	-	5	4	8	2	11	16	17	9	
		F	179	1	2	3	1	3	14	8	11	6	

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.
112	-	-	1	1	2	-	6	6	6	3	1	1	-	-	-	-
113	-	2	2	2	2	2	3	4	6	3	2	-	-	2	-	-
114	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
114a	2	1	1	4	4	4	6	2	5	2	1	-	1	-	-	-
114b	3	-	-	1	4	1	1	-	-	1	-	1	-	-	-	-
114c	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-
114d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114e	1	1	1	3	4	4	4	1	3	1	-	-	-	-	-	-
114f	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1X.	3	-	-	1	2	-	1	-	1	1	-	1	-	-	-	-
115	30	33	34	85	105	137	138	147	134	123	75	45	19	5	1	-
	14	24	37	64	55	81	101	97	112	98	67	50	31	6	1	-
115a	7	1	1	4	4	3	2	4	2	2	3	1	1	-	-	-
115b	2	4	1	4	1	5	2	1	3	3	1	1	1	-	-	-
115c	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
115d	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
115e	2	3	1	-	3	-	-	2	1	1	-	-	-	-	-	-
115f	3	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
115g	1	-	-	3	-	1	1	1	-	1	-	-	-	-	-	-
116	-	-	-	-	1	3	-	-	1	1	1	1	1	-	-	-
117	-	-	-	-	1	1	1	1	2	1	1	-	-	-	-	-
117a	3	10	10	25	28	41	27	39	27	23	14	8	2	-	-	-
117b	1	4	4	4	3	6	5	6	10	6	7	4	5	1	-	-
117c	3	3	5	19	20	27	18	21	17	14	10	5	1	-	-	-
117d	-	1	-	2	2	5	4	3	7	5	4	3	3	-	-	-
117e	-	7	5	6	8	14	9	18	10	9	4	3	1	-	-	-
117f	-	-	4	2	1	1	1	3	3	1	3	1	2	1	-	-
117g	-	-	1	-	-	2	1	-	-	-	1	1	1	-	-	-
117h	-	-	-	1	1	-	-	-	1	2	3	-	-	-	-	-
118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118h	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118i	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118j	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118k	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118n	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118o	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118p	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118q	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118r	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118s	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118t	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118u	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118w	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118y	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118z	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119h	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119i	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119j	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119k	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119n	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119o	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119p	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119q	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119r	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119s	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119t	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119u	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119w	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119y	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119z	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120	1	-	-	7	-	3	2	4	5	2	1	5	2	1	1	-
120a	3	3	4	3	1	2	5	2	1	4	4	1	5	-	-	-
120b	1	-	-	3	-	1	1	2	3	2	1	4	1	1	1	-
120c	1	-	4	-	-	-	-	1	1	3	3	-	-	-	-	-
120d	1	-	-	4	-	2	1	2	2	-	-	1	1	-	-	-
120e	2	3	-	2	1	2	5	1	-	1	1	-	1	-	-	-
121	12	14	6	14	21	17	22	19	17	14	7	5	-	-	-	-
	3	5	8	16	11	14	14	15	18	6	8	8	3	1	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
122	-	3	2	5	10	11	14	23	23	21	16	13	5	2	-	-	-
122a	4	2	4	10	7	13	19	15	19	25	17	11	9	1	-	-	-
122b	-	1	-	4	7	7	11	12	18	17	9	5	3	1	-	-	-
123	-	2	2	1	3	4	3	12	5	4	7	8	2	1	-	-	-
123a	4	2	3	6	5	10	12	3	6	13	8	4	5	1	-	-	-
123b	1	1	1	3	5	8	5	5	10	4	2	1	1	-	-	-	-
124	-	1	-	-	2	3	8	11	8	10	4	2	1	-	-	-	-
124a	5	2	8	23	21	35	41	36	33	30	18	10	2	1	-	-	-
124a	-	4	6	10	16	16	12	19	18	15	5	5	3	2	1	-	-
124b	4	1	1	5	6	13	12	11	7	3	-	3	-	-	-	-	-
124b	-	2	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-
125	1	1	7	18	15	22	29	25	26	27	18	7	2	1	-	-	-
125	-	2	5	9	16	16	11	18	18	14	5	5	3	2	1	-	-
125a	-	2	1	2	-	2	3	2	1	3	3	1	1	-	-	-	-
125b	-	1	-	1	-	1	3	-	-	1	1	1	-	-	-	-	-
126	-	1	1	1	-	-	2	3	1	2	2	1	1	-	-	-	-
126	-	3	2	6	6	8	10	11	9	6	-	1	1	-	-	-	-
127	1	1	6	9	9	14	21	18	19	18	9	9	2	-	-	-	-
127a	-	1	-	-	-	7	4	3	2	9	5	1	5	-	-	-	-
127a	1	1	2	5	3	5	7	4	7	8	5	5	-	1	-	-	-
127b	1	1	1	3	2	2	6	3	5	6	3	3	1	-	-	-	-
128	-	1	1	2	1	2	1	1	2	2	2	2	-	-	-	-	-
128	1	1	1	2	3	1	4	1	1	4	-	-	-	-	-	-	-
129	-	-	1	-	-	2	2	3	5	1	1	-	-	-	-	-	-
129	-	-	-	3	1	1	4	1	2	1	1	-	-	-	-	-	-
X.	-	-	-	-	1	1	4	-	1	-	2	3	1	-	-	-	-
X.	14	20	24	50	77	116	142	215	258	316	260	221	108	41	6	-	-
130	11	20	30	71	77	105	112	163	215	276	246	204	101	35	5	2	-
130	-	5	1	3	-	4	2	5	-	1	1	1	1	-	-	-	-
131	2	2	-	2	1	2	3	5	4	4	1	-	-	-	-	-	-
131a	13	13	17	39	63	94	114	165	190	222	169	156	82	27	6	-	-
131a	5	11	16	56	60	90	97	135	191	256	237	196	94	32	5	1	-
131b	5	3	7	14	17	32	44	64	71	91	65	64	29	11	3	-	-
131b	3	3	4	22	17	29	36	42	73	110	97	89	40	10	3	1	-
132	8	10	10	25	46	62	70	101	119	131	104	92	53	16	3	-	-
132	2	8	12	34	43	61	61	93	118	146	140	107	54	22	2	-	-
133	1	1	1	3	2	5	3	2	1	5	1	3	1	1	-	-	-
133	-	-	-	-	3	-	-	2	4	1	3	1	2	2	-	1	-
133a	-	1	1	5	6	7	4	6	8	11	13	5	-	-	-	-	-
133a	-	-	4	1	6	8	9	15	9	7	4	6	-	-	-	-	-
133b	-	1	1	-	4	6	3	5	8	7	12	5	-	-	-	-	-
133b	-	-	4	1	4	7	8	11	6	7	3	6	-	-	-	-	-
134	-	-	-	5	2	1	1	1	-	4	1	-	-	-	-	-	-
134	-	-	-	-	2	1	1	4	3	-	1	-	-	-	-	-	-
134	2	2	3	-	5	1	7	6	5	7	2	2	1	1	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
147c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147d	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148	5	4	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
148a	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148b	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148c	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149a	7	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
149b	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	7	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
150a	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII.	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
151	-	2	1	1	3	1	1	4	2	3	3	3	-	-	-	-	-
152	-	-	-	-	-	1	2	1	1	5	2	4	2	-	-	-	-
153	-	-	1	-	3	-	-	4	2	3	1	2	1	-	-	-	-
XIII.	2	-	-	1	-	-	1	1	-	2	2	1	1	-	-	-	-
154	1	1	2	1	1	2	-	1	5	2	3	1	1	-	-	-	-
154a	-	1	1	1	-	1	-	-	2	1	1	1	-	-	-	-	-
154b	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
155	1	1	1	1	-	1	-	-	3	1	1	1	1	-	-	-	-
156	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-
156a	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
156b	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-

AGE OF DECEDENTS (YEARS).																	
Detailed Int. List No.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown
XIV.			12														
157			12														
157a																	
157b																	
157c																	
157d																	
157e			1														
157f			1														
157g																	
157h																	
157m																	
XV.																	
158																	
159																	
160																	
160a																	
160b																	
160c																	
161																	
161a																	
161b																	
161c																	
XVI.									1	2			1				
162								1		2		1	4	3	2		
162a												5	8	6	4	1	
162b	1	2									1	7	3	1	1	1	

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		
XVII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163.	91	111	116	123	169	191	173	180	144	150	129	91	43	9	2	-
164.	23	32	38	38	44	46	55	73	87	153	159	130	90	42	8	1
163	28	24	30	33	54	64	44	55	31	20	17	8	3	-	-	-
	7	13	15	18	14	18	10	14	6	9	5	-	-	-	-	-
163	10	10	14	7	22	22	12	19	10	7	1	4	2	-	-	-
	5	10	10	11	6	10	4	8	-	4	2	-	-	-	-	-
163a	-	1	1	1	1	1	-	1	-	-	-	1	-	-	-	-
	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
163b	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-
	2	2	3	1	-	-	-	-	-	1	-	-	-	-	-	-
163c	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
163d	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	1	2	4	1	2	1	-	-	-	-	-	-	-
163h	-	1	1	1	1	1	2	2	-	-	-	-	-	-	-	-
	6	1	5	1	9	7	7	12	8	7	1	2	1	-	-	-
163m	3	4	2	5	5	7	2	5	-	3	1	-	-	-	-	-
	4	4	5	4	6	5	3	3	1	-	-	-	1	-	-	-
163o	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
163x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
164	-	1	1	2	-	1	-	-	-	-	1	-	-	-	-	-
	18	14	16	26	22	42	32	36	21	13	16	4	1	-	-	-
164a	2	3	5	7	8	8	6	6	6	5	3	-	-	-	-	-
	6	4	8	7	12	17	13	12	7	6	4	-	1	-	-	-
164b	-	2	-	3	6	2	2	3	2	-	2	-	-	-	-	-
	1	2	-	2	3	9	2	6	4	2	4	1	-	-	-	-
164c	-	1	1	-	-	3	1	1	3	3	-	-	-	-	-	-
	9	5	5	13	11	12	12	13	6	3	5	1	-	-	-	-
164d	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-

Detailed Int. List No.	Table 14	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL										
			Total.	AGE OF DECEDENTS (YEARS).									
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.	
168	Homicide by other means	T	25	-	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	2
		F	10	-	-	-	-	-	-	-	-	-	1
169-198	Accidental deaths	T	2,677	-	-	-	-	-	-	-	-	-	-
		M	1,674	29	20	14	14	13	68	59	98	81	-
		F	1,003	24	11	7	13	7	25	7	18	20	-
169	Railway accidents (except collisions with motor vehicles)	T	46	-	-	-	-	-	-	-	-	-	-
		M	43	-	-	-	-	1	1	3	1	4	-
		F	3	-	-	-	-	-	1	-	-	-	-
170	Motor vehicle accidents	T	655	-	-	-	-	-	-	-	-	-	-
		M	498	1	1	5	3	6	29	20	36	43	-
		F	157	1	1	2	5	5	11	3	10	6	-
170a	Collisions between automobiles and trains	T	9	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	1	-
170b	Collisions between automobiles and street cars	T	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or street cars)	T	637	-	-	-	-	-	-	-	-	-	-
		M	483	1	1	5	3	6	29	20	34	38	-
		F	154	1	1	2	5	5	11	3	10	5	-
170d	Motorcycle accidents (except collisions with automobiles)	T	9	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	1	5	-
		F	1	-	-	-	-	-	-	-	-	-	-
171	Street car and other road-transport accidents	T	24	-	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	1	2	-	2	-	-
171a	Street car accidents (except collisions with trains or motor vehicles)	T	12	-	-	-	-	-	-	1	1	1	-
		M	6	-	-	-	-	1	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	T	12	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	2	-	-
		F	5	-	-	-	-	-	2	-	1	1	-
172	Water-transport accidents	T	6	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	1	-	-
173	Air-transport accidents	T	12	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	3
		F	-	-	-	-	-	-	-	-	-	-	-
174	Accidents in mines and quarries	T	2	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
175	Agricultural and forestry accidents	T	6	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
175a	Accidents involving agricultural machinery and vehicles	T	4	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
175b	Injury by animals, in agriculture	T	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
175c	Other agricultural accidents	T	2	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
175d	Accidents involving forestry machinery and vehicles	T	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	T	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	T	12	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
177	Food poisoning	T	2	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	T	67	-	-	-	-	-	-	-	-	-	-
		M	42	-	1	-	-	-	-	-	3	-	-
		F	25	-	1	-	-	-	1	-	-	2	-
178a	Illuminating gas	T	39	-	-	-	-	-	-	-	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	1	-	-	1	-
178b	Motor vehicle exhaust gas	T	10	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	3	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
178c	Other carbon monoxide gas	T	17	-	-	-	-	-	-	-	-	-	-
		M	11	-	1	-	-	-	-	-	-	-	-
		F	6	-	1	-	-	-	-	-	-	-	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
168	-	-	2	-	1	1	3	3	1	-	-	-	-	-	-	-	-
169-	-	1	-	2	1	-	1	1	-	3	-	-	-	-	-	-	-
198	63	83	81	88	111	124	124	120	111	128	111	83	40	9	2	-	-
169	16	18	20	16	26	28	43	57	81	141	154	130	90	42	8	1	-
170	2	2	2	3	5	6	2	6	2	2	-	1	-	-	-	-	-
170	21	22	23	12	34	41	45	41	36	33	27	15	3	1	-	-	-
170a	7	9	7	3	8	10	13	7	11	20	10	5	2	1	-	-	-
170a	1	-	-	-	2	1	1	-	1	-	1	-	-	-	-	-	-
170b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170c	19	22	23	12	32	41	44	41	35	32	26	15	3	1	-	-	-
170d	7	8	7	3	8	9	13	7	11	20	10	5	2	1	-	-	-
170d	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171a	-	1	-	-	2	-	1	1	2	2	1	2	-	-	-	-	-
171b	-	-	-	-	-	-	1	-	1	2	1	2	-	-	-	-	-
171b	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
172	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
173	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
175	-	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-
175a	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
175b	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
175c	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
175d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176	2	3	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-
177	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
178	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178	1	1	3	8	6	2	3	2	1	2	3	4	2	-	-	-	-
178a	-	1	1	-	2	1	2	3	3	1	4	3	3	-	-	-	-
178a	1	1	1	2	3	2	1	1	2	2	1	3	2	-	-	-	-
178b	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
178b	-	-	1	4	-	-	-	1	1	-	-	-	-	-	-	-	-
178c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178c	-	-	1	2	3	-	2	-	1	-	1	1	-	-	-	-	-
178c	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL														
			Total.	AGE OF DECEDENTS (YEARS).													
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.					
178x	Other poisonous gases	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids	T	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	34	1	4	1	1	-	-	1	-	-	-	-	-	-	-
179a	Arsenic and compounds	T	26	1	4	-	-	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179b	Barbituric acid and derivatives	T	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179c	Cresol compounds	T	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179d	Mercury and compounds	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179e	Nux vomica and strychnine	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179f	Carbolic acid and phenol	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179g	Lye and potash	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179h	Tobacco and derivatives	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179m	Narcotics	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179o	Methanol and other alcohols	T	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179x	Other and unspecified substances	T	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	Conflagration	T	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	2	-	1	-	-	1	-	-	-	-	-	-	-
181	Accidental burns (except conflagration)	T	8	1	3	-	2	-	-	-	-	-	-	-	-	-	-
		M	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182	Accidental mechanical suffocation	T	29	-	-	-	1	-	-	-	-	-	-	1	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
183	Accidental drowning																

Detailed Int. List No.	Table 14	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
191	Excessive heat	T	3	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
192	Lightning	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
193	Accidents due to electric currents . .	T	10	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	2	1	2
		F	-	-	-	-	-	-	-	-	-	-
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry opera- tions)	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
195	Other accidents	T	167	-	-	-	-	-	-	-	-	-
		M	125	10	2	2	-	-	1	4	5	8
		F	42	7	2	-	-	-	6	1	-	3
195a	Sequelae of preventive immuniza- tion, inoculation or vaccination	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	1
195c	Lack of care of the newborn	T	4	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation or punc- ture by ingested objects	T	34	-	-	-	-	-	-	-	-	-
		M	20	6	-	-	-	-	-	1	1	-
		F	14	3	2	-	-	-	1	1	-	1
195e	Others	T	125	-	-	-	-	-	-	-	-	-
		M	101	2	1	2	-	-	1	3	3	8
		F	24	2	-	-	-	-	5	-	-	-
196	Deaths of military personnel during operations of war	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
198	Legal executions	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
XVIII	ILL-DEFINED AND UNKNOWN CAUSES	T	26	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	1
		F	13	4	1	-	-	-	-	-	-	-
199	Sudden death	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
200	Ill-defined and unknown causes . .	T	26	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	1
		F	13	4	1	-	-	-	-	-	-	-
200a	Ill-defined	T	14	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	1
		F	6	-	1	-	-	-	-	-	-	-
200b	Found dead (cause unknown) . . .	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-
200c	Unknown or unspecified cause . . .	T	10	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-
		F	6	3	-	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.
191	1				1			1								
192				1									1			
193	1	1		2		1										
194																
195	2	10	15	7	8	14	11	12	9	2	2		1			
195a			2	1		1	2	3	2	4	2	1	5			
195b																
195c																
195d																
195e		1	3	2	2	1	1		1	1	1					
195f	2	9	12	5	6	13	10	12	8	2	1		1			
196			1	1			1	2	2	3	1	1	5			
197																
198																
XVIII.																
	1		1		3		2	2	2	1						
199	1					1	2	1		2	1					
200																
	1		1		3		2	2	2	1						
200a	1					1	2	1		2	1					
			1		1		2	2	1		1					
200b						1				1	1					
					1											
200c																
	1				1				1	1						
	1							1		1						

Detailed Int. List No.	Table 15	CAUSE OF DEATH.	SEX.	Total	MONTHS											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes	T	1,015	75	81	67	72	65	76	118	105	89	93	94	80	
		M	582	40	46	34	40	42	42	71	63	44	60	52	48	
		F	433	35	35	33	32	23	34	47	42	45	33	42	32	
I.	INFECTIOUS AND PARASITIC DISEASES	T	62	-	-	-	-	-	-	-	-	-	-	-	-	
		M	45	3	5	4	2	-	6	4	1	5	4	4	3	
8	Scarlet fever	T	17	3	1	-	1	1	2	1	1	1	2	2	2	
		M	1	-	-	1	-	-	-	-	-	-	-	-	-	
11	Erysipelas	T	1	-	-	-	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	
13-22	Tuberculosis (total)	T	46	1	-	-	-	-	-	-	-	-	-	-	-	
		M	34	2	3	3	1	3	4	4	1	4	4	3	2	
		F	12	1	-	-	1	1	-	1	1	1	2	2	2	
13	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)	T	39	-	-	-	-	-	-	-	-	-	-	-	-	
		M	31	2	3	3	-	3	4	4	1	3	3	3	2	
		F	8	1	-	-	-	-	-	1	-	-	2	2	2	
13a	With mention of occupational disease of the lungs	T	1	-	-	-	-	-	-	-	-	-	-	-	-	
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
13b	Without mention of occupational disease of the lungs	T	38	-	-	-	-	-	-	-	-	-	-	-	-	
		M	30	2	3	3	-	3	3	4	1	3	3	3	2	
		F	8	1	-	-	-	-	-	-	-	-	2	2	2	
14	Tuberculosis of the meninges and central nervous system	T	2	-	-	-	-	-	-	1	-	-	-	-	-	
		M	1	-	-	-	1	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	
16	Tuberculosis of the vertebral column	T	1	-	-	-	-	-	-	-	-	-	1	-	-	
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
17b	Tuberculosis of the joints	T	1	-	-	-	-	-	-	-	-	1	-	-	-	
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric and retroperitoneal lymph nodes)	T	1	-	-	-	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	
20	Tuberculosis of the genito-urinary system	T	1	-	-	-	-	-	-	-	-	-	-	-	-	
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
21a	Tuberculosis of the adrenal glands	T	1	-	-	-	-	-	-	-	-	1	-	-	-	
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	Syphilis	T	8	-	-	-	1	-	-	-	-	-	-	-	-	
		M	6	-	1	-	1	1	2	-	-	-	-	-	1	
		F	2	1	-	-	-	-	1	-	-	-	-	-	-	
30b	General paralysis of the insane	T	4	-	-	-	1	-	-	-	-	-	-	-	-	
		M	4	-	-	-	-	-	2	-	-	-	-	-	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
30c	Other syphilis of the central nervous system	T	1	-	-	-	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	
30d	Aneurysm of the aorta	T	1	-	-	-	-	-	-	-	-	-	-	-	-	
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
30g	Other and unspecified forms of syphilis	T	1	1	-	-	-	-	-	-	-	-	-	-	-	
		M	2	-	1	-	-	1	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	
33	Influenza (grippe)	T	5	-	-	-	-	-	-	-	-	-	-	-	-	
		M	3	1	1	-	-	-	-	-	-	1	-	-	-	
		F	2	-	1	-	-	-	1	-	-	-	-	-	-	
33a	With respiratory complications specified	T	3	-	-	-	-	-	-	-	-	-	-	-	-	
		M	2	1	-	-	-	-	-	-	-	1	-	-	-	
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	
33b	Without respiratory complications specified	T	2	-	-	-	-	-	-	-	-	-	-	-	-	
		M	1	-	1	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	
44b	Lymphogranulomatosis (Hodgkin's disease)	T	1	-	-	-	-	-	-	-	-	-	-	-	-	
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	
II.	CANCER AND OTHER TUMORS	T	238	-	-	-	-	-	-	-	-	-	-	-	-	
		M	112	8	7	6	8	12	6	16	13	6	11	10	9	
		F	126	9	10	15	7	8	6	17	10	12	14	11	7	
45-55	Cancer and other malignant tumors (total)	T	221	-	-	-	-	-	-	-	-	-	-	-	-	
		M	106	8	7	6	7	12	6	16	12	6	10	7	9	
		F	115	7	10	14	6	6	5	17	9	12	12	10	7	

Detailed Int. List No.	Table 15	CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL											
				Total.	MONTHS.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
45	Cancer of the buccal cavity and pharynx	T	11	-	-	-	-	1	1	1	1	1	2	-	-
		M	9	1	-	-	-	1	1	1	1	1	-	-	-
45b	Tongue	T	2	-	-	-	-	-	-	-	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-
45c	Mouth	T	2	1	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
45d	Jaw bone	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	1	1	-	-
45e	Unspecified parts of the buccal cavity	T	1	-	-	-	-	1	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
45f	Pharynx	T	1	-	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	T	94	-	-	-	-	-	-	1	1	-	-	-	-
		M	51	5	3	4	2	6	2	8	7	2	4	4	4
46a	Esophagus	T	43	3	3	6	1	1	1	7	6	5	2	4	4
		M	5	-	-	-	-	-	-	-	-	-	-	-	-
46b	Stomach	T	3	-	-	-	-	1	-	-	-	-	1	1	-
		M	2	-	-	-	-	-	-	1	-	-	-	1	-
46d	Rectum and anus	T	32	1	-	-	-	-	-	-	-	-	-	-	-
		M	19	1	1	-	1	3	1	4	3	1	1	1	2
46d	Rectum and anus	T	13	3	2	2	-	-	-	2	1	1	1	1	-
		M	21	-	-	-	-	-	-	-	-	-	-	-	-
46e	Intestines (except duodenum and rectum)	T	12	2	1	2	-	1	-	1	2	2	1	1	-
		M	9	-	1	1	1	1	-	1	1	1	1	1	1
46f	Liver and biliary passages	T	25	1	1	1	-	1	1	3	2	-	-	1	-
		M	12	-	-	-	-	-	-	-	-	-	-	-	-
46g	Pancreas	T	13	-	-	3	-	-	-	2	3	3	-	-	2
		M	5	-	-	-	-	-	-	-	-	-	-	-	-
46g	Pancreas	T	3	-	-	1	-	1	-	-	-	-	-	-	1
		M	2	-	-	-	-	-	-	-	-	-	-	-	1
47	Cancer of the respiratory system	T	6	1	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	2	1	1	-	-
47a	Larynx	T	25	-	2	1	2	3	2	3	1	1	2	1	2
		M	20	-	-	-	-	-	-	-	-	-	-	-	-
47a	Larynx	T	5	-	-	-	-	-	-	1	2	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
47c	Bronchus	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-
47d	Lung	T	6	-	1	1	-	-	-	-	-	-	-	1	1
		M	1	-	-	-	-	-	-	1	-	-	-	1	1
47d	Lung	T	16	-	-	-	-	-	-	-	-	1	-	-	-
		M	13	-	1	-	2	3	1	2	1	1	1	1	1
47e	Pleura	T	3	-	-	-	-	-	-	2	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
48	Cancer of the uterus	T	1	-	-	-	-	-	-	1	-	-	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	-
48a	Cervix	T	19	2	2	3	-	2	2	1	-	-	1	4	1
		M	5	-	-	-	-	-	-	-	-	-	-	-	-
48b	Other and unspecified sites	T	5	-	-	-	-	-	-	1	1	-	-	3	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-
49	Cancer of other female genital organs	T	14	2	2	3	-	2	1	-	-	-	1	1	1
		M	8	-	-	-	-	-	-	-	-	-	-	-	-
49a	Ovary	T	8	-	1	-	1	-	-	-	1	1	2	-	1
		M	7	-	-	-	-	-	-	-	-	-	-	-	-
49d	Vulva	T	7	-	1	-	1	-	-	-	-	1	2	-	1
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of the breast	T	1	-	-	-	-	-	-	-	1	-	-	-	-
		M	23	-	-	-	-	-	-	-	-	-	-	-	-
51	Cancer of the male genital organs	T	23	2	1	1	3	3	1	4	-	-	2	3	2
		M	8	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	1	-	-	-	1	-	2	1	-	2	-	1

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
45	-	-	-	-	-	-	-	-	-	-	1	2	3	3	-	-	-	-
45b	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
45c	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
45d	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
45e	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
45f	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
46a	-	-	-	-	-	-	-	-	-	1	3	7	14	15	2	-	-	-
46b	-	-	-	-	-	-	-	-	-	3	4	6	12	12	1	-	-	-
46c	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
46d	-	-	-	-	-	-	-	-	-	2	1	3	4	3	2	-	-	-
46e	-	-	-	-	-	-	-	-	-	-	-	1	5	3	1	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	3	3	3	3	-	-	-	-
46g	-	-	-	-	-	-	-	-	-	1	3	1	7	1	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
47a	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-
47b	-	-	-	-	-	-	-	-	-	-	4	8	6	1	1	-	-	-
47c	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
47d	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-
47e	-	-	-	-	-	-	-	-	-	-	4	5	3	1	1	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
48a	-	-	-	-	-	-	-	-	-	3	3	4	5	3	1	-	-	-
48b	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-
49	-	-	-	-	-	-	-	-	-	1	2	3	4	3	1	-	-	-
49a	-	-	-	-	-	-	-	-	1	-	2	1	2	1	1	-	-	-
49b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49c	-	-	-	-	-	-	-	-	1	-	2	1	2	1	-	-	-	-
49d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-	-	2	7	7	3	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	-	-	-

Detailed Int. List No.	Table 15 CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
51b	Prostate	T M F	7 7 1	-	-	-	-	1	-	2	1	-	2	-	1
51c	Testes	T M F	1 1 1	-	1	-	-	-	-	-	-	-	-	-	-
52	Cancer of the urinary organs (male and female)	T M F	6 6 2	-	-	-	-	-	-	-	-	-	-	-	-
52a	Kidney	T M F	2 2 1	-	1	-	-	-	-	1	-	-	-	-	-
52b	Bladder	T M F	4 4 1	-	-	-	-	-	1	-	1	-	1	-	1
53	Cancer of the skin (except vulva and scrotum)	T M F	4 2 2	-	-	-	-	1	-	-	-	1	1	-	-
54	Cancer of the brain and other parts of the central nervous system (including glioma, except when specified as benign)	T M F	4 3 1	-	1	-	-	-	-	1	-	-	-	1	-
54a	Glioma	T M F	2 2 1	-	-	-	-	-	-	1	-	-	-	-	-
54b	Others	T M F	2 1 1	-	1	-	-	-	-	-	-	-	-	1	-
55	Cancer of other and unspeci- fied organs	T M F	19 7 12	1	-	1	1	-	-	1	-	1	1	1	1
55b	Bone (except jaw bone and accessory sinuses)	T M F	1 1 2	-	-	-	-	-	-	-	-	-	-	-	-
55c	Thyroid gland	T M F	2 2 2	-	-	1	-	-	-	-	-	-	1	-	-
55d	Nasal cavity and accessory sinuses	T M F	2 2 2	-	1	1	-	-	-	-	-	-	-	-	-
55e	Others	T M F	14 7 7	1	1	1	1	-	-	1	1	1	1	1	1
56	Nonmalignant tumors (in- cluding dermoid cysts)	T M F	12 4 8	-	-	1	1	1	-	-	1	-	1	2	-
56b	Uterus	T M F	4 4 4	2	-	1	1	-	-	-	-	-	2	1	-
56d	Brain and other parts of the central nervous sys- tem	T M F	4 2 2	-	-	-	-	1	-	-	-	-	1	1	-
56e	Other and unspecified or- gans	T M F	4 2 2	-	-	-	-	-	-	-	1	-	-	1	-
57	Tumors of unspecified nature	T M F	5 2 3	-	-	-	1	-	1	1	1	-	-	1	-
57a	Ovary	T M F	1 1 1	-	-	-	-	1	-	-	-	-	-	-	-
57d	Brain and other parts of the central nervous sys- tem	T M F	4 2 2	-	-	-	1	-	-	-	-	-	-	1	-
III.	RHEUMATISM, DISEASES OF NUTRITION AND OF THE EN- DOCRINE GLANDS, OTHER GENERAL DISEASES, AND AVITAMINOSES	T M F	32 12 20	-	1	2	2	1	1	-	3	1	1	4	1
59b	Other chronic articular rheumatism	T M F	2 1 1	-	-	-	-	-	1	-	-	1	-	-	-
61	Diabetes mellitus	T M F	23 8 15	-	1	-	1	1	-	-	2	1	1	2	-
63	Diseases of the thyroid and parathyroid glands	T M F	4 1 3	-	1	-	-	-	-	-	1	-	-	-	1

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
51b	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52a	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
52b	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	1 2	-	1	-	-	-
54	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-
54a	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
55	-	-	-	-	-	1	-	1	-	-	-	3	-	1	1	-	-	-
55b	-	-	-	-	-	-	-	1	-	1	1	1	3	3	2	-	-	-
55c	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
55d	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
55e	-	-	-	-	-	-	-	1	-	-	-	3	-	1	1	-	-	-
56	-	-	-	-	-	1	1	1	-	1	1	1	1	1	1	-	-	-
56b	-	-	-	-	-	-	1	-	1	2	2	1	1	-	-	-	-	-
56d	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-
56e	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-
57	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
57a	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
57d	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
III.	1	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
59b	-	-	-	-	-	-	-	-	1	1	1	2	4	5	6	-	-	-
61	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
63	-	-	-	-	-	1	-	-	-	1	2	1	4	4	4	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
63a									1				1					
63b											1							
64	1													1				
65a		1									1							
IV.																		
73			1						1	1	1	1	3	2				
73a									1		1			2				
73d											1			2				
74									1									
74a			1							1		1	3					
74b			1										3					
V.																		
77e										1		1						
VI.										1		1						
80b	1	1							2	4	4	4	6	6	2			
81b										1	1	3	10	13	5			
82												1						
83		1								1	4	3	6	6	2			
83a										1	1	2	9	13	5			
83b										1	4	3	5	6	2			
84b		1									1		8	10	5			
85									1				1	3				
86																		
87	1																	
87b										1			1					
87c																		
													1					

Detailed Int. List No.	Table 15	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
89b	Diseases of the mastoid process	T	1	-	-	1	-	-	-	-	-	-	-	-	-	-
VII.	DISEASES OF THE CIRCULATORY SYSTEM	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	289	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	173	11	12	6	12	12	16	23	22	15	16	13	15	15
91a	Bacterial endocarditis (acute, subacute, or unspecified)	M	116	6	10	8	11	4	12	10	16	14	8	9	8	8
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	5	1	1	-	1	-	1	-	-	-	-	-	-	1
92	Chronic affections of the valves and endocardium	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	14	2	2	-	-	1	2	2	1	-	1	1	2	2
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	M	14	-	1	1	1	1	1	1	4	-	1	1	2	2
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	3	1	-	-	-	-	1	1	-	-	-	-	-	-
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	4	1	-	-	-	1	-	-	-	-	-	1	1	1
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	M	6	-	1	-	-	-	-	-	2	-	1	-	-	-
		F	13	-	-	-	-	-	-	1	2	-	-	-	-	-
		T	6	-	1	-	-	-	1	1	1	-	1	-	1	1
92e	Endocarditis (not specified as acute, chronic, or rheumatic, 45 years of age and over)	M	7	-	-	-	-	1	1	-	-	-	-	1	-	2
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
93	Diseases of the myocardium	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	103	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	52	2	2	2	4	5	5	6	7	4	5	5	5	5
93a	Acute myocarditis (except rheumatic)	M	51	3	5	2	7	3	4	3	4	5	5	5	5	5
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	93	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	49	2	2	1	4	5	4	6	7	4	5	5	4	4
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	M	44	1	3	2	6	2	3	3	4	5	5	5	5	5
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	3	-	-	1	-	-	-	-	-	-	-	-	-	-
94	Diseases of the coronary arteries and angina pectoris	M	6	2	2	-	1	-	1	-	-	-	-	-	-	-
		F	119	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	84	5	7	4	6	5	7	13	12	8	9	5	3	3
94a	Diseases of the coronary arteries	M	35	1	3	5	1	-	3	3	6	8	2	2	1	1
		F	117	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	83	5	7	4	6	5	7	12	12	8	9	5	3	3
94b	Angina pectoris	M	34	1	3	5	1	-	3	3	6	7	2	2	1	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	1	-	-	-	-	-	-
95	Other diseases of the heart	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	13	1	-	-	1	-	1	2	1	3	-	1	3	3
95a	Functional diseases of the heart (without mention of organic lesion)	M	9	1	1	-	2	-	-	3	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	1	-	-	-	-
95b	Other diseases of the heart, specified as rheumatic	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	1	-	-	-	-
		T	4	1	-	-	1	-	1	-	-	-	1	-	-	-
95c	Other diseases of the heart, not specified as rheumatic	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	1	-	1	2	1	1	-	1	2	-
		T	5	-	1	-	1	-	-	2	1	-	-	-	-	-
96	Aneurysm (except of heart and aorta)	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	1	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	-	-	-	-	-	1	1	1
		T	5	1	-	-	-	-	3	-	1	-	-	-	-	-
98	Gangrene	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	M	45	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	27	2	2	1	4	3	1	4	2	1	2	3	2	2
		T	18	-	-	-	2	1	2	-	2	4	2	2	2	3
104b	Diseases of the accessory sinuses	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	1	1	-	-	1	-	-	-	-	-

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.			80 to 89.
89b	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VII.	-	-	-	-	-	1	1	1	2	5	21	35	51	44	10	2	-
91a	-	-	-	-	-	1	-	-	1	1	8	13	28	39	21	5	-
92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92a	-	-	-	-	-	1	-	-	-	1	2	3	5	4	1	-	-
92b	-	-	-	-	-	-	-	-	-	1	2	-	1	3	4	-	-
92d	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-
92e	-	-	-	-	-	1	-	-	-	-	1	1	-	4	3	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
93a	-	-	-	-	-	-	-	-	-	1	5	8	14	20	2	2	-
93d	-	-	-	-	-	-	-	-	-	-	1	6	14	17	10	3	-
93e	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-
94a	-	-	-	-	-	-	-	-	-	1	10	22	28	18	5	1	-
94b	-	-	-	-	-	-	-	-	-	1	2	3	11	13	5	-	-
95	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
95a	-	-	-	-	-	1	-	1	1	1	3	1	-	2	2	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
95c	-	-	-	-	-	1	-	-	1	1	2	-	-	1	-	-	-
96	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	-	-
97	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
98	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
104b	6	1	-	1	-	-	-	2	1	2	2	1	4	3	3	1	-
196	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
124 <i>b</i>											4	1	1	3	1			
125										1								
125 <i>a</i>										1								
125 <i>b</i>									1									
126													1	1				
127												2		1				
127 <i>a</i>												1		1				
127 <i>b</i>														1				
128									1			1						
X.		1							4	2	4	6	8	13	3			
130								1	2	2	2	5	3	7	5			
131									1		2			3				
131 <i>a</i>									1	1	1	6	5	6	1			
131 <i>b</i>									1			1		5	1			
132										1	1	5	5	3	1			
133 <i>a</i>											2							
134 <i>a</i>		1							1									
137													1					
137 <i>a</i>													2	10	2			
137 <i>b</i>														8	2			
139 <i>b</i>														2				
XI.										1		2	1	1				
144 <i>a</i>									1	2	1							
146 <i>c</i>									1									
147 <i>c</i>										1								
148 <i>a</i>											1							

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
XII.									1									
151													1					
152									1				1					
XIII.											1							
156 <i>b</i>									1									
XIV.										1	1							
157	7	1																
157 <i>a</i>	5	1																
157 <i>b</i>	2																	
157 <i>d</i>	1																	
157 <i>e</i>	1																	
157 <i>g</i>	3																	
157 <i>h</i>	1																	
157 <i>m</i>	1																	
XV.	2	1																
159	9																	
160	9																	
160 <i>a</i>	5																	
160 <i>b</i>	7																	
161	1																	
161 <i>a</i>	1																	
161 <i>c</i>	3																	
XVI.	1																	
XVII.																		
163,	1	1				4	4	10	15	16	10	13	4	5	4	4	1	
164									4	3	5	7	2	4	2			
163								1	2	6	3	2	1	3				
										1	3	2	1					
										2								
										1								

Detailed Int. List No.	Table 15 CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
163b	Barbituric acid and derivatives	T F T	2 1 1	- - -	- 1 -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
163r	Other poisonous gases	M F T	1 1 1	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
164	Suicide by other means	T M F	19 13 6	- 1 1	- - -	- - -	4 1 -	- 1 1	- - -	- 1 2	4 1 -	1 2 -	2 - -	- - -	1 - -
164a	Suicide by hanging or strangulation	T M F	5 3 2	- - -	- - -	- - -	- 2 1	- - -	- - -	- - 1	- 1 -	- - -	- - -	- - -	- - 1
164b	Suicide by drowning	T M F	4 2 2	- - -	- - -	- - -	- - -	- - -	- - 1	- - 1	- - -	- - -	- - -	- - -	- - 1
164c	Suicide by firearms and explosives	T M F	7 6 1	1 1 -	- 1 -	- - -	- 2 -	- - -	- - -	1 - -	- 1 1	- 1 1	- - -	- - -	- - -
164d	Suicide by cutting or piercing instruments	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- 1 -	- - -	- - -	- - -	- - -
164e	Suicide by jumping from high places	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -
164g	Suicide by other or unspecified means	T M F	1 - 1	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
165-168	Homicide (total)	T M F	3 2 1	- - -	- 1 -	- - -	- - -	1 - -	- 1 -	- - 1	- - -	- - -	- - -	- - -	- - -
166	Homicide by firearms	T M F	2 1 1	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
168	Homicide by other means	T M F	1 1 1	- - -	- 1 -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -
169-198	Accidents (total)	T M F	91 69 22	- 5 4	- 4 1	- 3 -	2 2 1	4 1 1	5 7 2	8 7 1	- 5 3	14 1 1	6 4 4	6 3 3	- - -
169	Railway accidents (except collisions with motor vehicles)	T M F	3 3 -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	1 1 -	1 - -
170	Motor vehicle accidents	T M F	34 27 7	- 3 2	- 1 -	- 1 -	- 1 -	- - -	- - -	- - 2	- 3 -	- 8 -	- 4 2	- 4 2	- - -
170a	Collisions between automobiles and trains	T M F	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -
170c	Automobile accidents (except collisions with trains or street cars)	T M F	33 27 6	- 3 2	- 1 -	- 1 -	1 1 1	- - -	- - -	2 2 -	3 8 -	8 4 2	4 1 1	4 - 1	- - -
172	Water-transport accidents	T M F	2 2 2	- - -	- - -	- - -	- - -	- 1 -	- - 1	- 1 -	- - -	- - -	- - -	- - -	- - -
173	Air-transport accidents	T M F	3 2 1	- - -	- - -	- - -	- - -	- 1 1	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -
176	Other accidents involving machinery	T M F	2 2 -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	1 - -	- - -	- - -	- - -
178b	Accidental absorption of motor-vehicle exhaust gas	T M F	1 1 -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
179g	Acute accidental poisoning by lye and potash	T M F	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
180	Conflagration	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -
181	Accidental burns (except conflagration)	T M F	5 2 3	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- 1 1	- - -	- - -	- 1 -
183	Accidental drowning	T M F	18 17 1	- 1 -	- - -	1 1 -	1 2 -	- 2 4	- 2 4	- 3 3	- 1 1	- 2 -	- - -	- - -	- - -
184	Accidental injury by firearms	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
163 <i>b</i>										1								
163 <i>r</i>										1								
164								1	2	4	3	2	1					
164 <i>a</i>									1		1	1						
164 <i>b</i>											1	1						
164 <i>c</i>								1	1	3	1	1						
164 <i>d</i>										1								
164 <i>e</i>													1					
164 <i>g</i>													1					
165- 168									1			1						
166									1									
168									1									
169- 198		1	1			4	4	9	12	10	7	10	3	5	4	4	1	
169						1			3	2	2	5	1	4	2			
170						2	1	4	4	5	3	2	3	2	1			
170 <i>a</i>									1	2	1	3						
170 <i>c</i>						2	1	4	4	5	3	2	3	2	1			
172								1		2	1	3						
173											1			1				
176									1		1		1					
178 <i>b</i>									1									
179 <i>g</i>																		
180		1																
181														1				
183			1									1	2					
184						2	2	4	4	2		3						

[illegible]

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
186a																		
190																		
195																		
195b						1			1			12						
195e						1			1									
XVIII.									1			12						

Detailed Int. List No.	Table 16	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL											
				Total.	MONTHS.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
		All Causes.	T	433	49	36	36	36	31	47	60	42	29	24	19
			M	272	32	21	19	25	24	26	37	29	21	12	11
			F	161	17	15	17	11	7	21	23	13	8	12	8
I.		INFECTIOUS AND PARASITIC DISEASES	T	14	-	-	-	-	-	-	-	-	-	-	-
			M	12	1	-	2	-	1	1	1	1	-	-	4
1		Typhoid fever	F	2	1	1	-	-	-	-	-	-	-	-	1
			T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-
13-22		Tuberculosis (total)	F	7	-	-	-	-	-	-	-	-	-	-	-
			T	6	1	-	1	-	1	1	-	-	-	-	2
			M	1	1	-	-	-	-	-	-	-	-	-	-
13b		Without mention of occupational disease of the lungs	F	6	-	-	-	-	-	-	-	-	-	-	-
			T	5	1	-	1	-	-	1	-	-	-	-	2
			M	1	1	-	-	-	-	-	-	-	-	-	-
22a		Disseminated acute (generalized) miliary tuberculosis	F	1	-	-	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	1	-	-	-	-	-	-
24a		Septicemia	F	1	-	-	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-
30		Syphilis	F	2	-	-	-	-	-	-	-	-	-	-	1
			T	2	-	-	-	-	-	-	-	-	-	-	-
			M	2	-	-	-	-	-	-	1	1	-	-	-
30c		Other syphilis of the central nervous system	F	1	-	-	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-
30e		Other syphilis of the circulatory system	F	1	-	-	-	-	-	-	1	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	1	-	-	-
33a		Influenza, with respiratory complications specified	F	1	-	-	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	1
42		Trichinosis	F	1	-	-	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-
44b		Lymphogranulomatosis (Hodgkin's disease)	F	1	-	1	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	1	-	-	-	-	-	-	-	-
II.		CANCERS AND OTHER TUMORS	F	51	-	-	-	-	-	-	-	-	-	-	-
			T	29	3	2	4	3	2	2	3	3	1	3	1
			M	22	1	2	3	1	1	3	3	2	3	3	2
45-55		Cancer and other malignant tumors	F	50	-	-	-	-	-	-	-	-	-	-	-
			T	28	3	2	4	3	2	2	2	3	1	3	1
			M	22	1	2	3	1	1	3	3	2	3	3	2
46		Cancer of the digestive organs and peritoneum	F	13	1	1	-	1	2	1	1	2	1	1	1
			T	9	1	1	2	-	1	1	1	2	-	-	-
46a		Esophagus	F	1	-	-	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	1	-	-	-	-	-	-	-
46b		Stomach	F	6	-	-	-	-	-	-	-	-	-	-	-
			T	4	-	-	-	-	-	1	-	1	-	1	1
			M	2	-	-	1	-	-	-	-	1	-	-	-
46d		Rectum and anus	F	4	-	-	-	-	-	-	-	-	-	-	-
			T	2	1	-	-	-	-	-	1	-	-	-	-
			M	2	1	-	-	-	-	-	1	-	-	-	-
46e		Intestines (except duodenum and rectum)	F	3	-	1	-	-	1	-	-	-	-	-	-
			T	2	-	1	-	-	-	1	-	-	-	-	-
46f		Liver and biliary passages	F	3	-	-	-	-	-	-	-	-	-	-	-
			T	1	-	-	-	-	-	-	-	-	1	-	-
			M	2	-	-	-	-	-	-	-	-	-	-	-
46g		Pancreas	F	3	-	-	1	-	1	-	-	-	-	-	-
			T	2	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	1	-	-	-
47		Cancer of the respiratory system	F	6	-	-	1	2	-	-	-	1	-	1	-
			T	5	-	-	-	-	-	-	-	-	-	-	-
47c		Bronchus	F	1	-	-	-	-	-	-	-	-	-	1	-
			T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	1	-
47d		Lung	F	5	-	-	-	-	-	-	-	-	-	-	-
			T	4	-	-	1	2	-	-	-	1	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	1	-
48b		Cancer of other and unspecified sites	F	4	-	-	-	-	-	-	-	-	-	-	-
			T	4	-	-	-	-	-	-	-	-	-	-	-
			M	4	-	1	-	-	-	1	-	-	-	2	-

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
I.	13 7 6	1 1 1	1 1 1	1 1 1	-	1 1 1	2 2 2	9 7 2	27 21 6	33 25 8	54 44 10	75 61 14	85 52 33	87 39 48	39 13 26	5 1 4	-	-
1	-	-	-	-	-	-	-	-	2	2	5	2	-	1	-	-	-	-
13-22	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
13b	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-
22a	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-
24a	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
30	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
30c	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
30e	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
33a	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44b	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
II.	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
45-55	-	-	-	-	-	-	-	-	-	8 3	10 3	5 4	4 9	4 9	1 2	1 1	-	-
46	-	-	-	-	-	-	-	-	1	8 3	10 3	4 3	4 9	4 9	1 2	1 1	-	-
46a	-	-	-	-	-	-	-	-	-	4	2 1	4 3	3 4	3 4	1	-	-	-
46b	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
46d	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-
46e	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
46g	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-
47c	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
47d	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
48b	-	-	-	-	-	-	-	-	-	1	3 1	-	-	-	-	-	-	-

Detailed Int. List No.	Table 16	CAUSE OF DEATH.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL											
			SEX.	Total.	MONTHS.									
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.
49a	Cancer of the ovary	T	M	1	-	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	-	-	-	-	-	-	-	-
50	Cancer of the breast	T	M	3	-	-	-	-	-	-	-	-	-	1
		F	M	3	-	-	-	-	-	-	-	-	-	-
51b	Cancer of the prostate	T	M	2	-	-	-	1	-	1	1	-	-	-
		F	M	2	-	-	2	-	-	-	-	-	-	-
52	Cancer of the urinary organs (male and female)	T	M	4	-	-	-	-	-	-	-	-	-	-
		F	M	3	2	-	1	-	-	-	-	-	-	-
52a	Kidney	T	M	1	-	-	-	-	-	-	1	-	-	-
		F	M	1	-	-	-	-	-	-	-	-	-	-
52b	Bladder	T	M	1	-	-	-	-	-	-	1	-	-	-
		F	M	3	-	-	-	-	-	-	-	-	-	-
54a	Glioma	T	M	3	2	-	1	-	-	-	-	-	-	-
		F	M	2	-	1	-	-	-	-	1	-	-	-
55c	Cancer of other and un- specified organs	T	M	6	-	-	-	-	-	-	-	-	-	-
		F	M	3	-	-	-	-	-	1	-	-	-	-
57c	Tumors of other and un- specified organs	T	M	3	-	-	1	-	-	-	-	-	-	-
		F	M	1	-	-	-	-	-	-	-	-	-	-
III.	RHEUMATISM, DISEASES OF NUTRITION AND OF THE EN- DOCRINE GLANDS, OTHER GENERAL DISEASES AND AVITAMINOSES	T	M	19	-	-	-	-	-	-	-	-	-	-
		F	M	11	1	1	2	1	-	2	-	-	3	-
		F	M	8	-	2	1	1	-	2	2	-	-	1
58b	Acute rheumatic endo- carditis	T	M	1	-	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	T	M	18	-	-	-	-	-	-	-	-	-	-
		F	M	10	1	1	1	1	-	2	-	-	-	-
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	T	M	8	-	2	1	1	-	2	2	-	3	1
		F	M	5	-	-	-	-	-	-	-	-	-	-
73a	Pernicious anemia	T	M	3	-	-	-	-	1	-	1	-	-	-
		F	M	1	-	-	-	-	-	-	-	-	-	3
74a	Leukemias	T	M	1	-	-	-	-	-	-	-	-	-	-
		F	M	4	-	-	-	-	-	-	-	-	-	1
		F	M	2	-	-	-	-	1	-	1	-	-	2
V.	CHRONIC POISONING AND IN- TOXICATION	T	M	3	-	-	-	2	1	-	-	-	-	-
		F	M	3	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	T	M	2	-	-	-	-	-	-	-	-	-	-
		F	M	2	-	-	-	2	-	-	-	-	-	-
77c	Acute alcoholism	T	M	1	-	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	-	1	-	-	-	-	-	-
77d	Chronic alcoholism	T	M	1	-	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	-	1	-	-	-	-	-	-
79b	Chronic poisoning by other mineral or organic sub- stances not specified as occupational	T	M	1	-	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	-	-	1	-	-	-	-	-
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	T	M	40	-	-	-	-	-	-	-	-	-	-
		F	M	21	5	1	1	3	-	3	4	3	-	1
80b	Other encephalitis (non- epidemic)	T	M	19	3	2	2	3	1	2	2	-	3	-
		F	M	1	-	-	-	-	-	-	-	-	-	-
81a	Simple meningitis	T	M	1	1	-	-	-	-	-	-	-	-	-
		F	M	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascu- lar origin	T	M	35	-	-	-	-	-	-	-	-	1	-
		F	M	19	4	1	-	3	-	3	4	3	-	1
83a	Cerebral hemorrhage or ef- fusion (excluding birth injuries)	T	M	16	2	1	2	3	1	2	2	-	2	1
		F	M	31	-	-	-	-	-	-	-	-	-	-
		F	M	19	4	1	-	3	-	3	4	3	-	1
		F	M	12	1	1	2	2	1	2	1	-	1	1

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1910.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
49a																		
50											1							
51b										1	1			1				
52											1	1		1				
52a														1		1		
52b											1	1		1				
54a											1	1				1		
55e											1	1					1	
57e											1	1		1				
III.								1	1		1	1	5	2				
58b												2	2	3	1			
61								1										
IV.									1		1	1	5	2				
73a								1			1	1		3	1			
74a											1							
V.								1			1	1	1					
77										1	1	1						
77c										1		1						
77d													1					
79b										1								
											1							
VI.																		
80b			1					1	1		1	6	6	7	6	3		
81a									1									
83													1					
83a			1							1	1	5	6	6	3			
										1	1	5	6	6				
													4	5	3			

Detailed Int. List No.	Table 16 CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
83b	Cerebral embolism and thrombosis	T M F	4 4 3	-	-	-	-	-	-	-	-	-	-	-	-
87	Other diseases of the nervous system	T M F	2 1 1	1	-	1	-	-	-	1	-	1	-	-	-
87d	Disseminated sclerosis	T M F	2 2 1	-	1	-	-	-	-	-	-	-	-	-	-
87e	Others	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-
VII.	DISEASES OF THE CIRCULATORY SYSTEM	T M F	142 87 55	13	5	8	5	9	8	12	9	7	4	1	6
90b	Other pericarditis (except acute rheumatic)	T M F	1 1 1	-	-	-	-	-	-	7	7	3	3	3	3
92	Chronic affections of the valves and endocardium	T M F	11 6 5	1	1	-	-	2	1	-	1	-	1	-	1
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T M F	2 1 1	-	-	-	-	1	1	-	1	-	-	-	1
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T M F	4 3 1	-	-	-	-	-	-	-	1	-	1	-	-
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T M F	5 2 3	-	-	-	-	2	-	-	-	-	-	-	-
93	Diseases of the myocardium	T M F	48 27 21	-	3	2	5	2	2	1	3	5	1	1	1
93a	Acute myocarditis (except rheumatic)	T M F	1 1 1	-	-	-	1	-	-	3	3	3	1	2	3
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T M F	38 21 17	-	2	2	4	1	1	1	2	4	1	1	1
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	T M F	9 5 4	-	1	-	-	-	-	1	1	-	-	-	-
94	Diseases of the coronary arteries and angina pectoris	T M F	60 41 19	-	7	3	3	2	3	6	6	3	4	1	3
94a	Diseases of the coronary arteries	T M F	56 38 18	-	7	3	2	2	3	6	5	2	4	1	3
94b	Angina pectoris	T M F	4 3 1	-	-	-	1	-	-	1	1	-	-	-	-
95	Other diseases of the heart	T M F	17 11 6	1	-	-	1	1	1	3	-	2	1	-	1
95a	Functional diseases of the heart (without mention of organic lesion)	T M F	1 1 1	-	1	-	-	-	-	-	-	-	-	-	-
95c	Other diseases of the heart, not specified as rheumatic	T M F	16 11 5	-	-	-	1	2	-	-	2	-	1	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	T M F	4 1 3	-	-	-	-	1	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	T M F	1 1 1	-	1	-	-	-	-	-	-	-	-	-	-
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	T M F	25 13 12	1	2	-	2	1	-	1	3	1	-	1	1
106b	Chronic bronchitis	T M F	1 1 1	-	1	-	-	-	-	1	2	-	2	-	1
107	Bronchopneumonia (including capillary bronchitis)	T M F	9 4 5	-	-	-	-	-	1	-	1	-	-	1	1

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. Last No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
83b	-	-	-	1	-	-	-	-	-	-	-	-	12	1	-	-	-	-
87	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
87d	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
87e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	1	2	5	14	24	20	14	7	-	-	-
90b	-	-	-	-	-	-	-	1	-	1	2	4	13	17	16	2	-	-
92	-	-	-	-	-	-	-	-	1	-	3	-	1	-	1	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-
92b	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
92d	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
93	-	-	-	-	-	-	-	-	-	-	7	11	2	4	3	-	-	-
93a	-	-	-	-	-	-	-	-	-	-	1	2	3	7	6	2	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
93e	-	-	-	-	-	-	-	-	-	-	6	8	1	3	3	2	-	-
94	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-
94a	-	-	-	-	-	-	-	-	-	2	3	12	14	9	1	-	-	-
94b	-	-	-	-	-	-	-	-	-	1	1	1	7	5	4	-	-	-
95	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
95a	-	-	-	-	-	-	-	1	1	2	1	1	2	1	2	2	-	-
95c	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
97	-	-	-	-	-	-	-	1	1	2	1	1	2	1	2	-	-	-
102	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
106b	1	1	-	-	-	-	1	-	-	1	1	5	2	3	1	-	-	-
107	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
108		1					1			1		3	1					
109											1			2	1			
111											1	1						
111a											1			1				
111c											1	1						
114e												1		1				
IX.			1					4	1	1	1	1	3	2	1			
117											1	1	1	1	1			
117a											1							
117b														1				
120a			1															
121								3				1	1		1			
122a												1		1	1			
123													1					
124b										1			1					
125b									1				1					
126																		
127a												1						
129								1						1	1			
X.																		
131	1								2		3	2	2	3	3			
131a									1		2		1	2	2			
131b											1			2				
132									1		1		1	1		2		
133												1				1		
	1										1							

Detailed Int. List No	Table 16	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL											
				Total.	MONTHS.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
133a	Pyelitis, pyelonephritis, and pyelocystitis	T	2	1	-	-	-	-	1	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
133b	Others	F	1	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	1	-	-	-	-	-	-	-	-	-
134a	Calculi of the kidneys and ureters	F	1	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	-	-	-
137a	Hypertrophy of the prostate	M	3	-	-	-	-	-	-	-	-	-	1	-	-
		F	3	-	-	-	-	1	-	1	-	-	1	-	-
139a	Diseases of the ovaries, fallopian tubes, and parametria	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
XI.	DISEASES OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	T	3	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-
141b	Abortion (without mention of infection) (spontaneous therapeutic or of unspecified origin) with mention of hemorrhage, trauma or shock (but not toxemia)	T	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
146a	Placenta praevia (with childbirth)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
149b	Other specified conditions of childbirth	T	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
XII.	DISEASES OF THE SKIN AND CELLULAR TISSUE	T	2	-	-	-	-	-	-	-	-	1	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	1	-	-
152	Phlegmon and acute abscess	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
153	Other diseases of the skin and cellular tissue	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
154b	Chronic or unspecified osteomyelitis and periostitis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
XIV.	CONGENITAL MALFORMATIONS	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	1	-	-	-	-	-	-
157	Congenital malformations	T	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	3	-	-	-	-	-	1	-	-	-	-	-	-
157a	Congenital hydrocephalus	T	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
157g	Congenital malformations of the digestive system	T	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
157m	Other and unspecified congenital malformations	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
XV.	DISEASES PECULIAR TO THE FIRST YEAR OF LIFE	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	1	1	-	-	-	1	-	-	1	-	-
159	Premature birth (cause not stated)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
160c	Other injuries at birth	T	2	-	-	-	-	-	-	-	-	-	2	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
161	Other diseases peculiar to the first year of life	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	1	-	-	-	-	-	-	-	-	-
161a	Asphyxia (cause not specified), atelectasis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
161c	Other specified diseases peculiar to the first year of life	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-

[illegible]

Detailed Int. List No.	Table 16 CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XVI.	SENILITY	T M F	1 1 1	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
162b	Senility without mention of senile dementia	T M F	1 1 1	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
XVII.	VIOLENT OR ACCIDENTAL DEATHS	T M F	68 50 18	- 3 2	- 3 3	- - -	5 - -	4 2 -	6 2 -	10 5 -	4 - -	6 - -	3 3 1	4 1 -	2 - -
163, 164	Suicide (total)	T M F	4 4 4	- - -	- - -	- - -	1 - -	- - -	- - -	1 - -	- - -	- - -	1 - -	- - -	1 - -
163	Suicide by solid or liquid poisons or by poisonous gases	T M F	2 2 -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -
163m	Motor-vehicle exhaust gas	T M F	1 1 -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
163r	Other poisonous gases	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -
164	Suicide by other means	T M F	2 2 -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	1 - -
164d	Suicide by cutting or pierc- ing instruments	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -
164e	Suicide by jumping from high places	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -
165- 168	Homicide (total)	T M F	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
169- 198	Accidents (total)	T M F	64 46 18	- 3 2	- 3 3	- - -	4 - -	4 2 -	6 2 -	9 5 -	4 - -	6 - -	2 3 1	4 1 -	1 - -
169	Railway accidents (except collisions with motor ve- hicles)	T M F	2 - -	- - -	1 - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -
170	Motor-vehicle accidents	T M F	21 12 9	- 1 1	- 1 1	- - -	- - -	1 - -	1 1 -	2 2 -	3 2 -	2 1 -	1 2 1	1 1 -	- - -
170c	Automobile accidents (ex- cept collisions with trains or street cars)	T M F	19 10 9	- 1 1	- 1 1	- - -	- - -	1 - -	1 2 -	2 2 -	- 1 -	- 1 -	- 1 -	- 1 -	- - -
170d	Motorcycle accidents (ex- cept collisions with auto- mobiles)	T M F	2 2 -	- - -	- - -	- - -	- - -	- 1 -	- 1 -	1 2 -	1 - -	- - -	- - -	- - -	- - -
172	Water-transport accidents	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -
173	Air-transport accidents	T M F	3 3 -	- - -	- - -	- - -	- - -	- - -	2 - -	1 - -	- - -	- - -	- - -	- - -	- - -
176	Other accidents involving machinery	T M F	1 1 -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
178a	Accidental absorption of il- luminating gas	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -
179	Acute accidental poisoning by solids or liquids	T M F	2 1 1	- - -	- - -	- - -	- - -	1 - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -
179g	Lye and potash	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -
179r	Other and unspecified sub- stances	T M F	1 1 -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
181	Accidental burns (except con- flagration)	T M F	3 2 1	- 1 1	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
183	Accidental drowning	T M F	14 13 1	- 1 -	- - -	- - -	- 2 -	- 2 -	2 - -	3 1 -	1 - -	2 - -	- - -	- - -	- - -
185	Accidental injury by cutting or piercing instruments	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	1 - -

Detailed Int. List No.	Table 16 CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
186a	Accidental injury by fall	T M F	6 3 3	- - 1	- - 1	- - -	- 1 -	- 1 -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -
193	Accidents due to electric currents (except lightning)	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -
195e	Other and unspecified accidents	T M F	8 7 1	- - -	- - -	- - -	- - -	- - -	- 1 1	- 1 1	- 2 -	- 1 1	- 2 -	- 1 -	- 2 -
XVIII.	ILL-DEFINED AND UNKNOWN CAUSES	T M F	12 7 5	- - 1	- - -	- 1 -	- 1 -	- 2 -	- - 2	- 2 2	- - -	- - -	- 1 -	- - -	- 2 -
200	Ill-defined and unknown causes	T M F	12 7 5	- - 1	- - -	- 1 -	- 1 -	- 2 -	- - 2	- 2 2	- - -	- - -	- 1 -	- - -	- 2 -
200a	Ill-defined	T M F	7 5 2	- 1 -	- - -	- 1 1	- 1 -	- 2 -	- - 2	- - -	- - -	- - -	- 1 -	- - -	- 2 -
200c	Unknown or unspecified cause	T M F	5 2 3	- 1 2	- - -	- - -	- - -	- - -	- - 2	- - 2	- - -	- - -	- - -	- - -	- 1 -

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1940.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
186a												1						
193										1				1	1			
195e									2	3	1			1				
XVIII.									1			2	4	1	1			
200												2	4	1				
200a									1			1	1	2				
200c									1			2	3		1			
												1	1	1				

Abridged Int. List No.	Table 17	CAUSE OF DEATH. ¹	DEATHS FROM					
			THE STATE.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.
		All Causes. ²	50,698	505	1,476	4,277	77	6,031
(1)		Typhoid and paratyphoid fevers (1, 2)	9	—	—	1	—	2
(3)		Scarlet-fever (8)	19	1	—	3	—	2
(4)		Whooping cough (9)	22	—	1	4	—	4
(5)		Diphtheria (10)	8	—	—	1	—	3
(6)		Tuberculosis of the respiratory system (13)	1,484	7	29	150	—	131
(7)		Tuberculosis of the meninges and central nervous system (14)	34	—	—	4	—	5
(7)		All other forms of tuberculosis (15-22)	80	1	2	7	1	7
(8)		Malaria (28)	—	3	—	—	—	—
(9)		Syphilis (30)	340	—	9	27	—	—
(10)		Influenza (33)	147	5	9	21	—	19
(11)		Smallpox (34)	—	—	—	—	—	—
(12)		Measles (35)	11	—	—	5	—	2
(14)		Cerebrospinal (meningococcus) meningitis (6)	15	1	—	1	—	—
(14)		Erysipelas (11)	23	—	1	2	—	2
(14)		Acute poliomyelitis and acute polioencephalitis (36)	2	—	—	—	—	—
(15)		Cancer and other malignant tumors (45-55)	7,219	73	213	568	9	853
(17)		Chronic rheumatism and gout (59, 60)	40	2	2	3	—	5
(18)		Diabetes mellitus (61)	1,570	18	60	155	7	199
(19)		Chronic or acute alcoholism (77)	178	—	3	9	—	7
(20)		Acute rheumatic fever, including acute rheumatic heart disease (58)	42	—	1	4	1	5
(22)		Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4,642	56	109	420	7	603
(24)		Acute endocarditis (91)	102	1	5	10	—	16
(24)		Diseases of the coronary arteries and angina pectoris (94)	5,374	64	158	377	3	720
(24)		Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	430	—	3	29	—	40
(24)		Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12,242	108	351	1,120	19	1,392
(25)		Arteriosclerosis (97)	827	13	21	86	3	117
(26)		Bronchitis (106)	122	1	3	13	—	21
(27)		Bronchopneumonia (including capillary bronchitis) (107)	1,696	15	38	158	2	194
(27)		Lobar pneumonia (108)	925	1	16	52	—	95
(27)		Pneumonia (unspecified) (109)	40	1	—	2	—	3
(28)		Other diseases of the respiratory system (104, 105, 110-114)	321	—	5	28	—	38
(29)		Diarrhea and enteritis (under 2 years of age) (119)	127	3	2	17	—	12
(30)		Appendicitis (121)	419	4	18	34	1	54
(31)		Cirrhosis of the liver (124)	401	6	11	25	—	42
(32)		Diseases of the stomach (117, 118)	343	2	11	32	1	38
(32)		Hernia, intestinal obstruction (122)	342	2	15	21	2	43
(33)		Nephritis (130-132)	3,016	39	127	282	4	401
(34)		Other diseases of the urinary and genital systems (133-139)	613	6	18	45	—	67
(35)		Puerperal infection (140, 147)	72	—	2	6	1	12
(36)		Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	109	1	4	13	1	18
(38)		Congenital malformations (157)	378	2	9	37	—	55
(38)		Congenital debility (158)	29	1	—	9	—	1
(38)		Premature birth (159)	857	9	25	71	1	91
(39)		Senility (162)	39	—	3	1	—	6
(40)		Suicide (163, 164)	570	5	20	39	2	62
(41)		Homicide (165-168)	69	2	1	4	—	2
(42)		Violent and accidental deaths (suicide and homicide excepted) (169-198)	2,677	35	97	163	9	283
(42)		Railroad and automobile collisions (170a)	9	1	—	—	—	1
(42)		Street car and automobile collisions (170b)	—	—	—	—	—	—
(42)		Automobile accidents and injuries (170c)	637	10	31	45	—	71
(43)		Railroad accidents and injuries (169)	46	—	3	—	—	3
(43)		Street car and other road-transport accidents (171)	24	—	1	—	—	—
(43)		Burns (conflagration excepted) (181)	129	3	3	9	—	9
(43)		Accidental drowning (183)	201	2	9	14	2	27
(43)		Accidental injury by fall (186a)	1,137	10	33	67	4	134
(43)		All others	494	9	17	28	3	38
		All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 125, 125-129, 151-156, 160, 161)	2,647	17	74	216	3	310
(44)		Cause of death not specified or ill-defined (199, 200)	26	—	—	2	—	5

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY: 1940.

Abridged Int. List No.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
(1)	620	3,626	799	10,885	56	3,422	2,239	10,992	5,693
(3)	—	—	1	2	—	1	—	2	—
(4)	—	1	—	4	—	1	—	5	2
(5)	—	—	—	4	—	—	—	9	—
(6)	11	96	27	—	—	1	—	3	—
(7)	—	—	—	272	—	75	42	504	140
(7)	—	1	1	5	—	1	2	10	5
(8)	2	6	—	11	—	2	1	32	8
(9)	—	—	—	—	—	—	—	—	—
(10)	—	32	2	71	1	21	21	74	35
(11)	—	15	2	34	1	4	7	12	18
(12)	—	—	—	—	—	—	—	—	—
(14)	—	1	—	2	—	—	—	—	2
(14)	—	—	—	2	—	1	1	4	4
(14)	1	2	—	5	—	—	—	6	4
(14)	—	1	—	—	—	—	—	—	1
(15)	82	511	112	1,594	5	506	343	1,537	813
(17)	—	2	2	8	—	7	2	4	3
(18)	16	116	22	325	1	111	76	302	162
(19)	1	15	1	22	2	4	5	105	4
(20)	—	3	3	11	—	4	1	6	3
(22)	69	303	97	1,057	7	304	222	908	480
(24)	—	10	3	22	—	8	4	14	9
(24)	72	499	87	1,210	8	452	299	858	567
(24)	3	24	5	102	—	20	16	137	51
(24)	141	811	172	2,563	14	759	507	2,845	1,440
(25)	17	39	19	198	4	67	54	106	83
(26)	1	9	2	28	—	15	5	16	8
(27)	16	101	18	368	4	118	67	411	186
(27)	6	52	14	187	—	69	30	277	126
(27)	—	1	2	8	—	8	3	11	1
(28)	6	13	6	74	1	24	17	73	36
(29)	—	17	—	30	—	2	4	31	9
(30)	6	52	5	83	—	28	15	74	45
(31)	3	23	2	78	—	33	12	130	36
(32)	2	22	1	84	—	30	20	72	28
(32)	5	23	5	97	—	16	14	68	31
(33)	57	248	63	618	4	178	111	508	376
(34)	14	37	6	115	—	42	32	151	80
(35)	—	5	1	17	—	5	2	17	4
(36)	1	6	1	24	—	6	1	22	11
(38)	6	24	8	86	1	24	12	66	48
(38)	—	—	—	10	—	1	1	1	5
(38)	6	59	10	178	—	60	31	213	103
(39)	2	1	1	7	—	2	6	2	8
(40)	4	53	12	112	—	46	27	118	70
(41)	1	7	—	5	—	5	4	27	11
(42)	—	—	—	—	—	—	—	—	—
(43)	40	197	42	559	—	186	130	580	356
(42)	—	2	—	3	—	—	1	—	1
(42)	—	—	—	—	—	—	—	—	—
(42)	12	47	11	134	—	43	38	126	69
(43)	3	3	—	11	—	3	4	9	7
(43)	1	1	—	2	—	3	—	9	7
(43)	1	14	7	25	—	8	4	28	18
(43)	—	15	2	42	—	9	9	48	22
(43)	14	81	17	248	—	77	48	245	159
(43)	9	34	5	94	—	43	26	115	73
(44)	29	188	42	587	3	172	91	636	279
(44)	—	—	2	6	—	3	1	5	2

*Exclusive of stillbirths.

Abridged Int. List No.	Table 17	CAUSE OF DEATH. ¹	DEATHS FROM									
			THE STATE.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
		All Causes. ²	50,698	86	54	34	128	92	5	150	69	139
(1)		Typhoid and paratyphoid fevers (1, 2)	9	—	—	—	—	—	—	—	—	—
(3)		Scarlet-fever (8)	19	—	—	—	—	—	—	—	—	—
(4)		Whooping cough (9)	22	—	—	—	—	—	—	—	—	—
(5)		Diphtheria (10)	8	—	—	—	—	—	—	—	—	—
(6)		Tuberculosis of the respiratory system (13)	1,484	3	2	4	4	2	—	3	1	2
(7)		Tuberculosis of the meninges and central nervous system (14)	34	—	—	—	—	—	—	—	—	—
(7)		All other forms of tuberculosis (15-22)	80	—	—	—	1	—	—	—	—	—
(8)		Malaria (28)	—	—	—	—	—	—	—	—	—	—
(9)		Syphilis (30)	340	—	—	—	—	1	—	—	—	—
(10)		Influenza (33)	147	—	2	—	1	—	—	4	—	1
(11)		Smallpox (34)	—	—	—	—	—	—	—	—	—	—
(12)		Measles (35)	11	—	—	—	—	—	—	—	—	—
(14)		Cerebrospinal (meningococcus) meningitis (6)	15	—	—	—	—	—	—	—	—	—
(14)		Erysipelas (11)	23	—	—	—	1	—	—	—	—	—
(14)		Acute poliomyelitis and acute polioencephalitis (36)	2	—	—	—	—	—	—	—	—	—
(15)		Cancer and other malignant tumors (45-55)	7,219	13	10	10	20	16	—	24	9	12
(17)		Chronic rheumatism and gout (59, 60)	40	—	—	—	—	—	—	—	—	—
(18)		Diabetes mellitus (61)	1,570	6	—	3	9	3	—	2	3	3
(19)		Chronic or acute alcoholism (77)	178	—	—	—	—	1	—	1	—	—
(20)		Acute rheumatic fever, including acute rheumatic heart disease (58)	42	—	—	—	—	—	—	—	1	—
(22)		Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4,642	8	4	2	9	3	—	18	6	19
(24)		Acute endocarditis (91)	102	—	—	—	—	—	—	1	—	—
(24)		Diseases of the coronary arteries and angina pectoris (94)	5,374	14	6	2	21	17	4	12	8	14
(24)		Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	430	2	—	1	—	—	—	1	—	—
(24)		Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12,242	19	13	5	25	20	1	22	11	37
(25)		Arteriosclerosis (97)	827	2	1	—	—	2	—	1	1	—
(26)		Bronchitis (106)	122	—	—	—	—	—	—	2	—	—
(27)		Bronchopneumonia (including capillary bronchitis) (107)	1,696	3	—	1	2	4	—	7	1	5
(27)		Lobar pneumonia (108)	925	2	1	—	1	2	—	1	4	2
(27)		Pneumonia (unspecified) (109)	40	—	—	—	—	—	—	—	2	—
(28)		Other diseases of the respiratory system (104, 105, 110-114)	321	—	—	—	—	—	—	—	1	2
(29)		Diarrhea and enteritis (under 2 years of age) (119)	127	2	—	—	1	—	—	—	—	—
(30)		Appendicitis (121)	419	1	—	—	—	—	—	2	—	2
(31)		Cirrhosis of the liver (124)	401	—	2	—	2	—	—	—	—	1
(32)		Diseases of the stomach (117, 118)	343	1	1	—	—	—	—	—	—	1
(32)		Hernia, intestinal obstruction (122)	342	—	—	—	1	—	—	—	1	2
(33)		Nephritis (130-132)	3,016	1	3	1	12	5	—	17	7	13
(34)		Other diseases of the urinary and genital systems (133-139)	613	—	—	—	—	—	—	3	—	3
(35)		Puerperal infection (140, 147)	72	—	—	—	—	—	—	—	—	—
(36)		Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	109	—	—	—	—	—	—	1	—	—
(38)		Congenital malformations (157)	378	2	—	1	1	1	—	4	3	—
(38)		Congenital debility (158)	29	—	—	—	—	—	—	—	—	—
(38)		Premature birth (159)	857	—	—	—	6	1	—	5	—	1
(39)		Senility (162)	39	—	—	—	—	—	—	—	—	—
(40)		Suicide (163, 164)	570	—	3	1	2	2	—	3	3	2
(41)		Homicide (165-168)	69	—	—	—	—	—	—	—	—	—
(42)		Violent and accidental deaths (suicide and homicide excepted) (169-198)	2,677	6	5	—	6	10	—	10	4	4
(42)		Railroad and automobile collisions (170a)	9	—	2	—	—	—	—	—	—	—
(42)		Street car and automobile collisions (170b)	—	—	—	—	—	—	—	—	—	—
(42)		Automobile accidents and injuries (170c)	637	1	—	—	1	2	—	3	1	1
(43)		Railroad accidents and injuries (169)	46	—	—	—	—	—	—	—	—	—
(43)		Street car and other road-transport accidents (171)	24	—	—	—	—	—	—	—	—	—
(43)		Burns (conflagration excepted) (181)	129	—	—	—	1	—	—	1	2	—
(43)		Accidental drowning (183)	201	—	—	—	2	—	—	1	—	—
(43)		Accidental injury by fall (186a)	1,137	3	2	—	1	5	—	4	—	2
(43)		All others	494	2	1	—	1	3	—	1	1	1
		All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	2,647	1	1	3	3	2	—	6	3	12
(44)		Cause of death not specified or ill-defined (199, 200)	26	—	—	—	—	—	—	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	ATTLEBORO.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
(1)	411	39	14	11	31	145	272	60	38	45	103	45	12	33	35	23	242	14	16
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	7	3	-	-	1	1	6	1	2	1	1	1	-	-	2	1	3	-	1
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	3	-	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-
(10)	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
(11)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	63	6	5	1	3	21	40	11	4	7	13	4	4	1	2	3	52	3	2
(17)	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	8	-	-	1	3	4	10	2	2	-	3	1	-	-	1	3	9	2	-
(19)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	55	2	-	1	2	16	28	4	4	1	15	5	1	6	9	-	23	2	4
(24)	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1
(24)	50	5	-	-	4	10	42	1	7	12	14	3	1	4	6	3	28	2	3
(24)	3	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	3	-	-
(25)	90	6	5	2	10	42	52	15	10	9	28	14	2	11	6	6	53	2	2
(26)	9	2	-	2	-	5	4	-	-	4	3	-	1	-	1	-	7	-	-
(26)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(27)	10	3	1	1	1	3	7	4	1	2	-	1	-	-	2	-	5	1	1
(27)	5	1	-	-	-	3	3	1	-	-	-	1	-	-	-	-	-	1	-
(27)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
(28)	5	-	-	-	-	-	2	2	-	-	-	-	-	1	-	1	-	1	-
(29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(30)	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-
(31)	3	-	-	-	-	2	-	-	-	1	2	2	1	-	-	-	2	-	-
(32)	3	-	-	-	-	1	3	-	2	-	1	-	-	-	-	-	2	-	-
(32)	5	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	4	-	-
(33)	27	4	-	1	1	11	18	3	2	-	5	2	-	2	4	2	11	-	1
(34)	4	-	1	-	-	1	7	1	-	2	2	2	-	-	-	1	2	-	1
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
(36)	1	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1	-	-
(38)	5	2	-	-	-	1	5	-	-	-	-	1	-	-	-	-	1	-	-
(38)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(38)	8	2	-	-	-	1	1	1	1	-	2	1	-	-	-	1	8	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-	-	3	-	-
(41)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	25	1	2	1	2	10	11	8	1	2	6	3	-	2	1	2	8	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	9	1	1	1	1	3	3	1	-	-	1	1	-	-	-	2	-	-	-
(43)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
(43)	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	12	-	-
(43)	12	-	-	-	1	4	5	5	1	2	2	-	-	2	-	-	12	-	-
(43)	2	-	1	-	-	2	2	-	-	-	3	2	-	-	-	-	12	-	-
(44)	16	2	-	1	1	7	19	3	2	1	3	3	-	2	-	-	12	-	-
(44)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM									
		CAUSE OF DEATH. ¹									
		Bernardston.	BEVERLY.	Billerica	Blackstone.	Blandford.	Bolton.	Boston	Bourne.	Boxborough.	Boxford
	All Causes. ²	6	274	82	51	8	13	10,005	36	5	11
(1)	Typhoid and paratyphoid fevers (1, 2)	—	—	—	—	—	—	2	—	—	—
(3)	Scarlet-fever (8)	—	—	—	—	—	—	5	—	—	—
(4)	Whooping cough (9)	—	1	—	—	—	—	7	—	—	—
(5)	Diphtheria (10)	—	—	—	—	—	—	2	—	—	—
(6)	Tuberculosis of the respiratory system (13)	—	5	—	2	—	—	468	1	—	—
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	—	10	—	—	—
(7)	All other forms of tuberculosis (15-22)	—	—	—	—	—	—	29	—	—	—
(8)	Malaria (28)	—	—	—	—	—	—	—	—	—	—
(9)	Syphilis (30)	—	2	—	—	—	—	66	—	—	—
(10)	Influenza (33)	—	—	—	—	—	—	10	—	—	—
(11)	Smallpox (34)	—	—	—	—	—	—	—	—	—	—
(12)	Measles (35)	—	—	—	—	—	—	—	—	—	—
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	3	—	—	—
(14)	Erysipelas (11)	—	—	—	—	—	—	6	—	—	—
(14)	Acute poliomyelitis and acute polio-encephalitis (36)	—	—	—	—	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	—	44	13	6	2	—	1,413	4	—	1
(17)	Chronic rheumatism and gout (59, 60)	—	—	—	—	—	—	3	—	—	—
(18)	Diabetes mellitus (61)	—	7	3	3	—	—	260	—	—	—
(19)	Chronic or acute alcoholism (77)	—	1	—	—	—	—	102	—	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	1	—	—	5	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	24	5	1	1	2	821	4	—	3
(24)	Acute endocarditis (91)	—	2	—	—	—	—	13	—	—	—
(24)	Diseases of the coronary arteries and angina pectoris (94)	3	35	5	6	—	4	755	3	2	2
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	—	—	2	—	—	—	124	—	—	—
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, e)	2	78	19	12	2	4	2,604	6	—	1
(25)	Arteriosclerosis (97)	—	4	2	—	—	—	94	—	1	2
(26)	Bronchitis (106)	—	—	—	—	—	—	15	—	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	—	8	5	5	—	—	378	4	—	—
(27)	Lobar pneumonia (108)	—	2	1	1	—	—	255	1	—	1
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	—	10	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	—	2	1	2	—	—	68	—	—	—
(29)	Diarrhea and enteritis (under 2 years of age) (119)	—	—	1	—	—	—	28	—	1	—
(30)	Appendicitis (121)	—	1	1	—	—	—	65	1	—	—
(31)	Cirrhosis of the liver (124)	—	1	—	1	—	—	115	2	—	—
(32)	Diseases of the stomach (117, 118)	—	1	—	—	—	—	68	—	—	—
(32)	Hernia, intestinal obstruction (122)	—	—	2	—	—	—	65	—	—	—
(33)	Nephritis (130-132)	—	15	9	—	1	—	455	5	—	—
(34)	Other diseases of the urinary and genital systems (133-139)	—	3	1	2	—	—	143	—	—	—
(35)	Puerperal infection (140, 147)	—	—	—	—	—	—	15	—	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	—	1	—	—	18	—	—	—
(38)	Congenital malformations (157)	—	2	—	—	—	—	59	—	—	—
(38)	Congenital debility (158)	—	—	1	—	—	—	1	—	—	—
(38)	Premature birth (159)	—	—	1	1	1	—	198	1	—	1
(39)	Senility (162)	—	—	—	—	—	—	2	—	—	—
(40)	Suicide (163, 164)	—	2	1	—	—	1	107	—	—	—
(41)	Homicide (165-168)	—	—	—	—	—	—	24	—	—	—
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	—	15	7	3	1	1	528	2	—	—
(42)	Railroad and automobile collisions (170a)	—	—	—	—	—	—	—	—	—	—
(42)	Street car and automobile collisions (170b)	—	—	—	—	—	—	—	—	—	—
(42)	Automobile accidents and injuries (170c)	—	5	2	—	1	—	113	—	—	—
(43)	Railroad accidents and injuries (169)	—	—	—	—	—	—	7	—	—	—
(43)	Street car and other road-transport accidents (171)	—	—	—	—	—	—	9	—	—	—
(43)	Burns (conflagration excepted) (181)	—	1	—	—	—	—	23	—	—	—
(43)	Accidental drowning (183)	—	3	—	—	—	—	47	—	—	—
(43)	Accidental injury by fall (186a)	—	4	4	—	—	1	225	—	—	—
(43)	All others	—	2	1	3	—	—	104	2	—	—
(44)	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	—	15	2	4	—	1	581	2	1	—
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	5	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brinfield.	BROCKTON.	Brookfield.	Brookline.	Buckland.	Burlington.	CAMBRIDGE.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	CHELSEA.
(1)	13	159	16	85	13	818	20	683	21	21	1,380	75	8	35	19	29	34	104	436
(3)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
(4)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
(5)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
(6)	-	1	-	5	-	15	-	10	-	-	47	-	-	2	-	1	1	3	19
(7)	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-	-	2
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	2	1	2	-	4	1	4	-	2	12	-	-	2	-	1	-	-	6
(10)	-	-	-	-	-	1	-	-	-	-	3	-	-	1	-	-	-	-	1
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	1	24	2	10	-	127	2	113	6	-	189	5	2	2	5	3	4	11	59
(17)	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	1	4	1	2	-	33	2	21	-	-	46	2	-	4	1	-	1	3	22
(19)	-	-	-	-	-	2	-	3	-	-	14	-	-	1	-	-	-	-	1
(20)	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(22)	-	13	1	3	4	77	5	59	-	2	120	5	1	4	1	2	3	7	42
(24)	-	-	-	1	-	3	-	2	-	-	3	-	-	-	-	-	-	-	1
(24)	1	21	3	9	2	109	1	103	4	3	130	12	-	1	2	1	4	15	45
(24)	1	-	-	2	-	5	-	8	-	1	16	-	-	-	-	1	-	2	7
(24)	5	33	6	25	2	194	4	165	4	4	345	22	4	9	5	7	10	22	95
(25)	-	3	-	4	-	11	2	11	-	-	24	1	-	1	-	2	-	1	3
(26)	-	1	-	-	-	5	-	3	1	-	6	1	-	-	-	-	-	1	1
(27)	1	4	1	-	1	23	1	24	-	1	57	-	-	2	-	-	1	6	19
(27)	-	4	-	-	-	17	-	12	-	-	19	2	-	2	-	3	-	3	15
(27)	-	1	-	-	-	2	-	-	-	-	3	-	-	-	-	-	-	-	1
(28)	-	-	-	1	1	11	-	9	-	-	15	-	-	-	-	-	-	-	3
(29)	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	2
(30)	-	1	-	1	-	4	-	6	-	-	11	-	-	-	-	-	-	-	3
(31)	-	2	-	-	-	3	-	7	1	-	10	1	-	-	-	-	1	5	5
(32)	-	1	-	-	-	10	-	7	-	1	17	2	-	-	-	-	-	1	1
(32)	-	3	-	2	1	5	-	1	-	-	13	1	-	-	1	1	1	3	1
(33)	2	8	1	5	1	27	-	27	2	3	51	5	-	-	3	1	2	10	26
(34)	-	3	-	-	-	13	1	9	-	-	14	-	-	1	-	-	-	2	1
(35)	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	2
(36)	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-
(38)	-	2	-	-	-	8	-	2	-	-	9	3	-	-	-	1	-	1	1
(38)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(38)	-	5	-	-	-	12	-	8	-	1	22	3	-	-	-	-	4	5	-
(39)	-	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-
(40)	-	1	-	1	-	10	-	7	-	1	19	1	-	-	-	1	-	-	4
(41)	-	-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	1	-	3
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	1	13	-	8	1	36	-	24	1	2	69	-	1	2	-	4	2	4	11
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	1	3	-	2	1	9	-	1	1	1	16	-	-	1	-	-	-	2	3
(43)	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	1	1
(43)	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	1	-	-	-	2	-	-	-	-	2	-	-	-	-	-	1	-	1
(43)	-	5	-	4	-	20	-	18	-	-	30	-	1	-	-	3	1	1	3
(43)	-	4	-	1	-	4	-	3	-	1	16	-	-	-	-	1	-	-	2
(44)	-	7	-	4	-	40	1	30	2	-	76	5	-	-	1	-	3	3	27

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17	CAUSE OF DEATH. ¹	DEATHS FROM									
			Cheshire.	Chester.	Chesterfield.	CHICOPPEE.	Chilmark.	Clarksburg.	Clinton.	Colasset.	Colrain.	Concord.
		All Causes. ²	19	20	5	391	3	9	139	35	20	79
(1)		Typhoid and paratyphoid fevers (1, 2)										
(3)		Scarlet-fever (8)										
(4)		Whooping cough (9)										
(5)		Diphtheria (10)										
(6)		Tuberculosis of the respiratory system (13)				8			3			
(7)		Tuberculosis of the meninges and central nervous system (14)				1						
(7)		All other forms of tuberculosis (15-22)										
(8)		Malaria (28)										
(9)		Syphilis (30)				5						
(10)		Influenza (33)				3						
(11)		Smallpox (34)										
(12)		Measles (35)										
(14)		Cerebrospinal (meningococcus) meningitis (6)										
(14)		Erysipelas (11)										
(14)		Acute poliomyelitis and acute polioencephalitis (36)										
(15)		Cancer and other malignant tumors (45-55)	2	3	1	53		2	20	6	8	8
(17)		Chronic rheumatism and gout (59, 60)										
(18)		Diabetes mellitus (61)	1			19	1		9	4	2	3
(19)		Chronic or acute alcoholism (77)				2						
(20)		Acute rheumatic fever, including acute rheumatic heart disease (58)										
(22)		Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1			38	1		6	1	1	12
(24)		Acute endocarditis (91)										
(24)		Diseases of the coronary arteries and angina pectoris (94)	1	2	1	45		2	21	9	1	9
(24)		Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)				3			1		1	
(24)		Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	3	10	1	69		2	32	5	1	17
(25)		Arteriosclerosis (97)			1	2			3		2	
(26)		Bronchitis (106)										1
(27)		Bronchopneumonia (including capillary bronchitis) (107)				11			7	2		4
(27)		Lobar pneumonia (108)		1		5			1	2		2
(27)		Pneumonia (unspecified) (109)										
(28)		Other diseases of the respiratory system (104, 105, 110-114)				2			1		1	
(29)		Diarrhea and enteritis (under 2 years of age) (119)				1						
(30)		Appendicitis (121)	1	1		11					1	
(31)		Cirrhosis of the liver (124)	1			4			1			1
(32)		Diseases of the stomach (117, 118)	2			3	1					
(32)		Hernia, intestinal obstruction (122)				3		1				
(33)		Nephritis (130-132)	3		1	30		1	7	1		4
(34)		Other diseases of the urinary and genital systems (133-139)	1			1			3	1		1
(35)		Puerperal infection (140, 147)										
(36)		Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)										
(38)		Congenital malformations (157)		1		7			1			1
(38)		Congenital debility (158)										
(38)		Premature birth (159)				12			5	1		1
(39)		Senility (162)										1
(40)		Suicide (163, 164)		1		5						
(41)		Homicide (165-168)										
(42)		Violent and accidental deaths (suicide and homicide excepted) (169-198)	2	1		22			9	1	1	7
(42)		Railroad and automobile collisions (170a)										
(42)		Street car and automobile collisions (170b)										
(42)		Automobile accidents and injuries (170c)				6			1		1	3
(43)		Railroad accidents and injuries (169)										
(43)		Street car and other road-transport accidents (171)										
(43)		Burns (conflagration excepted) (181)	1			4						
(43)		Accidental drowning (183)				4			1			2
(43)		Accidental injury by fall (186a)	1			8			7			
(43)		All others		1						1		
(44)		All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	1			26		1	9	2	1	7
(44)		Cause of death not specified or ill-defined (199, 200)										

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	Conway.	Cunnington.	Dalton.	Dauvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
(1)	10	8	50	133	96	147	32	38	46	29	9	84	48	7	46	61	9	37
(3)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	2	5	1	-	1	-	-	4	2	-	-	1	-	1
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	1	1	2	-	-	-	-	-	2	-	-	-	1	-	-
(10)	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1
(11)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	1	-	4	19	13	25	3	6	5	2	2	10	10	1	4	7	2	5
(17)	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1
(18)	-	1	2	7	1	5	-	3	2	-	-	-	1	-	1	-	1	2
(19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	3	1	2	9	12	13	6	9	7	-	-	6	1	1	6	5	2	4
(24)	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	1	-	5	17	9	22	4	5	6	1	6	9	6	1	3	6	1	2
(24)	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
(24)	3	3	15	32	24	25	7	8	8	11	-	22	7	1	15	17	1	10
(25)	-	-	1	4	2	11	1	1	2	-	-	1	2	-	-	1	-	-
(26)	-	-	-	1	1	1	-	-	1	-	-	2	-	-	-	-	-	-
(27)	-	-	2	4	3	3	-	2	2	1	-	2	-	-	2	4	-	2
(27)	-	-	1	6	3	2	-	-	-	1	-	3	-	-	1	1	-	-
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(29)	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1
(30)	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-
(31)	-	-	-	3	1	3	-	-	-	-	-	-	1	-	1	-	-	-
(32)	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-
(32)	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	-	-	7	6	4	5	4	-	3	2	1	4	5	-	3	2	-	3
(34)	-	-	1	1	1	1	1	-	-	2	-	2	-	-	1	1	-	1
(35)	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(36)	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(38)	-	-	-	3	1	-	1	-	1	1	-	1	-	-	-	1	-	-
(38)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(38)	-	-	1	2	1	3	1	-	2	-	-	2	1	-	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	1	-	-	-	-	4	1	-	-	2	-	-	1	-	1	1	1	2
(41)	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	1	3	4	7	5	6	1	1	1	2	-	8	4	1	5	7	-	2
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	2	2	3	2	2	1	-	1	-	-	4	-	1	2	2	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-
(43)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	1	3	1	2	1	-	-	2	-	1	1	-	2	1	-	2
(43)	1	1	-	-	1	1	-	-	-	-	-	2	2	-	1	3	-	-
(44)	-	-	2	10	6	9	-	1	2	1	-	5	3	1	2	4	-	-
(44)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM									
		CAUSE OF DEATH. ¹									
		Eastham.	Easthampton.	Easton.	Edgartown.	Egremont.	Erving.	Essex.	EVERETT.	Fairhaven.	
	All Causes. ²	7	108	57	21	7	15	22	465	106	
(1)	Typhoid and paratyphoid fevers (1, 2)	-	-	-	-	-	-	-	-	-	
(3)	Scarlet-fever (8)	-	-	-	-	-	-	-	-	-	
(4)	Whooping cough (9)	-	-	-	-	-	-	-	-	-	
(5)	Diphtheria (10)	-	-	-	-	-	-	-	-	-	
(6)	Tuberculosis of the respiratory system (13)	-	7	2	-	-	-	-	14	6	
(7)	Tuberculosis of the meninges and central nervous system (14)	-	-	-	-	-	-	-	-	-	
(7)	All other forms of tuberculosis (15-22)	-	-	-	1	-	-	-	-	-	
(8)	Malaria (28)	-	-	-	-	-	-	-	-	-	
(9)	Syphilis (30)	-	-	-	-	-	-	-	2	-	
(10)	Influenza (33)	-	-	-	-	-	-	-	1	1	
(11)	Smallpox (34)	-	-	-	-	-	-	-	-	-	
(12)	Measles (35)	-	-	-	-	-	-	-	-	-	
(14)	Cerebrospinal (meningococcus) meningitis (6)	-	-	-	-	-	-	-	-	-	
(14)	Erysipelas (11)	-	-	-	-	-	-	-	-	-	
(14)	Acute poliomyelitis and acute polioencephalitis (36)	-	-	-	-	-	-	-	-	-	
(15)	Cancer and other malignant tumors (45-55)	-	21	11	3	-	2	-	76	20	
(17)	Chronic rheumatism and gout (59, 60)	-	-	-	-	-	-	-	-	-	
(18)	Diabetes mellitus (61)	-	-	4	2	-	2	-	18	2	
(19)	Chronic or acute alcoholism (77)	-	-	-	-	-	-	-	1	-	
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	-	-	-	-	-	-	-	2	-	
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	-	11	4	1	-	3	1	50	15	
(24)	Acute endocarditis (91)	-	-	1	-	1	-	-	1	-	
(24)	Diseases of the coronary arteries and angina pectoris (94)	2	14	4	1	-	3	5	45	16	
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	-	-	-	-	-	-	-	3	-	
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2	23	15	6	1	1	6	106	19	
(25)	Arteriosclerosis (97)	1	2	2	2	1	1	1	5	3	
(26)	Bronchitis (106)	-	1	-	-	-	-	-	1	-	
(27)	Bronchopneumonia (including capillary bronchitis) (107)	-	1	1	1	-	1	1	15	3	
(27)	Lobar pneumonia (108)	-	-	-	-	-	1	-	11	1	
(27)	Pneumonia (unspecified) (109)	-	-	-	-	-	-	-	1	-	
(28)	Other diseases of the respiratory system (104, 105, 110-114)	-	-	-	-	-	-	1	6	1	
(29)	Diarrhea and enteritis (under 2 years of age) (119)	-	-	-	-	-	-	-	1	-	
(30)	Appendicitis (121)	-	-	-	-	-	-	-	2	-	
(31)	Cirrhosis of the liver (124)	-	-	-	-	-	-	-	-	-	
(32)	Diseases of the stomach (117, 118)	-	-	1	-	-	-	-	2	1	
(32)	Hernia, intestinal obstruction (122)	-	1	-	1	2	-	1	4	-	
(33)	Nephritis (130-132)	2	9	2	-	1	1	3	22	7	
(34)	Other diseases of the urinary and genital systems (133-139)	-	1	3	-	-	-	-	3	-	
(35)	Puerperal infection (140, 147)	-	-	-	-	-	-	-	1	1	
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	-	-	-	-	-	-	-	3	-	
(38)	Congenital malformations (157)	-	1	-	-	-	-	-	6	-	
(38)	Congenital debility (158)	-	-	-	-	-	-	-	-	-	
(38)	Premature birth (159)	-	2	-	-	-	-	-	9	2	
(39)	Senility (162)	-	-	-	-	-	-	-	-	1	
(40)	Suicide (163, 164)	-	1	-	1	-	-	1	3	3	
(41)	Homicide (165-168)	-	-	-	-	-	-	-	-	-	
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	-	4	5	2	-	-	1	24	-	
(42)	Railroad and automobile collisions (170a)	-	-	-	-	-	-	-	-	-	
(42)	Street car and automobile collisions (170b)	-	-	-	-	-	-	-	-	-	
(42)	Automobile accidents and injuries (170c)	-	2	3	-	-	-	-	6	-	
(43)	Railroad accidents and injuries (169)	-	-	-	-	-	-	-	1	-	
(43)	Street car and other road-transport accidents (171)	-	-	-	-	-	-	-	-	-	
(43)	Burns (conflagration excepted) (181)	-	1	1	-	-	-	-	-	-	
(43)	Accidental drowning (183)	-	-	-	1	-	-	-	3	-	
(43)	Accidental injury by fall (186a)	-	1	1	-	-	-	1	8	-	
(43)	All others	-	-	-	1	-	-	-	6	-	
	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	-	9	2	-	1	-	-	27	4	
(44)	Cause of death not specified or ill-defined (199, 200)	-	-	-	-	-	-	1	-	-	

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	FALL RIVER.	Falmouth.	FITCHBURG.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	GARDNER.	Gay Head.	Georgetown.	Gill.	GLOUCESTER.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
(1)	1,313	67	460	8	69	239	80	28	189	1	35	10	298	8	1	72	9	11	84
(3)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(5)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	44	1	13	-	-	2	1	-	6	-	-	-	10	-	-	1	-	-	4
(7)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	8	-	1	-	3	2	-	2	1	-	1	-	2	-	-	-	-	-	1
(10)	5	12	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	176	5	75	-	6	37	11	1	35	-	3	-	28	1	-	10	-	-	18
(17)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(18)	43	2	16	-	-	12	4	2	3	-	1	-	12	-	-	1	-	-	4
(19)	5	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
(20)	2	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
(22)	106	6	34	-	3	18	13	5	20	-	6	4	29	2	1	5	4	1	10
(24)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	57	8	51	1	4	32	3	3	25	-	5	-	18	-	-	9	1	-	7
(24)	9	-	2	-	-	2	1	-	2	-	-	-	1	-	-	-	-	-	1
(24)	439	17	92	2	21	56	15	8	23	-	9	2	79	-	-	29	2	6	17
(25)	10	2	8	-	4	2	1	-	-	-	2	-	11	1	-	1	1	1	4
(26)	5	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-
(27)	43	1	20	-	6	11	-	1	5	-	-	-	6	2	-	-	-	1	2
(27)	16	-	11	-	-	2	2	-	5	-	-	-	3	-	-	2	-	-	1
(27)	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	8	-	3	-	1	2	-	-	1	-	-	-	2	-	-	-	1	-	-
(29)	11	2	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-
(30)	18	-	4	-	1	1	2	-	-	-	-	-	3	-	-	-	-	-	-
(31)	8	-	1	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	1
(32)	11	-	7	-	-	3	-	1	2	-	-	-	1	-	-	-	-	-	-
(32)	4	-	4	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-
(33)	94	7	24	2	5	11	10	2	14	-	2	2	39	-	-	3	-	-	1
(34)	12	2	5	-	-	2	1	1	2	-	1	1	3	-	-	2	-	1	1
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)	5	-	3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
(38)	10	-	7	-	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-
(38)	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(38)	32	1	6	-	3	4	1	1	6	-	-	-	8	-	-	1	-	-	1
(39)	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	6	-	9	-	-	4	3	-	4	-	2	-	4	1	-	-	-	-	2
(41)	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	49	7	25	1	4	13	2	1	13	1	2	-	13	1	-	2	-	-	6
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	10	4	2	-	1	3	-	1	4	-	-	-	4	-	-	-	-	-	-
(43)	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(43)	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
(43)	5	1	3	-	-	2	-	-	1	-	1	-	3	-	-	-	-	-	-
(43)	3	-	3	-	-	4	1	-	1	-	1	-	4	1	-	1	-	-	3
(43)	26	-	15	-	3	3	1	-	4	-	-	-	2	-	-	-	-	-	3
(43)	5	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(44)	56	3	31	2	4	17	4	-	13	-	1	-	15	-	-	2	-	-	3
(44)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM								
		CAUSE OF DEATH. ¹								
		Greenfield.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	All Causes. ²	198	36	30	24	8	29	15	12	34
(1)	Typhoid and paratyphoid fevers (1, 2)	—	—	—	—	—	—	—	—	—
(3)	Scarlet-fever (8)	—	—	—	—	—	—	—	—	—
(4)	Whooping cough (9)	—	—	—	—	—	—	—	—	—
(5)	Diphtheria (10)	—	—	—	—	—	—	—	—	—
(6)	Tuberculosis of the respiratory system (13)	3	—	—	—	—	—	—	—	3
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	—	—	—	—
(7)	All other forms of tuberculosis (15-22)	—	—	—	—	—	—	—	—	—
(8)	Malaria (28)	—	—	—	—	—	—	—	—	—
(9)	Syphilis (30)	—	—	—	—	—	—	—	—	—
(10)	Influenza (33)	—	—	—	—	—	—	—	—	—
(11)	Smallpox (34)	—	—	—	—	—	—	—	—	—
(12)	Measles (35)	—	—	—	—	—	—	—	—	—
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	—	—	—
(14)	Erysipelas (11)	—	—	—	—	—	—	—	—	—
(14)	Acute poliomyelitis and acute polioencephalitis (36)	—	—	—	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	18	9	4	5	1	4	3	2	10
(17)	Chronic rheumatism and gout (59, 60)	—	—	—	—	—	—	—	—	—
(18)	Diabetes mellitus (61)	5	—	1	1	—	1	—	—	—
(19)	Chronic or acute alcoholism (77)	—	—	—	—	—	—	—	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	—	—	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	15	3	6	3	—	3	4	1	7
(24)	Acute endocarditis (91)	—	—	—	—	—	—	—	—	—
(24)	Diseases of the coronary arteries and angina pectoris (94)	29	6	8	5	1	5	—	—	6
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	2	—	—	—	—	2	—	—	—
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	45	8	3	3	3	9	4	5	3
(25)	Arteriosclerosis (97)	6	—	2	1	—	—	1	—	1
(26)	Bronchitis (106)	—	1	—	—	—	1	—	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	10	1	—	1	—	—	—	—	—
(27)	Lobar pneumonia (108)	3	—	1	1	—	1	1	—	—
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	—	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	2	1	—	—	—	—	—	—	—
(29)	Diarrhea and enteritis (under 2 years of age) (119)	—	—	—	—	—	—	—	—	—
(30)	Appendicitis (121)	2	—	—	—	1	—	—	—	—
(31)	Cirrhosis of the liver (124)	—	—	—	—	—	—	—	—	—
(32)	Diseases of the stomach (117, 118)	—	—	1	—	—	—	—	—	—
(32)	Hernia, intestinal obstruction (122)	1	—	—	1	—	—	—	1	—
(33)	Nephritis (130-132)	17	—	—	1	1	1	1	—	1
(34)	Other diseases of the urinary and genital systems (133-139)	4	—	—	—	—	1	1	—	1
(35)	Puerperal infection (140, 147)	—	—	—	—	—	—	—	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	—	—	—	—	—	—	—
(38)	Congenital malformations (157)	2	—	1	—	—	—	—	—	—
(38)	Congenital debility (158)	—	—	—	—	—	—	—	—	—
(38)	Premature birth (159)	4	1	—	—	—	—	—	—	—
(39)	Senility (162)	1	—	—	—	—	—	—	—	—
(40)	Suicide (163, 164)	2	—	—	—	—	—	—	—	—
(41)	Homicide (165-168)	—	—	—	—	—	—	—	—	—
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	20	4	2	—	1	1	—	2	1
(42)	Railroad and automobile collisions (170a)	—	—	—	—	—	—	—	—	—
(42)	Street car and automobile collisions (170b)	—	—	—	—	—	—	—	—	—
(42)	Automobile accidents and injuries (170c)	4	—	2	—	1	1	—	2	1
(43)	Railroad accidents and injuries (169)	2	—	—	—	—	—	—	—	—
(43)	Street car and other road-transport accidents (171)	1	—	—	—	—	—	—	—	—
(43)	Burns (conflagration excepted) (181)	1	1	—	—	—	—	—	—	—
(43)	Accidental drowning (183)	—	—	—	—	—	—	—	—	—
(43)	Accidental injury by fall (186a)	6	2	—	—	—	—	—	—	—
(43)	All others	6	1	—	—	—	—	—	—	—
	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	7	2	1	2	—	—	—	1	1
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
(1)	37	29	19	35	30	621	2	5	102	27	39	43	5	47	647	17	45	17	102
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	4	12	-	-	2	-	-	-	1	1	25	-	1	2	4
(7)	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	1	-	-	1	-	-	-	-	-	-	-	-	4	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	1	-	9	-	-	-	-	-	-	-	-	4	-	-	-	-
(10)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(17)	8	5	2	9	2	92	-	1	16	4	8	4	1	8	101	-	3	2	14
(17)	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	-	2	-	1	21	-	-	4	-	-	1	-	3	24	-	4	-	1
(19)	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	4	-	4	2	2	74	-	-	12	-	5	4	-	8	41	2	7	3	5
(24)	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
(24)	5	6	2	4	1	63	1	-	13	2	7	4	-	5	84	2	3	-	16
(24)	-	-	-	-	-	9	-	-	1	-	-	3	-	-	6	2	2	-	3
(24)	7	6	3	3	7	155	-	2	24	7	9	10	1	7	154	4	12	3	30
(25)	1	1	4	2	-	13	-	-	4	-	-	-	-	1	8	-	-	-	2
(26)	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-
(27)	2	-	1	2	-	25	-	-	3	1	1	2	-	1	13	2	1	-	2
(27)	1	-	-	-	2	3	-	-	-	1	1	-	-	3	9	-	2	2	2
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	-	1	-	-	-	4	-	-	2	-	-	-	-	-	1	1	-	-	-
(29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
(30)	-	-	-	-	-	3	-	-	1	1	-	1	-	-	16	-	-	-	-
(31)	-	-	-	-	-	2	1	-	-	-	-	-	-	-	5	-	-	-	-
(32)	-	-	-	-	-	6	-	-	-	-	1	1	-	-	2	-	-	1	-
(32)	-	1	-	-	-	2	-	1	-	-	1	1	-	-	8	-	1	-	2
(33)	4	2	-	2	2	35	-	1	5	3	1	2	1	2	37	-	3	2	2
(34)	-	1	-	-	1	8	-	-	3	-	-	-	-	-	8	-	2	-	1
(35)	-	-	-	-	-	2	-	-	-	-	1	-	-	-	2	-	-	-	1
(36)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
(38)	-	-	-	1	1	8	-	-	-	1	-	-	-	1	2	-	-	-	-
(38)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(38)	-	-	-	1	-	3	-	-	3	2	-	-	-	-	5	1	-	-	1
(39)	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(40)	-	1	-	1	2	2	-	-	1	-	-	1	-	-	6	-	-	1	-
(41)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	2	1	-	1	1	35	-	-	5	2	-	3	-	4	31	-	2	1	6
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	1	5	-	-	1	1	-	-	-	3	5	-	1	-	1
(43)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(43)	-	-	-	-	-	6	-	-	-	-	-	-	-	-	3	-	-	-	-
(43)	-	-	-	-	-	20	-	-	3	-	-	-	-	1	2	-	1	1	1
(43)	2	1	-	-	-	3	-	-	1	1	-	2	-	-	14	-	-	-	1
(44)	2	2	-	1	2	32	-	-	1	1	4	3	1	3	38	3	2	-	7
(44)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

2 Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM									
		CAUSE OF DEATH. ¹									
		Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Lanesborough.	LAWRENCE.	Lee.	Leicester
	All Causes.²	40	23	87	32	21	38	16	962	57	47
(1)	Typhoid and paratyphoid fevers (1, 2)										
(3)	Scarlet-fever (8)								1		
(4)	Whooping cough (9)										
(5)	Diphtheria (10)								2		
(6)	Tuberculosis of the respiratory system (13)		1	1			1		28	2	2
(7)	Tuberculosis of the meninges and central nervous system (14)								2		
(7)	All other forms of tuberculosis (15-22)								1		
(8)	Malaria (28)										
(9)	Syphilis (30)						1		5	1	
(10)	Influenza (33)		1					1	4	1	
(11)	Smallpox (34)										
(12)	Measles (35)										
(14)	Cerebrospinal (meningococcus) meningitis (6)										
(14)	Erysipelas (11)						1		1		
(14)	Acute poliomyelitis and acute polioencephalitis (36)										
(15)	Cancer and other malignant tumors (45-55)	7	5	14	3	2	4		118	8	9
(17)	Chronic rheumatism and gout (59, 60)			1							
(18)	Diabetes mellitus (61)	1		1	2	1		1	37		1
(19)	Chronic or acute alcoholism (77)	1							2		
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)								2		
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	6	5	6	5	2	6	2	98	6	1
(24)	Acute endocarditis (91)								3		
(24)	Diseases of the coronary arteries and angina pectoris (94)	4	3	18	3	4	7	1	87	8	2
(24)	Chronic rheumatic diseases of the heart (90a, 92e, 93c, 95b)								7		
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	9		22	8	7	10	4	217	17	12
(25)	Arteriosclerosis (97)			1	1		1	1	10		2
(26)	Bronchitis (106)								8		
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	1				1		28	1	1
(27)	Lobar pneumonia (108)		1	2				2	16	1	
(27)	Pneumonia (unspecified) (109)				1				1		
(28)	Other diseases of the respiratory system (104, 105, 110-114)		1	1			1		3		
(29)	Diarrhea and enteritis (under 2 years of age) (119)								3		
(30)	Appendicitis (121)								11		
(31)	Cirrhosis of the liver (124)	1							9		
(32)	Diseases of the stomach (117, 118)			2					2		
(32)	Hernia, intestinal obstruction (122)								8	1	
(33)	Nephritis (130-132)	2		7	5	1	1	1	84	7	5
(34)	Other diseases of the urinary and genital systems (133-139)								10		1
(35)	Puerperal infection (140, 147)								3		
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)								6		
(38)	Congenital malformations (157)								15		
(38)	Congenital debility (158)								1		
(38)	Premature birth (159)		1	1		1			22	1	1
(39)	Senility (162)										
(40)	Suicide (163, 164)		1	1	1				14		2
(41)	Homicide (165-168)	1									
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	3	2	4		3		1	39		6
(42)	Railroad and automobile collisions (170a)										
(42)	Street car and automobile collisions (170b)										
(42)	Automobile accidents and injuries (170c)			2		1			9		1
(43)	Railroad accidents and injuries (169)										
(43)	Street car and other road-transport accidents (171)										
(43)	Burns (conflagration excepted) (181)								1		1
(43)	Accidental drowning (183)								4		1
(43)	Accidental injury by fall (186a)	3	1						20		2
(43)	All others		1	2		2		1	5		1
	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	2	1	5	2		4	2	54	3	2
(44)	Cause of death not specified or ill-defined (199, 200)	1									

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	Lenox.	Leominster.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	Lowell.	Ludlow.	Lunenburg.	LYNN.	Lynnfield.	MALDEN.	Manchester.	Mansfield.	Marblehead.	Marion.	MARLBOROUGH.
(1)	45	240	9	110	6	23	24	43	1,311	69	29	1,218	31	696	38	80	126	20	188
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	6	-	5	-	1	1	1	37	6	-	32	1	20	-	4	2	-	8
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	2	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	3	-	1	-	2	-	-	14	1	-	14	-	3	-	1	-	-	2
(10)	-	1	-	-	-	-	-	1	2	-	-	3	-	3	-	-	-	-	-
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	4	30	1	13	1	1	3	7	172	4	4	185	5	122	8	12	19	2	21
(17)	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	1	-	-	1
(18)	1	4	-	1	-	-	-	3	31	-	1	33	3	22	2	3	5	1	5
(19)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(20)	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
(22)	3	23	-	8	-	3	3	5	134	6	1	117	-	60	5	7	10	3	19
(24)	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	2
(24)	9	20	-	11	-	1	4	8	127	7	5	173	7	65	6	12	15	6	36
(24)	-	2	-	1	-	-	-	-	7	1	-	9	-	8	-	-	-	-	1
(24)	11	60	4	35	1	3	4	4	322	9	7	233	6	159	6	18	33	3	39
(25)	-	4	-	-	-	-	1	-	47	-	1	25	3	8	3	3	-	-	6
(26)	-	-	-	-	-	-	-	-	2	-	-	3	-	1	-	2	-	-	-
(27)	1	8	-	5	-	2	-	1	68	2	-	41	-	22	-	7	3	1	6
(27)	-	5	1	1	-	-	-	1	24	3	-	27	-	11	1	1	3	-	2
(27)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	-	-	-	2	-	-	-	-	9	-	-	7	-	3	-	1	4	-	3
(29)	-	-	-	1	-	-	-	-	6	1	-	3	1	4	-	-	-	-	1
(30)	-	3	-	1	-	1	-	-	9	-	1	13	-	5	-	1	1	1	2
(31)	1	6	-	-	-	-	1	-	10	1	1	6	-	2	-	-	1	-	2
(32)	-	1	-	-	-	-	-	-	6	-	-	7	-	6	-	-	-	-	1
(32)	-	1	-	1	-	-	-	-	7	1	-	10	-	9	-	1	1	2	-
(33)	4	20	-	6	1	1	1	3	94	6	-	81	-	43	1	3	7	-	8
(34)	2	3	2	-	-	2	1	-	15	2	-	15	-	5	-	2	1	-	-
(35)	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-
(36)	-	-	-	-	-	-	-	-	1	-	-	7	-	1	-	-	-	-	1
(38)	-	2	-	1	-	-	-	-	10	-	-	7	-	4	2	-	-	-	3
(38)	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
(38)	1	6	-	3	-	-	-	-	18	5	1	23	2	15	-	-	4	-	5
(39)	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-
(40)	-	2	-	-	-	1	1	1	6	1	-	10	-	5	-	1	2	1	2
(41)	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	4	14	-	5	2	3	2	3	59	6	5	62	1	40	1	1	5	-	6
(42)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	1	7	-	2	-	1	-	1	7	2	1	12	1	14	1	1	3	-	1
(43)	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	7	1	-	-	-	-	-	-	-	-	-
(43)	3	5	-	2	1	2	1	-	32	-	2	36	-	19	-	-	1	-	5
(43)	-	2	-	1	1	-	-	2	9	1	1	7	-	4	-	-	1	-	-
(44)	3	11	-	6	1	1	2	5	62	7	2	56	2	43	2	1	4	-	6
(44)	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17 CAUSE OF DEATH. ¹	DEATHS FROM									
		Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	MEDFORD.	Medway.	MELROSE.	Mendon.	Merrimac.
	All Causes.²	39	8	25	83	17	632	41	275	19	33
(1)	Typhoid and paratyphoid fevers (1, 2)	—	—	—	—	—	—	—	—	—	—
(3)	Scarlet-fever (8)	—	—	—	—	—	—	—	—	—	—
(4)	Whooping cough (9)	—	—	—	—	—	—	—	—	—	—
(5)	Diphtheria (10)	—	—	—	—	—	—	—	—	—	—
(6)	Tuberculosis of the respiratory system (13)	2	—	1	5	—	9	1	5	—	—
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	1	—	—	—	—
(7)	All other forms of tuberculosis (15-22)	—	—	—	—	—	1	—	—	—	—
(8)	Malaria (28)	—	—	—	—	—	—	—	—	—	—
(9)	Syphilis (30)	—	—	2	—	—	4	—	1	—	—
(10)	Influenza (33)	—	—	—	1	—	—	—	1	—	—
(11)	Smallpox (34)	—	—	—	—	—	—	—	—	—	—
(12)	Measles (35)	—	—	—	—	—	—	—	—	—	—
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	—	—	—	—
(14)	Erysipelas (11)	—	—	—	—	—	—	—	—	—	—
(14)	Acute poliomyelitis and acute polioencephalitis (36)	—	—	—	—	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	3	—	4	14	3	100	3	49	1	6
(17)	Chronic rheumatism and gout (59, 60)	—	—	—	—	—	—	—	1	—	—
(18)	Diabetes mellitus (61)	1	—	1	—	1	17	3	6	—	1
(19)	Chronic or acute alcoholism (77)	—	—	—	—	—	1	—	—	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	—	—	1	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	9	1	2	5	—	59	3	29	2	3
(24)	Acute endocarditis (91)	—	—	—	—	—	2	—	1	—	—
(24)	Diseases of the coronary arteries and angina pectoris (94)	7	1	4	15	3	83	5	33	5	4
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	—	—	—	—	—	6	—	3	1	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	9	1	6	18	5	143	9	82	2	7
(25)	Arteriosclerosis (97)	—	1	—	—	—	9	1	4	—	—
(26)	Bronchitis (106)	—	—	—	—	—	1	—	1	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	—	—	2	1	—	20	3	2	1	3
(27)	Lobar pneumonia (108)	—	—	—	2	—	10	—	3	2	—
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	—	—	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	1	—	—	—	—	5	—	—	—	—
(29)	Diarrhea and enteritis (under 2 years of age) (119)	—	—	—	—	—	1	—	1	—	—
(30)	Appendicitis (121)	—	—	—	—	—	7	—	—	—	1
(31)	Cirrhosis of the liver (124)	—	—	1	—	—	5	—	3	—	—
(32)	Diseases of the stomach (117, 118)	—	—	—	—	—	4	—	—	—	—
(32)	Hernia, intestinal obstruction (122)	1	—	—	1	—	3	—	1	2	—
(33)	Nephritis (130-132)	1	—	—	5	—	43	3	11	1	3
(34)	Other diseases of the urinary and genital systems (133-139)	1	1	—	—	1	9	—	3	—	1
(35)	Puerperal infection (140, 147)	—	—	—	—	—	2	—	—	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	—	—	—	2	—	1	—	—
(38)	Congenital malformations (157)	—	—	—	2	—	9	—	1	—	—
(38)	Congenital debility (158)	—	—	—	—	—	—	—	—	—	—
(38)	Premature birth (159)	1	1	—	1	—	12	2	1	—	—
(39)	Senility (162)	—	—	—	—	—	—	—	1	—	—
(40)	Suicide (163, 164)	—	—	—	1	1	6	—	5	—	—
(41)	Homicide (165-168)	—	—	—	—	—	—	—	1	—	—
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	—	1	2	7	3	26	6	12	1	—
(42)	Railroad and automobile collisions (170a)	—	—	—	—	—	—	—	—	—	—
(42)	Street car and automobile collisions (170b)	—	—	—	—	—	—	—	—	—	—
(42)	Automobile accidents and injuries (170c)	—	1	1	4	1	4	2	4	—	—
(43)	Railroad accidents and injuries (169)	—	—	—	—	—	—	—	—	—	—
(43)	Street car and other road-transport accidents (171)	—	—	—	—	—	1	—	—	—	—
(43)	Burns (conflagration excepted) (181)	—	—	—	—	—	1	—	—	—	—
(43)	Accidental drowning (183)	—	—	—	—	—	2	3	—	—	—
(43)	Accidental injury by fall (186a)	—	—	1	2	1	14	1	7	—	—
(43)	All others	—	—	1	—	—	3	—	1	1	—
	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	3	1	—	5	—	32	1	13	1	3
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	—	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Millford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
(1)	245	142	3	25	151	78	26	24	187	2	54	79	4	1		35	56	170	123
(3)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	2	-	1	10	2	-	1	4	-	1	1	-	-	-	-	-	3	2
(7)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	1	3	-	1	1	1	-	-	-	-	1	-	-	-	-	1	1	-	2
(10)	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	41	17	1	3	14	13	1	6	27	-	7	10	-	-	-	5	5	24	14
(17)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	10	2	-	-	4	-	2	-	5	-	1	1	-	-	-	2	1	3	3
(19)	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-
(20)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	12	8	1	3	12	3	-	1	19	-	2	6	1	1	-	4	7	16	21
(24)	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	31	26	-	1	13	9	8	3	18	-	6	7	-	-	-	8	8	21	18
(24)	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
(24)	55	24	1	8	37	19	3	3	39	-	15	22	1	-	-	8	14	41	17
(25)	3	7	-	-	3	-	1	-	5	-	-	2	-	-	-	-	4	1	2
(26)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(27)	11	4	-	1	8	2	-	4	11	-	-	1	-	-	-	2	4	4	3
(27)	4	2	-	1	3	1	-	-	4	-	-	-	-	-	-	1	-	1	1
(27)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
(28)	1	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	1	-	-
(29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(30)	2	-	-	-	3	1	-	-	3	-	-	-	-	-	-	-	-	3	2
(31)	5	1	-	-	1	1	-	-	5	-	1	-	-	-	-	-	-	-	-
(32)	4	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	3
(32)	2	3	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	2	2
(33)	17	15	-	1	8	6	1	13	-	-	7	11	-	-	-	1	4	10	6
(34)	5	4	-	-	-	1	-	1	4	-	1	3	-	-	-	-	-	1	1
(35)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
(36)	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(38)	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2
(38)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(38)	3	7	-	-	1	4	2	-	1	-	-	-	-	-	-	-	-	7	1
(39)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	4	2	-	1	-	-	1	1	3	-	2	-	-	-	-	1	-	1	2
(41)	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	9	5	-	-	12	2	3	2	12	-	6	10	1	-	-	-	-	13	11
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	4	1	-	-	2	-	1	1	5	-	-	3	-	-	-	-	-	2	-
(43)	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	3	1
(43)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(43)	4	2	-	-	5	2	-	-	5	-	4	5	1	-	-	-	-	6	8
(43)	1	1	-	-	3	-	2	1	-	-	-	-	-	-	-	-	-	1	2
(44)	14	5	-	-	12	5	3	-	7	2	3	3	1	-	-	2	3	11	7

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM										
		CAUSE OF DEATH. ¹										
		New Ashford	NEW BEDFORD.	New Braintree.	New Marlborough	New Salem.	Newbury.	NEWBURYPORT.	NEWTON.	Norfolk.	NORTH ADAMS.	
	All Causes. ²	2	1,327	7	15	9	20	195	790	10	282	
(1)	Typhoid and paratyphoid fevers (1, 2)	-	-	-	-	-	-	-	-	-	-	
(3)	Scarlet-fever (8)	-	1	-	-	-	-	-	1	-	-	
(4)	Whooping cough (9)	-	2	-	-	-	-	-	-	-	1	
(5)	Diphtheria (10)	-	-	-	-	-	-	-	-	-	-	
(6)	Tuberculosis of the respiratory system (13)	-	55	-	-	-	-	7	21	-	6	
(7)	Tuberculosis of the meninges and central nervous system (14)	-	1	-	-	-	-	-	2	-	-	
(7)	All other forms of tuberculosis (15-22)	-	2	-	-	-	-	-	-	-	-	
(8)	Malaria (28)	-	-	-	-	-	-	-	-	-	-	
(9)	Syphilis (30)	-	12	-	-	-	-	-	2	-	1	
(10)	Influenza (33)	-	8	-	-	-	-	1	1	-	-	
(11)	Smallpox (34)	-	-	-	-	-	-	-	-	-	-	
(12)	Measles (35)	-	-	-	-	-	-	-	-	-	-	
(14)	Cerebrospinal (meningococcus) meningitis (6)	-	-	-	-	-	-	-	-	-	-	
(14)	Erysipelas (11)	-	-	-	-	-	-	-	-	-	-	
(14)	Acute poliomyelitis and acute polioencephalitis (36)	-	-	-	-	-	-	-	-	-	-	
(15)	Cancer and other malignant tumors (45-55)	-	166	1	4	1	1	36	108	4	40	
(17)	Chronic rheumatism and gout (59, 60)	-	1	-	-	-	-	-	-	-	-	
(18)	Diabetes mellitus (61)	-	44	-	1	-	1	5	27	-	15	
(19)	Chronic or acute alcoholism (77)	-	1	-	-	-	-	-	-	-	-	
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	-	1	-	-	-	-	-	1	-	1	
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	135	1	1	-	3	12	87	-	19	
(24)	Acute endocarditis (91)	-	3	-	-	-	-	-	2	-	-	
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	158	2	-	1	4	24	95	1	27	
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	-	5	-	-	-	-	1	10	-	1	
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	-	282	1	3	3	3	46	182	2	77	
(25)	Arteriosclerosis (97)	-	36	-	-	-	1	1	10	1	2	
(26)	Bronchitis (106)	-	2	-	-	-	-	-	2	-	1	
(27)	Bronchopneumonia (including capillary bronchitis) (107)	-	61	-	-	1	1	13	27	-	8	
(27)	Lobar pneumonia (108)	-	12	-	1	-	-	1	12	-	-	
(27)	Pneumonia (unspecified) (109)	-	-	-	-	-	-	-	-	-	-	
(28)	Other diseases of the respiratory system (104, 105, 110-114)	-	11	-	-	-	-	-	3	-	1	
(29)	Diarrhea and enteritis (under 2 years of age) (119)	-	4	-	-	-	-	-	-	-	-	
(30)	Appendicitis (121)	-	8	-	-	-	-	-	10	-	4	
(31)	Cirrhosis of the liver (124)	-	13	-	-	-	-	1	8	-	3	
(32)	Diseases of the stomach (117, 118)	-	7	1	-	1	-	2	10	-	-	
(32)	Hernia, intestinal obstruction (122)	-	5	-	-	-	-	3	5	-	2	
(33)	Nephritis (130-132)	-	81	-	-	-	2	13	39	-	33	
(34)	Other diseases of the urinary and genital systems (133-139)	-	10	-	1	-	-	-	10	1	2	
(35)	Puerperal infection (140, 147)	-	3	-	-	-	-	1	1	-	-	
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	-	5	-	-	-	-	-	2	-	-	
(38)	Congenital malformations (157)	-	13	-	-	-	-	1	4	-	-	
(38)	Congenital debility (158)	-	7	-	-	-	-	-	-	-	-	
(38)	Premature birth (159)	-	18	-	-	-	-	4	9	-	4	
(39)	Senility (162)	-	-	-	-	-	-	1	1	-	-	
(40)	Suicide (163, 164)	-	16	-	2	-	-	1	12	-	5	
(41)	Homicide (165-168)	-	3	-	-	-	-	-	-	-	-	
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	-	55	-	1	-	2	9	36	1	18	
(42)	Railroad and automobile collisions (170a)	-	-	-	-	-	-	-	-	-	-	
(42)	Street car and automobile collisions (170b)	-	-	-	-	-	-	-	-	-	-	
(42)	Automobile accidents and injuries (170c)	-	14	-	1	-	-	1	9	-	8	
(43)	Railroad accidents and injuries (169)	-	-	-	-	-	-	-	-	1	-	
(43)	Street car and other road-transport accidents (171)	-	-	-	-	-	-	-	-	-	-	
(43)	Burns (conflagration excepted) (181)	-	1	-	-	-	-	-	3	-	-	
(43)	Accidental drowning (183)	-	6	-	-	-	1	-	1	-	-	
(43)	Accidental injury by fall (186a)	-	22	-	-	-	-	7	15	-	7	
(43)	All others	-	12	-	-	-	1	1	8	-	3	
	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	-	79	1	1	2	2	10	49	-	11	
(44)	Cause of death not specified or ill-defined (199, 200)	-	1	-	-	-	-	1	1	-	-	

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
(1)	99	153	37	22	279	25	108	26	38	19	142	32	7	75	26	6	44	89	7
(3)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	1	1	1	1	10	-	3	2	-	-	4	-	-	2	1	-	-	1	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(10)	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	17	16	3	1	37	1	15	3	4	6	18	4	1	7	7	-	7	11	-
(17)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(18)	7	8	3	-	13	1	3	1	2	-	4	4	-	3	1	-	3	3	-
(19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(20)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	9	25	2	3	31	5	13	4	3	2	15	1	-	16	1	1	6	9	-
(24)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-
(24)	7	16	-	3	28	2	12	4	5	5	26	2	-	3	5	-	4	7	1
(24)	2	3	-	-	3	-	-	-	1	-	1	-	-	-	-	-	3	-	-
(24)	19	33	15	5	73	12	15	5	14	2	22	9	2	19	4	1	5	20	3
(25)	1	4	-	1	5	1	3	1	-	-	1	-	-	1	1	-	-	1	1
(26)	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(27)	2	2	-	1	6	-	3	1	1	-	5	1	-	1	2	1	2	1	-
(27)	1	-	-	-	2	-	4	1	-	-	1	-	-	-	-	-	-	-	-
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	3	1	-	-	2	-	2	-	-	-	1	-	-	1	-	-	-	1	-
(29)	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(30)	-	-	-	-	2	-	-	-	1	-	2	1	-	1	-	-	-	3	-
(31)	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-
(32)	1	1	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	1	-
(32)	1	1	-	-	-	-	1	-	1	1	1	1	-	1	-	-	-	1	-
(33)	9	16	4	1	17	1	11	-	1	1	3	2	3	7	1	2	7	14	-
(34)	1	1	-	-	-	-	2	1	1	-	1	-	-	1	-	-	1	1	-
(35)	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(38)	1	1	-	-	2	-	-	-	-	-	1	-	-	2	-	-	-	1	-
(38)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(38)	3	3	-	1	3	-	3	-	-	-	4	1	-	1	-	-	2	2	1
(39)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	-	2	-	-	1	-	5	-	-	-	4	-	-	-	-	-	-	2	-
(41)	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(42)	5	9	4	2	17	-	3	1	1	1	11	3	1	2	1	-	3	4	1
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	1	2	-	-	4	-	-	1	-	1	5	-	-	-	1	-	2	2	-
(43)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1
(43)	2	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	2	2	1	-	10	-	1	-	-	-	2	1	1	2	-	-	1	1	-
(43)	2	2	-	2	1	-	2	-	1	-	1	2	-	-	-	-	-	-	-
(44)	2	6	4	-	18	1	7	2	1	1	12	3	-	4	1	-	-	1	-
(44)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM									
		CAUSE OF DEATH. ¹									
		PEABODY.	PELHAM.	PEMBROKE.	PEPPERELL.	PERU.	PETERSHAM.	PHILLIPSTON.	PITTSFIELD.	PLAINFIELD.	PLAINVILLE.
	All Causes. ²	219	3	20	27	2	8	7	550	4	19
(1)	Typhoid and paratyphoid fevers (1, 2)	1	—	—	—	—	—	—	—	—	—
(3)	Scarlet-fever (8)	—	—	—	—	—	—	—	—	—	—
(4)	Whooping cough (9)	—	—	—	—	—	—	—	—	—	—
(5)	Diphtheria (10)	—	—	—	—	—	—	—	—	—	—
(6)	Tuberculosis of the respiratory system (13)	6	—	—	—	—	—	—	13	—	—
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	—	—	—	—	—
(7)	All other forms of tuberculosis (15-22)	—	—	—	—	—	—	—	1	—	—
(8)	Malaria (28)	—	—	—	—	—	—	—	—	—	—
(9)	Syphilis (30)	1	—	—	—	—	—	—	5	—	—
(10)	Influenza (33)	—	—	—	—	—	—	—	1	—	—
(11)	Smallpox (34)	—	—	—	—	—	—	—	—	—	—
(12)	Measles (35)	—	—	—	—	—	—	—	—	—	—
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	—	—	—	—
(14)	Erysipelas (11)	—	—	—	—	—	—	—	—	—	—
(14)	Acute poliomyelitis and acute poliomyelitis (36)	—	—	—	—	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	28	1	1	2	—	2	—	76	—	3
(17)	Chronic rheumatism and gout (59, 60)	—	—	—	—	—	—	—	—	—	—
(18)	Diabetes mellitus (61)	6	—	—	1	—	—	—	25	—	1
(19)	Chronic or acute alcoholism (77)	—	—	—	—	—	—	—	3	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	—	—	—	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	23	—	4	7	—	1	1	37	1	2
(24)	Acute endocarditis (91)	1	—	—	—	—	—	—	2	—	—
(24)	Diseases of the coronary arteries and angina pectoris (94)	23	1	5	2	1	1	—	50	—	4
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 93b)	2	—	—	1	—	—	—	1	—	—
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, e)	58	—	7	4	1	4	2	130	2	5
(25)	Arteriosclerosis (97)	3	—	—	1	—	—	1	9	—	—
(26)	Bronchitis (106)	—	—	—	3	—	—	—	1	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	5	—	—	—	—	—	2	14	—	1
(27)	Lobar pneumonia (108)	2	—	1	—	—	—	—	7	—	—
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	—	—	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	3	—	—	1	—	—	—	3	—	—
(29)	Diarrhea and enteritis (under 2 years of age) (119)	2	—	—	—	—	—	—	1	—	—
(30)	Appendicitis (121)	1	1	—	—	—	—	—	7	—	—
(31)	Cirrhosis of the liver (124)	1	—	—	—	—	—	—	2	—	—
(32)	Diseases of the stomach (117, 118)	3	—	—	—	—	—	—	7	—	—
(32)	Hernia, intestinal obstruction (122)	3	—	—	—	—	—	—	4	—	—
(33)	Nephritis (130-132)	11	—	—	—	—	—	1	41	—	2
(34)	Other diseases of the urinary and genital systems (133-139)	1	—	—	2	—	—	—	10	—	—
(35)	Puerperal infection (140, 147)	1	—	—	—	—	—	—	1	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	1	—	—	—	—	—	—	3	—	—
(38)	Congenital malformations (157)	3	—	—	—	—	—	—	5	—	—
(38)	Congenital debility (158)	—	—	—	—	—	—	—	—	—	—
(38)	Premature birth (159)	2	—	—	—	—	—	—	7	—	—
(39)	Senility (162)	—	—	—	—	—	—	—	3	—	—
(40)	Suicide (163, 164)	2	—	—	2	—	—	—	7	—	—
(41)	Homicide (165-168)	—	—	—	—	—	—	—	—	—	—
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	12	—	1	—	—	—	—	42	1	1
(42)	Railroad and automobile collisions (170a)	—	—	—	—	—	—	—	—	—	—
(42)	Street car and automobile collisions (170b)	—	—	—	—	—	—	—	—	—	—
(42)	Automobile accidents and injuries (170c)	4	—	—	—	—	—	—	12	—	—
(43)	Railroad accidents and injuries (169)	—	—	—	—	—	—	—	2	—	—
(43)	Street car and other road-transport accidents (171)	—	—	—	—	—	—	—	1	—	—
(43)	Burns (conflagration excepted) (181)	3	—	—	—	—	—	—	—	—	—
(43)	Accidental drowning (183)	1	—	—	—	—	—	—	6	—	1
(43)	Accidental injury by fall (186a)	3	—	—	—	—	—	—	15	1	—
(43)	All others	1	—	1	—	—	—	—	6	—	—
	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	14	—	1	1	—	—	—	32	—	—
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	—	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	Plymouth.	Plympton.	Princeton.	Provincetown.	QUINCY.	Randolph.	Raynham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
(1)	155	4	9	50	737	108	23	163	28	341	3	17	96	58	6	23	9	13
(3)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	2	-	-	-	25	4	-	-	-	11	-	-	1	4	-	1	-	-
(7)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	3	-	-	-	-	-	-	-	1	3	-	-	-	-
(10)	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	30	-	-	10	108	18	4	32	4	38	-	5	21	5	3	2	1	2
(17)	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-
(18)	5	-	1	3	17	8	1	5	1	11	-	1	-	1	-	1	-	1
(19)	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
(20)	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
(22)	18	-	-	7	75	6	4	18	2	27	-	-	7	4	-	2	-	1
(24)	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-
(24)	22	-	-	3	89	10	2	21	2	36	-	3	9	7	2	2	-	3
(24)	3	-	-	-	7	-	-	2	1	4	-	-	-	-	-	-	-	-
(24)	23	3	3	10	153	29	6	30	7	90	2	3	23	16	1	12	6	2
(25)	4	-	-	1	14	1	2	4	1	5	-	-	10	1	-	-	-	-
(26)	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	1
(27)	6	-	-	-	28	5	1	2	1	10	-	1	-	1	-	-	1	-
(27)	-	-	-	-	25	5	-	1	2	5	-	-	-	1	-	-	-	1
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	1	-	-	-	6	-	-	1	-	2	-	-	-	1	-	-	-	-
(29)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1
(30)	2	-	-	1	6	-	-	1	-	3	-	-	1	1	-	-	-	-
(31)	2	-	-	1	9	-	-	1	-	7	1	-	-	-	-	-	-	-
(32)	2	1	-	-	7	1	-	3	-	2	-	-	-	-	-	1	-	-
(32)	-	-	-	-	3	-	1	1	1	1	-	-	-	-	-	-	-	-
(33)	13	-	2	3	41	3	-	9	2	15	-	1	10	6	-	-	-	-
(34)	1	-	-	-	7	3	-	2	2	4	-	-	1	-	-	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(36)	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-
(38)	1	-	1	1	5	1	-	1	-	5	-	-	-	1	-	-	-	-
(38)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(38)	1	-	1	2	9	1	-	2	-	8	-	-	3	-	-	-	-	-
(39)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	2	-	-	1	10	1	-	3	1	4	-	-	1	1	-	-	-	1
(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	6	-	1	7	36	4	-	10	-	24	-	3	5	2	-	1	1	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	5	1	-	3	-	6	-	2	1	-	-	-	-	-
(43)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(43)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	1	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-
(43)	1	-	-	1	3	-	-	1	-	1	-	-	1	-	-	-	-	-
(43)	2	-	1	5	17	1	-	4	-	8	-	1	1	-	-	1	1	-
(43)	1	-	-	1	10	2	-	1	-	7	-	-	1	2	-	-	-	-
(44)	9	-	-	-	38	6	2	10	-	19	-	-	2	2	-	-	-	-
(44)	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM									
		CAUSE OF DEATH. ¹									
		Rutland	SALEM.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
	All Causes.²	25	501	36	3	27	166	2	51	52	42
(1)	Typhoid and paratyphoid fevers (1, 2)	-	-	-	-	-	-	-	-	-	-
(3)	Scarlet-fever (8)	-	-	-	-	-	-	-	-	-	-
(4)	Whooping cough (9)	-	-	-	-	-	1	-	-	-	-
(5)	Diphtheria (10)	-	-	-	-	-	1	-	-	-	-
(6)	Tuberculosis of the respiratory system (13)	10	10	1	-	2	-	-	-	2	-
(7)	Tuberculosis of the meninges and central nervous system (14)	-	1	-	-	-	-	-	-	-	-
(7)	All other forms of tuberculosis (15-22)	-	-	-	-	-	-	-	-	1	-
(8)	Malaria (28)	-	-	-	-	-	-	-	-	-	-
(9)	Syphilis (30)	1	2	-	-	-	-	-	-	-	-
(10)	Influenza (33)	-	1	-	-	-	-	-	-	1	-
(11)	Smallpox (34)	-	-	-	-	-	-	-	-	-	-
(12)	Measles (35)	-	1	-	-	-	-	-	-	-	-
(14)	Cerebrospinal (meningococcus) meningitis (6)	-	-	-	-	-	-	-	-	-	-
(14)	Erysipelas (11)	-	-	-	-	-	-	-	-	-	-
(14)	Acute poliomyelitis and acute polioencephalitis (36)	-	-	-	-	-	-	-	-	-	-
(15)	Cancer and other malignant tumors (45-55)	3	67	7	1	6	25	-	10	4	8
(17)	Chronic rheumatism and gout (59, 60)	-	-	-	-	-	-	-	-	-	-
(18)	Diabetes mellitus (61)	-	16	2	-	-	5	-	1	1	2
(19)	Chronic or acute alcoholism (77)	-	-	-	-	-	1	-	-	-	-
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	-	-	-	-	-	-	-	-	-	-
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	59	1	-	2	22	-	5	3	5
(24)	Acute endocarditis (91)	-	2	-	-	-	1	-	-	-	-
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	62	6	-	2	29	1	7	4	5
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	-	2	1	-	-	-	-	-	-	-
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	3	126	8	2	5	37	-	10	16	4
(25)	Arteriosclerosis (97)	-	10	1	-	-	5	-	4	-	-
(26)	Bronchitis (106)	-	2	-	-	-	1	1	-	1	-
(27)	Bronchopneumonia (including capillary bronchitis) (107)	-	22	1	-	4	-	2	1	2	-
(27)	Lobar pneumonia (108)	1	7	1	-	4	-	1	2	-	-
(27)	Pneumonia (unspecified) (109)	-	-	-	-	1	-	-	-	-	1
(28)	Other diseases of the respiratory system (104, 105, 110-114)	-	3	-	-	-	-	-	-	-	-
(29)	Diarrhea and enteritis (under 2 years of age) (119)	-	-	-	-	-	-	-	-	-	1
(30)	Appendicitis (121)	-	10	-	-	-	1	-	-	1	1
(31)	Cirrhosis of the liver (124)	-	6	-	-	-	2	-	1	1	-
(32)	Diseases of the stomach (117, 118)	-	4	1	-	-	-	-	-	-	-
(32)	Hernia, intestinal obstruction (122)	-	3	1	-	-	3	-	-	1	2
(33)	Nephritis (130-132)	3	14	2	-	4	5	-	1	5	2
(34)	Other diseases of the urinary and genital systems (133-139)	-	7	1	-	-	1	-	1	-	3
(35)	Puerperal infection (140, 147)	-	-	-	-	-	-	-	-	-	-
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	-	1	-	-	-	-	-	-	-	-
(38)	Congenital malformations (157)	-	1	-	-	-	1	-	-	1	-
(38)	Congenital debility (158)	-	-	-	-	-	-	-	-	-	-
(38)	Premature birth (159)	-	2	-	-	1	1	-	-	-	-
(39)	Senility (162)	-	-	-	-	-	-	-	-	-	-
(40)	Suicide (163, 164)	-	2	-	-	1	3	-	2	3	-
(41)	Homicide (165-168)	-	-	-	-	-	-	-	-	1	-
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	1	28	1	-	3	5	-	3	-	4
(42)	Railroad and automobile collisions (170a)	-	-	-	-	-	-	-	-	-	-
(42)	Street car and automobile collisions (170b)	-	-	-	-	-	-	-	-	-	-
(42)	Automobile accidents and injuries (170c)	-	6	-	-	-	1	-	1	-	3
(43)	Railroad accidents and injuries (169)	-	-	-	-	-	-	-	-	-	-
(43)	Street car and other road-transport accidents (171)	-	-	-	-	-	-	-	-	-	-
(43)	Burns (conflagration excepted) (181)	-	2	-	-	-	1	-	-	-	-
(43)	Accidental drowning (183)	-	1	1	-	1	-	-	-	-	-
(43)	Accidental injury by fall (186a)	1	17	-	-	1	1	-	1	-	-
(43)	All others	-	2	-	-	1	2	-	1	-	1
(44)	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	1	28	1	-	1	7	-	3	3	2
(44)	Cause of death not specified or ill-defined (199, 200)	-	2	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	Sheffield.	Shelburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
(1)	25	21	8	30	95	1	68	1,142	62	8	30	158	27	89	1,674	24	26	84	85
(3)	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
(4)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	1	1	-	6	33	1	-	1	1	-	2	42	-	-	1	5
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
(8)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	7	-	-	-	-	-	1	17	-	-	-	1
(10)	-	-	-	-	-	-	-	6	-	-	-	1	-	1	4	-	-	-	1
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(14)	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	6	6	1	3	9	-	12	173	10	-	3	25	3	6	238	2	4	17	9
(17)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
(18)	1	-	1	1	1	-	3	37	1	-	2	6	-	2	46	-	-	1	2
(19)	-	-	-	-	-	-	-	2	-	-	-	-	-	-	6	-	-	-	-
(20)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-
(22)	1	2	-	3	10	-	5	118	10	2	-	15	1	7	152	5	3	6	4
(24)	-	-	-	1	-	-	-	-	1	-	-	2	-	1	6	-	-	-	-
(24)	5	3	-	3	10	-	2	96	4	-	4	14	3	10	277	3	5	7	10
(24)	-	-	-	-	1	-	-	9	2	-	-	-	-	3	11	-	-	1	-
(24)	4	3	3	9	31	1	15	269	14	4	11	36	14	30	358	6	2	23	21
(25)	-	1	-	-	2	-	-	22	1	-	1	1	-	-	21	-	-	1	3
(26)	-	-	-	-	-	-	-	4	-	-	-	1	-	-	7	-	-	-	-
(27)	2	-	1	-	5	-	2	23	-	-	-	3	-	4	52	-	2	2	4
(27)	-	-	1	3	3	-	1	17	1	1	1	6	-	-	24	1	-	2	1
(27)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1
(28)	-	-	-	-	1	-	-	7	-	-	-	1	-	1	5	-	-	-	-
(29)	-	-	-	-	-	-	1	4	-	-	-	-	-	-	5	-	-	-	-
(30)	-	1	-	1	-	-	-	21	2	-	-	-	-	1	18	-	2	1	-
(31)	-	1	-	-	1	-	1	11	1	-	-	3	-	1	10	-	-	1	-
(32)	-	-	-	-	-	-	-	9	-	-	-	-	-	1	15	-	-	1	-
(32)	-	-	-	-	1	-	1	16	1	-	-	1	1	-	5	-	-	1	1
(33)	-	3	-	2	4	-	7	75	2	1	3	12	-	3	111	2	4	7	8
(34)	-	1	-	-	1	-	-	9	2	-	-	-	-	2	15	-	-	1	1
(35)	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2	-	1	-	-
(36)	-	-	-	-	1	-	-	3	-	-	-	-	1	-	4	-	-	-	-
(38)	-	-	-	-	-	-	1	10	-	-	-	1	-	2	9	1	-	-	3
(38)	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
(38)	-	-	-	-	-	-	4	20	3	-	-	6	-	2	21	-	-	3	3
(39)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(40)	-	-	-	1	1	-	2	12	1	-	-	2	1	3	17	-	-	-	1
(41)	-	-	-	-	1	-	-	-	-	-	-	-	1	-	3	-	-	-	1
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	4	-	-	1	3	-	3	49	1	-	2	11	1	1	81	-	2	3	1
(42)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	2	-	-	-	-	-	2	10	-	-	1	3	-	-	16	-	1	1	1
(43)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	4	1	-	1	1	-	-	4	-	-	-	-
(43)	1	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	1	-	-	-	2	-	1	22	-	-	-	5	-	1	37	-	1	1	-
(43)	-	-	-	-	1	-	-	10	-	-	-	1	-	-	14	-	-	-	-
(44)	2	-	1	1	7	-	2	64	3	-	2	10	1	5	84	4	1	5	3

² Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM										
		CAUSE OF DEATH. ¹										
		Slow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	TAUNTON.	Templeton.	Tewksbury.	
	All Causes. ²	18	26	19	16	23	122	60	440	51	39	
(1)	Typhoid and paratyphoid fevers (1, 2)	—	—	—	—	—	—	—	—	—	—	—
(3)	Scarlet-fever (8)	—	—	—	—	—	—	1	—	—	—	—
(4)	Whooping cough (9)	—	—	—	—	—	—	—	—	—	—	—
(5)	Diphtheria (10)	—	—	—	—	—	—	—	—	—	—	—
(6)	Tuberculosis of the respiratory system (13)	—	—	—	2	—	2	2	15	1	1	—
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	—	—	—	—	—	—
(7)	All other forms of tuberculosis (15-22)	—	—	—	—	1	—	—	2	1	—	—
(8)	Malaria (28)	—	—	—	—	—	—	—	—	—	—	—
(9)	Syphilis (30)	—	—	—	—	—	1	—	2	—	—	—
(10)	Influenza (33)	—	—	—	—	—	—	—	3	—	1	—
(11)	Smallpox (34)	—	—	—	—	—	—	—	—	—	—	—
(12)	Measles (35)	—	—	—	—	—	—	—	—	—	—	—
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	—	1	—	—	—
(14)	Erysipelas (11)	—	—	—	—	—	—	—	1	—	—	—
(14)	Acute poliomyelitis and acute polioencephalitis (36)	—	—	—	—	—	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	1	3	3	2	2	21	6	57	3	—	—
(17)	Chronic rheumatism and gout (59, 60)	—	—	—	—	—	—	1	—	—	—	—
(18)	Diabetes mellitus (61)	1	1	—	—	1	6	4	17	3	3	—
(19)	Chronic or acute alcoholism (77)	—	—	—	—	—	—	—	2	—	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	—	—	—	—	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	2	—	1	2	12	6	45	5	—	—
(24)	Acute endocarditis (91)	—	—	1	—	—	—	—	1	—	—	—
(24)	Diseases of the coronary arteries and angina pectoris (94)	5	6	4	3	2	12	3	30	4	—	—
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	—	1	—	—	—	1	3	2	1	—	—
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	3	6	1	2	6	32	16	123	9	13	—
(25)	Arteriosclerosis (97)	1	—	—	—	—	4	1	19	—	2	—
(26)	Bronchitis (106)	—	—	—	—	—	—	—	—	—	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	—	—	—	—	—	4	3	12	2	3	—
(27)	Lobar pneumonia (108)	—	—	3	—	1	1	—	10	2	3	—
(27)	Pneumonia (unspecified) (109)	—	1	—	—	—	—	—	—	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	—	—	1	—	1	—	1	1	1	—	—
(29)	Diarrhea and enteritis (under 2 years of age) (119)	—	—	—	—	—	—	—	—	3	—	—
(30)	Appendicitis (121)	—	—	—	1	1	2	—	2	1	—	—
(31)	Cirrhosis of the liver (124)	—	—	—	—	—	3	—	—	—	—	—
(32)	Diseases of the stomach (117, 118)	1	—	—	—	—	1	—	4	—	—	—
(32)	Hernia, intestinal obstruction (122)	1	—	—	1	1	—	1	2	2	—	—
(33)	Nephritis (130-132)	1	2	—	2	1	4	4	29	6	5	—
(34)	Other diseases of the urinary and genital systems (133-139)	1	1	—	—	—	1	3	2	—	2	—
(35)	Puerperal infection (140, 147)	1	1	—	—	—	—	—	—	—	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	—	1	—	—	—	2	—	—	—
(38)	Congenital malformations (157)	—	—	—	—	—	1	—	2	—	—	—
(38)	Congenital debility (158)	—	—	—	—	—	—	—	—	—	—	—
(38)	Premature birth (159)	—	1	—	—	1	—	—	7	—	—	—
(39)	Senility (162)	—	—	—	—	1	1	—	—	—	—	—
(40)	Suicide (163, 164)	1	—	1	—	1	1	—	2	—	—	—
(41)	Homicide (165-168)	—	—	—	—	—	—	—	—	—	—	—
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	—	2	4	—	1	4	2	20	4	4	—
(42)	Railroad and automobile collisions (170a)	—	—	—	—	—	—	—	—	—	—	—
(42)	Street car and automobile collisions (170b)	—	—	—	—	—	—	—	—	—	—	—
(42)	Automobile accidents and injuries (170c)	—	1	1	—	—	—	—	6	1	1	—
(43)	Railroad accidents and injuries (169)	—	—	—	—	—	—	—	—	—	1	—
(43)	Street car and other road-transport accidents (171)	—	—	1	—	—	—	—	—	—	—	—
(43)	Burns (conflagration excepted) (181)	—	—	—	—	—	—	—	1	—	—	—
(43)	Accidental drowning (183)	—	1	—	—	—	—	—	1	—	—	—
(43)	Accidental injury by fall (186a)	—	—	1	—	1	2	1	9	3	1	—
(43)	All others	—	—	1	—	—	2	1	3	—	1	—
	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	2	—	—	1	—	8	3	25	3	2	—
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	—	—	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Turo.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.
(1)	-	14	1	17	34	10	23	2	31	89	145	9	67	417	81	94	39	8	3
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	1	5	-	2	8	1	1	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	12	1	5	1	-	-
(10)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	-	-	2	-	3	1	3	1	-	12	18	-	9	63	13	13	7	2	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	-	-	-	-	2	1	-	-	2	8	1	2	13	1	5	-	-	-
(19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(20)	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
(22)	-	2	-	2	2	-	3	-	4	10	12	-	5	37	5	10	4	1	-
(24)	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
(24)	-	-	-	2	3	1	2	-	5	9	18	-	5	49	10	9	3	-	-
(24)	-	-	-	-	1	-	-	-	1	1	1	-	-	2	-	2	-	-	-
(24)	-	2	1	3	11	1	4	-	10	20	33	4	12	86	9	20	10	2	-
(25)	-	-	1	1	1	-	1	-	2	1	5	-	-	3	4	1	-	1	-
(26)	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
(27)	-	-	-	-	2	1	-	-	1	2	2	-	1	21	1	1	-	-	-
(27)	-	-	-	1	1	-	3	-	-	3	1	-	2	10	2	-	2	-	-
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(28)	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-
(29)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(30)	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-
(31)	-	-	-	-	-	-	-	-	-	-	1	-	1	5	-	1	-	-	-
(32)	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	-	-	-
(32)	-	-	-	-	1	-	-	-	-	-	2	-	1	5	1	-	1	-	1
(33)	-	2	-	-	-	2	1	-	4	8	10	1	6	30	14	4	5	1	-
(34)	-	-	-	-	-	-	-	-	-	2	1	1	1	4	2	-	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)	-	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-
(38)	-	-	-	-	-	-	-	-	-	1	-	-	1	8	1	-	-	1	-
(38)	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
(38)	-	-	-	-	-	-	-	-	-	-	3	-	2	8	-	2	1	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
(40)	-	1	-	1	1	-	1	-	-	3	2	-	2	2	2	1	2	-	1
(41)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	3	-	2	-	2	-	-	2	10	10	-	7	21	6	14	-	-	-
(42)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	2	-	1	-	-	-	2	1	-	3	3	1	8	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-	-	-
(43)	-	1	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-
(43)	-	2	-	-	-	-	-	-	1	3	2	-	1	3	2	1	-	-	-
(43)	-	-	-	-	-	-	-	-	1	1	7	-	3	12	2	1	-	-	-
(44)	-	-	-	2	3	-	3	-	1	1	7	1	4	19	4	2	-	-	-
(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

2 Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM										
		CAUSE OF DEATH. ¹										
		Watertown.	Wayland.	Webster.	Wellesley.	Wellesley.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.	
	All Causes. ²	328	45	115	123	15	2	8	26	32	30	
(1)	Typhoid and paratyphoid fevers (1, 2)	—	—	—	—	—	—	—	—	—	—	
(3)	Scarlet-fever (8)	—	—	—	—	—	—	—	—	—	—	
(4)	Whooping cough (9)	—	—	—	—	—	—	—	—	—	—	
(5)	Diphtheria (10)	—	—	—	—	—	—	—	—	—	—	
(6)	Tuberculosis of the respiratory system (13)	7	—	3	2	—	—	—	—	—	—	
(7)	Tuberculosis of the meninges and central nervous system (14)	1	—	—	—	—	—	—	—	—	—	
(7)	All other forms of tuberculosis (15-22)	—	—	—	—	1	—	—	—	—	—	
(8)	Malaria (28)	—	—	—	—	—	—	—	—	—	—	
(9)	Syphilis (30)	1	—	1	1	—	—	—	—	—	1	
(10)	Influenza (33)	1	—	2	—	—	—	—	—	1	—	
(11)	Smallpox (34)	—	—	—	—	—	—	—	—	—	—	
(12)	Measles (35)	—	1	1	—	—	—	—	—	—	—	
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	—	—	—	—	
(14)	Erysipelas (11)	—	1	1	—	—	—	—	—	—	—	
(14)	Acute poliomyelitis and acute poliomyelitis (36)	—	—	—	—	—	—	—	—	—	—	
(15)	Cancer and other malignant tumors (45-55)	46	3	25	21	1	—	2	5	2	—	
(17)	Chronic rheumatism and gout (59, 60)	—	—	—	—	—	—	—	—	—	—	
(18)	Diabetes mellitus (61)	13	1	3	3	—	—	—	1	2	1	
(19)	Chronic or acute alcoholism (77)	1	—	—	—	—	—	—	—	—	—	
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	—	—	—	—	—	—	
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	25	6	10	12	2	—	1	2	3	3	
(24)	Acute endocarditis (91)	—	—	—	1	—	—	—	—	—	—	
(24)	Diseases of the coronary arteries and angina pectoris (94)	45	5	18	16	2	1	—	2	7	1	
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	3	—	1	—	—	—	—	—	—	—	
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	76	14	21	25	3	—	2	9	5	10	
(25)	Arteriosclerosis (97)	3	1	1	—	1	—	—	—	1	—	
(26)	Bronchitis (106)	—	—	—	—	—	—	—	—	—	—	
(27)	Bronchopneumonia (including capillary bronchitis) (107)	14	2	2	6	—	—	—	—	—	—	
(27)	Lobar pneumonia (108)	13	1	—	1	—	—	1	—	—	—	
(27)	Pneumonia (unspecified) (109)	1	—	—	2	—	—	—	—	—	—	
(28)	Other diseases of the respiratory system (104, 105, 110-114)	1	1	—	1	—	—	—	—	—	—	
(29)	Diarrhea and enteritis (under 2 years of age) (119)	—	—	—	—	—	—	—	—	—	—	
(30)	Appendicitis (121)	1	—	1	2	—	—	—	—	1	—	
(31)	Cirrhosis of the liver (124)	4	—	2	—	—	—	—	—	1	—	
(32)	Diseases of the stomach (117, 118)	5	—	—	1	—	—	—	—	1	—	
(32)	Hernia, intestinal obstruction (122)	—	1	—	—	—	—	—	—	—	—	
(33)	Nephritis (130-132)	18	1	6	5	3	1	1	5	5	5	
(34)	Other diseases of the urinary and genital systems (133-139)	4	—	1	—	—	—	—	—	2	—	
(35)	Puerperal infection (140, 147)	—	—	—	—	—	—	—	—	—	1	
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	—	—	—	—	—	—	—	—	
(38)	Congenital malformations (157)	—	1	2	—	—	—	—	—	—	1	
(38)	Congenital debility (158)	—	—	—	—	—	—	—	—	—	—	
(38)	Premature birth (159)	2	—	2	1	—	—	—	1	—	—	
(39)	Senility (162)	—	—	—	1	—	—	—	—	1	—	
(40)	Suicide (163, 164)	1	1	3	3	—	—	1	—	—	—	
(41)	Homicide (165-168)	—	—	—	—	—	—	—	—	—	—	
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	18	2	4	9	1	—	—	1	—	1	
(42)	Railroad and automobile collisions (170a)	—	—	—	—	—	—	—	—	—	—	
(42)	Street car and automobile collisions (170b)	—	—	—	—	—	—	—	—	—	—	
(42)	Automobile accidents and injuries (170c)	1	1	1	3	1	—	—	—	—	—	
(43)	Railroad accidents and injuries (169)	—	—	—	—	—	—	—	—	—	—	
(43)	Street car and other road-transport accidents (171)	—	—	—	—	—	—	—	—	—	—	
(43)	Burns (conflagration excepted) (181)	2	—	1	—	—	—	—	—	—	—	
(43)	Accidental drowning (183)	2	—	—	—	—	—	—	—	—	—	
(43)	Accidental injury by fall (186a)	8	1	2	4	—	—	—	1	—	1	
(43)	All others	5	—	—	2	—	—	—	—	—	—	
	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	24	3	4	11	1	—	—	—	—	1	
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	—	—	—	—	

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.	Westborough.	Westfield.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
(1)	25	196	17	5	73	180	49	9	22	34	42	34	271	11	120	31	26	49	62
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	4	-	-	-	4	-	-	1	1	-	-	2	-	2	-	-	-	2
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	3	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-
(10)	-	12	1	-	-	1	-	-	1	1	1	1	-	-	1	1	-	1	2
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	4	33	2	-	15	20	4	2	2	2	4	4	45	1	19	2	2	11	7
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	3	-	-	3	7	1	-	1	1	2	1	11	-	3	3	1	-	3
(19)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(20)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	3	17	5	1	8	11	7	-	2	5	4	2	13	4	12	2	2	5	5
(24)	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
(24)	8	17	-	-	13	17	8	2	3	6	2	7	28	-	11	2	2	6	6
(24)	-	3	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-
(24)	4	45	3	2	19	55	10	4	2	9	18	5	90	4	29	6	8	11	16
(25)	1	1	-	1	-	1	1	-	-	1	-	1	5	-	1	1	2	1	-
(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(27)	-	6	1	-	1	7	1	-	-	3	4	1	6	-	8	-	2	-	1
(27)	-	5	1	-	-	1	1	-	2	1	-	1	-	-	2	-	-	-	-
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	-	-	-
(29)	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-
(30)	-	2	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-
(31)	-	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	3	-
(32)	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	2	1	-
(32)	1	1	-	-	1	1	-	-	1	-	-	-	1	-	1	1	1	2	-
(33)	1	11	-	-	1	13	5	-	5	1	3	2	13	-	3	3	5	5	6
(34)	-	1	-	-	-	3	4	-	-	-	-	1	2	-	2	1	-	-	1
(35)	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
(38)	-	2	1	-	1	-	-	-	-	-	1	-	2	-	-	1	-	1	1
(38)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(38)	-	4	1	-	3	8	1	-	-	1	-	1	7	-	1	-	1	1	-
(39)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	1	4	-	-	-	7	1	-	-	-	-	1	1	-	3	1	-	1	1
(41)	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	1	17	1	-	4	9	2	-	1	-	-	3	19	-	11	2	1	-	1
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	8	-	-	2	3	1	-	1	-	-	1	2	-	2	-	-	-	1
(43)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
(43)	1	5	-	-	1	4	1	-	-	-	-	1	6	-	3	1	1	-	-
(43)	-	3	1	-	-	2	-	-	-	-	-	1	8	-	4	-	-	-	-
(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(44)	-	9	1	-	1	8	2	-	1	1	2	2	9	2	6	2	-	2	4
(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abridged Int. List No.	Table 17	DEATHS FROM IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1940.									
		CAUSE OF DEATH. ¹									
		Winchendon.	Winchester.	Windsor.	Winthrop.	Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.	
	All Causes. ²	69	150	6	210	210	2,282	5	35	33	
(1)	Typhoid and paratyphoid fevers (1, 2)	—	—	—	—	—	—	—	—	—	
(3)	Scarlet-fever (8)	—	—	—	—	—	1	—	—	—	
(4)	Whooping cough (9)	—	—	—	1	—	—	—	—	—	
(5)	Diphtheria (10)	—	—	—	—	—	—	—	—	—	
(6)	Tuberculosis of the respiratory system (13)	—	2	—	6	5	56	—	4	—	
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	4	—	—	—	
(7)	All other forms of tuberculosis (15-22)	—	—	—	—	—	1	—	—	—	
(8)	Malaria (28)	—	—	—	—	—	—	—	—	—	
(9)	Syphilis (30)	—	—	1	2	3	19	—	—	1	
(10)	Influenza (33)	3	2	2	—	2	3	—	—	1	
(11)	Smallpox (34)	—	—	—	—	—	—	—	—	—	
(12)	Measles (35)	—	—	—	—	—	—	—	—	—	
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	1	—	—	—	—	—	
(14)	Erysipelas (11)	—	—	—	—	—	—	—	—	—	
(14)	Acute poliomyelitis and acute polioencephalitis (36)	—	—	—	—	—	1	—	—	—	
(15)	Cancer and other malignant tumors (45-55)	10	31	—	27	27	341	—	4	5	
(17)	Chronic rheumatism and gout (59, 60)	—	—	—	—	1	—	—	—	—	
(18)	Diabetes mellitus (61)	1	6	—	9	3	66	—	1	2	
(19)	Chronic or acute alcoholism (77)	—	—	—	—	—	1	—	—	—	
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	1	—	—	—	—	
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	5	15	—	18	25	185	2	6	3	
(24)	Acute endocarditis (91)	—	—	—	—	—	2	—	—	—	
(24)	Diseases of the coronary arteries and angina pectoris (94)	7	22	—	22	29	203	1	2	7	
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	1	1	—	2	4	18	—	—	—	
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12	28	2	56	44	639	1	7	4	
(25)	Arteriosclerosis (97)	1	—	—	4	3	27	—	1	—	
(26)	Bronchitis (106)	—	—	—	—	—	3	—	—	1	
(27)	Bronchopneumonia (including capillary bronchitis) (107)	5	5	1	4	3	71	1	1	1	
(27)	Lobar pneumonia (108)	1	—	—	2	6	56	—	3	—	
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	—	—	—	—	
(28)	Other diseases of the respiratory system (104, 105, 110-114)	—	1	—	—	2	15	—	—	—	
(29)	Diarrhea and enteritis (under 2 years of age) (119)	—	—	—	—	—	2	—	—	1	
(30)	Appendicitis (121)	2	1	—	3	1	21	—	—	1	
(31)	Cirrhosis of the liver (124)	—	1	—	3	—	8	—	—	—	
(32)	Diseases of the stomach (117, 118)	1	1	—	1	—	11	—	1	1	
(32)	Hernia, intestinal obstruction (122)	—	1	—	1	3	7	—	—	—	
(33)	Nephritis (130-132)	2	11	—	12	9	144	—	3	2	
(34)	Other diseases of the urinary and genital systems (133-139)	1	2	—	3	—	40	—	—	1	
(35)	Puerperal infection (140, 147)	—	—	—	—	2	2	—	—	—	
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	1	—	—	1	—	2	—	—	—	
(38)	Congenital malformations (157)	1	—	—	1	3	21	—	—	—	
(38)	Congenital debility (158)	—	—	—	—	—	1	—	—	—	
(38)	Premature birth (159)	5	2	—	2	2	35	—	—	—	
(39)	Senility (162)	—	—	—	—	—	—	—	—	—	
(40)	Suicide (163, 164)	1	3	—	3	3	21	—	—	1	
(41)	Homicide (165-168)	—	—	—	—	—	3	—	—	—	
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	9	7	—	17	18	152	—	2	1	
(42)	Railroad and automobile collisions (170a)	1	—	—	—	—	—	—	—	—	
(42)	Street car and automobile collisions (170b)	—	—	—	—	—	—	—	—	—	
(42)	Automobile accidents and injuries (170c)	4	1	—	4	7	25	—	1	1	
(43)	Railroad accidents and injuries (169)	1	1	—	—	1	3	—	—	—	
(43)	Street car and other road-transport accidents (171)	—	—	—	—	—	6	—	—	—	
(43)	Burns (conflagration excepted) (181)	1	—	—	2	—	3	—	—	—	
(43)	Accidental drowning (183)	1	1	—	—	2	7	—	—	—	
(43)	Accidental injury by fall (186a)	—	2	—	9	8	74	—	—	—	
(43)	All others	1	2	—	2	—	34	—	1	—	
	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	—	8	—	9	11	100	—	—	—	
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	—	—	—	

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

² Exclusive of stillbirths

TABLE 18 WHICH FOLLOWS HAS BEEN PRE-
PARED FROM THE LIST OF OCCUPATIONS
PUBLISHED BY THE BUREAU OF THE CEN-
SUS AND SHOWS DEATHS FROM IMPORT-
ANT CAUSES BY OCCUPATIONS

Abridged Int. List No.	Table 18 CAUSE OF DEATH. ¹	ALLOCATED DEATHS								
		THE STATE.	Accountants and auditors.	Actors.	Agents (n. e. s.) ²	Agents, advertising.	Agents, express companies.	Agents, freight.	Agents, insurance.	Agents, purchasing.
	All Causes.	16,970	68	11	56	18	1	2	113	5
(1)	Typhoid and paratyphoid fevers (1,2)	8	—	—	—	—	—	—	—	—
(3)	Scarlet fever (8)	4	—	—	—	—	—	—	—	—
(6)	Tuberculosis of the respiratory system (13)	1,063	1	—	—	2	—	—	8	—
(7)	Tuberculosis of the meninges and central nervous system (14)	10	—	—	—	—	—	—	—	—
(7)	All other forms of tuberculosis (15-22)	39	—	—	—	—	—	—	1	—
(9)	Syphilis (30)	228	1	1	1	—	—	—	—	—
(10)	Influenza (33)	36	—	—	—	—	—	—	—	—
(14)	Cerebrospinal (meningococcus) meningitis (6)	4	—	—	—	—	—	—	—	—
(14)	Erysipelas (11)	8	—	—	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	2,552	10	2	10	2	—	—	16	2
(17)	Chronic rheumatism and gout (59, 60)	6	—	—	—	—	—	—	—	—
(18)	Diabetes mellitus (61)	385	2	—	—	—	—	—	3	—
(19)	Chronic or acute alcoholism (77)	154	—	—	—	—	—	—	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	6	—	—	—	—	—	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1,168	2	—	8	—	1	—	5	—
(24)	Acute endocarditis (91)	54	1	—	—	—	—	—	—	—
(24)	Diseases of the coronary arteries and angina pectoris (94)	2,587	12	1	11	6	—	1	22	2
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	207	1	—	2	1	—	—	1	—
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	3,115	13	—	15	4	—	1	13	—
(25)	Arteriosclerosis (97)	65	1	—	—	—	—	—	—	—
(26)	Bronchitis (106)	31	—	—	—	—	—	—	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	344	3	—	—	—	—	—	2	—
(27)	Lobar pneumonia (108)	382	—	1	2	—	—	—	3	1
(27)	Pneumonia (unspecified) (109)	13	1	—	—	—	—	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	145	—	—	—	—	—	—	1	—
(30)	Appendicitis (121)	184	4	—	—	—	—	—	3	—
(31)	Cirrhosis of the liver (124)	223	1	—	—	—	—	—	—	—
(32)	Diseases of the stomach (117, 118)	226	1	—	—	—	—	—	1	—
(32)	Hernia, intestinal obstruction (122)	121	—	1	—	—	—	—	1	—
(33)	Nephritis (130-132)	890	3	2	1	1	—	—	6	—
(34)	Other diseases of the urinary and genital systems (133-139)	204	2	—	—	—	—	—	5	—
(35)	Puerperal infection (140, 147)	13	—	—	—	—	—	—	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	17	—	—	—	—	—	—	—	—
(39)	Senility (162)	1	—	—	—	—	—	—	—	—
(40)	Suicide (163, 164)	419	4	—	1	2	—	—	1	—
(41)	Homicide (165-168)	47	1	—	—	—	—	—	1	—
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	1,156	1	—	—	—	—	—	9	—
(42)	Railroad and automobile collisions (170a)	8	—	—	—	—	—	—	—	—
(42)	Automobile accidents and injuries (170c)	361	—	—	—	—	—	—	3	—
(43)	Railroad accidents and injuries (169)	35	—	—	—	—	—	—	—	—
(43)	Street car and other road-transport accidents (171)	5	—	—	—	—	—	—	—	—
(43)	Burns (conflagration excepted) (181)	43	—	—	—	—	—	—	—	—
(43)	Accidental drowning (183)	114	—	—	—	—	—	—	3	—
(43)	Accidental injury by fall (186a)	305	—	—	—	—	—	—	1	—
(43)	All others	285	1	—	—	—	—	—	2	—
(44)	All other defined causes	840	3	3	5	—	—	—	10	—
(44)	Cause of death not specified or ill-defined (199, 200)	15	—	—	—	—	—	—	1	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Agents, real estate.	Agents, sales.	Agricultural foremen and overseers.	Agricultural laborers.	Agricultural proprietors.	Architects, designers and draftsmen.	Artists, sculptors and teachers of art.	Attendants, pool rooms, golf clubs, etc.	Auctioneers.	Authors.	Aviators.	Baggage-men.	Bakers.	Bankers and bank officials.	Barbers, hairdressers and manicurists.	Billiard room, dance hall, etc., keepers.
(1)	99	2	3	173	325	41	20	3	1	7	2	3	79	26	160	7
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	10	17	1	2	1	-	-	-	-	3	-	8	1
(7)	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
(7)	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-
(9)	1	-	-	2	1	1	1	-	-	-	-	-	-	-	3	-
(10)	1	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	23	-	-	23	48	4	5	1	-	1	1	-	2	3	25	-
(17)	-	-	-	1	7	-	-	-	-	-	-	-	-	-	-	-
(18)	5	-	-	2	7	1	1	-	-	-	-	-	4	-	2	-
(19)	1	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-
(20)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(22)	13	1	1	13	28	3	1	-	-	-	-	-	8	2	14	-
(24)	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-
(24)	23	-	-	23	44	8	3	-	1	1	-	-	19	7	24	1
(24)	-	1	-	4	4	-	-	-	-	-	-	-	-	-	1	-
(24)	20	-	1	41	63	8	3	-	-	-	-	2	11	5	37	2
(25)	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
(26)	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
(27)	1	-	-	1	9	-	-	-	-	-	-	-	1	-	3	-
(27)	1	-	-	4	7	2	-	-	-	-	-	-	3	-	4	-
(27)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(28)	-	-	-	-	3	1	-	-	-	-	-	-	1	-	2	-
(30)	-	-	-	2	2	1	-	-	-	-	-	-	1	-	2	-
(31)	-	-	-	4	2	-	-	-	-	-	-	-	-	1	3	-
(32)	1	-	-	4	3	-	-	-	-	-	-	-	1	-	2	-
(32)	-	-	-	4	2	-	1	-	-	-	-	-	-	-	1	-
(33)	2	-	1	7	20	2	-	-	-	1	-	-	2	3	5	3
(34)	-	-	-	2	9	2	-	-	-	-	-	-	5	1	4	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	3	-	-	2	15	2	-	-	-	1	-	-	1	1	4	-
(41)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(42)	1	-	-	20	24	2	-	-	-	1	-	1	3	-	7	-
(45)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	1	-	-	12	9	1	-	-	-	1	-	-	1	-	3	-
(43)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(43)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	2	4	-	-	-	-	-	-	-	1	-	2	-
(43)	-	-	-	6	9	-	-	-	-	-	-	-	1	-	2	-
(43)	2	-	-	4	14	2	1	1	-	2	1	-	4	2	5	-
(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Not elsewhere specified.

Abridged Int. List No.	Table 18 CAUSE OF DEATH. ¹	ALLOCATED DEATHS									
		Blacksmiths, forgers and hammermen.	Boarding and lodging house keepers.	Boilermakers.	Boiler washers and engine hostlers.	Bookkeepers and cashiers.	Boothacks.	Brakemen.	Brass and iron molders, founders and casters.	Brick and stone masons and tile layers.	
	All Causes.	70	24	15	4	147	6	27	58	75	
(1)	Typhoid and paratyphoid fevers (1,2)	—	—	—	—	—	—	—	—	—	
(3)	Scarlet fever (8)	—	—	—	—	—	—	—	—	—	
(6)	Tuberculosis of the respiratory system (13)	3	—	1	—	9	—	2	4	3	
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	—	1	—	—	
(7)	All other forms of tuberculosis (15-22)	—	—	1	—	—	—	—	—	—	
(9)	Syphilis (30)	—	1	—	—	—	—	—	—	3	
(10)	Influenza (33)	—	—	—	—	—	—	—	3	—	
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	—	—	—	
(14)	Erysipelas (11)	—	—	—	—	—	—	—	—	—	
(15)	Cancer and other malignant tumors (45-55)	12	2	2	1	42	1	1	13	11	
(17)	Chronic rheumatism and gout (59, 60)	—	—	—	—	—	—	—	—	—	
(18)	Diabetes mellitus (61)	—	1	—	—	3	—	—	—	—	
(19)	Chronic or acute alcoholism (77)	—	1	—	—	—	—	1	—	—	
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	1	—	—	—	—	
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	7	1	—	1	9	—	—	5	2	
(24)	Acute endocarditis (91)	—	—	—	—	2	—	—	—	—	
(24)	Diseases of the coronary arteries and angina pectoris (94)	10	4	1	—	17	4	7	7	17	
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	—	—	—	—	2	—	—	—	1	
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	11	11	3	2	22	—	4	8	18	
(25)	Arteriosclerosis (97)	—	—	—	—	—	—	—	—	—	
(26)	Bronchitis (106)	—	—	—	—	—	—	—	—	—	
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	—	1	—	4	—	1	—	4	
(27)	Lobar pneumonia (108)	4	—	—	—	3	—	—	5	3	
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	—	—	—	—	
(28)	Other diseases of the respiratory system (104, 105, 110-114)	1	—	—	—	2	—	—	1	—	
(30)	Appendicitis (121)	1	—	1	—	2	—	1	—	2	
(31)	Cirrhosis of the liver (124)	4	—	—	—	1	—	—	—	—	
(32)	Diseases of the stomach (117, 118)	—	—	1	—	1	—	—	1	1	
(32)	Hernia, intestinal obstruction (122)	—	—	—	—	1	—	—	—	—	
(33)	Nephritis (130-132)	7	—	3	—	6	1	2	—	1	
(34)	Other diseases of the urinary and genital systems (133-139)	2	2	—	—	—	—	—	—	1	
(35)	Puerperal infection (140, 147)	—	—	—	—	1	—	—	—	—	
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	—	—	—	—	—	—	—	
(39)	Senility (162)	—	—	—	—	—	—	—	—	—	
(40)	Suicide (163, 164)	1	1	—	—	2	—	1	1	2	
(41)	Homicide (165-168)	—	—	—	—	—	—	—	1	1	
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	3	—	—	—	4	—	3	4	4	
(42)	Railroad and automobile collisions (170a)	—	—	—	—	—	—	—	—	—	
(42)	Automobile accidents and injuries (170c)	1	—	—	—	1	—	—	1	1	
(43)	Railroad accidents and injuries (169)	—	—	—	—	—	—	3	—	—	
(43)	Street car and other road-transport accidents (171)	—	—	—	—	—	—	—	—	—	
(43)	Burns (conflagration excepted) (181)	—	—	—	—	—	—	—	—	—	
(43)	Accidental drowning (183)	1	—	—	—	—	—	—	2	—	
(43)	Accidental injury by fall (186a)	1	—	—	—	2	—	—	1	3	
(43)	All others	—	—	—	—	1	—	—	1	—	
(44)	All other defined causes	3	—	1	—	13	—	3	5	—	
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	—	—	1	

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Brokers, not specified, and promoters.	Buffets, polishers, filers and grinders (metal).	Builders and building contractors.	Cabinet makers.	Canvassers.	Captains, masters, mates and pilots.	Carpenters.	Cement finishers.	Cemetery keepers.	Charwomen and cleaners.	Chair-cars (including bus drivers).	Chemists, assistants and metallurgists.	Chiropractors.	Clergymen.	Clerks in stores.	Clerks, others (n. e. s.) ² .
(1)	9	24	81	23	4	13	342	3	2	22	221	14	1	58	8	644
(3)	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1
(6)	-	1	3	3	-	-	16	-	-	-	13	-	-	4	2	60
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	2
(9)	-	-	-	-	-	1	7	-	-	1	3	1	1	-	-	5
(10)	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	2
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	2	4	12	6	2	1	60	-	-	3	39	2	-	-	-	108
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	-	6	-	1	1	3	-	-	-	1	1	-	4	-	11
(19)	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	6
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	-	1	7	2	-	1	26	1	1	2	12	1	-	6	1	46
(24)	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	4
(24)	1	4	14	2	-	2	65	-	-	1	38	1	-	1	-	87
(24)	-	-	1	-	-	1	4	-	-	-	4	1	-	-	-	17
(24)	1	4	14	3	1	-	67	-	-	6	31	4	-	13	1	111
(25)	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2
(26)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1
(27)	-	1	1	1	-	-	3	1	-	1	2	-	-	1	-	13
(27)	1	-	1	-	-	-	-	-	-	-	3	-	-	-	-	13
(27)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(28)	-	1	1	-	-	-	1	-	-	-	3	-	-	1	1	7
(30)	-	-	1	-	-	-	5	-	-	-	3	-	-	-	-	5
(31)	-	1	-	-	-	-	4	-	-	-	2	1	-	1	-	7
(32)	-	1	1	-	-	-	7	-	-	-	6	-	-	1	-	9
(32)	-	1	1	-	-	1	3	-	-	-	1	-	-	1	-	3
(33)	-	3	3	2	-	2	18	-	-	-	11	-	-	6	-	30
(34)	-	-	1	-	-	-	5	-	-	2	-	-	-	1	-	7
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	1	-	2	1	-	-	4	-	-	1	6	-	-	-	1	15
(41)	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2
(42)	-	1	2	1	-	1	23	1	-	4	21	1	-	4	-	37
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(42)	1	-	-	1	-	-	9	-	-	-	8	-	-	2	-	11
(43)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
(43)	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
(43)	-	-	-	-	-	-	11	-	-	2	3	-	-	1	-	3
(43)	-	-	-	-	-	1	1	1	-	1	1	-	-	1	-	8
(45)	3	-	8	2	-	1	10	-	1	1	17	1	-	2	1	9
(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32

² Not elsewhere specified.

Abridged Int. List No.	Table 18	ALLOCATED DEATHS									
		Clerks, railway mail.	Clerks, shipping.	Collectors.	College presidents and professors.	Commercial brokers and commission men.	Commercial travelers.	Compositors, linotypers and typesetters.	Conductors.	Cooks.	
	CAUSE OF DEATH. ¹										
	All Causes.	7	94	10	19	11	14	116	36	185	
(1)	Typhoid and paratyphoid fevers (1,2)	-	-	-	-	-	-	-	-	-	
(3)	Scarlet fever (8)	-	-	-	-	-	-	-	-	-	
(6)	Tuberculosis of the respiratory system (13)	-	4	-	-	-	-	6	1	17	
(7)	Tuberculosis of the meninges and central nervous system (14)	-	-	-	-	-	-	-	-	-	
(7)	All other forms of tuberculosis (15-22)	-	-	-	-	-	-	-	-	-	
(9)	Syphilis (30)	-	-	-	-	-	-	2	-	4	
(10)	Influenza (33)	-	-	-	-	-	-	-	-	1	
(14)	Cerebrospinal (meningococcus) meningitis (6)	-	-	-	-	-	-	-	-	-	
(14)	Erysipelas (11)	-	-	-	-	-	-	-	-	-	
(15)	Cancer and other malignant tumors (45-55)	1	22	3	3	-	3	21	4	24	
(17)	Chronic rheumatism and gout (59, 60)	-	-	-	-	-	-	-	-	-	
(18)	Diabetes mellitus (61)	-	1	-	2	-	1	3	2	6	
(19)	Chronic or acute alcoholism (77)	-	1	-	-	-	-	2	-	4	
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	-	-	-	-	-	-	-	-	-	
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	-	4	-	1	1	1	5	2	14	
(24)	Acute endocarditis (91)	-	1	-	1	-	-	1	-	1	
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	19	3	8	3	3	23	10	17	
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	-	1	-	-	-	-	-	-	2	
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2	13	1	2	3	3	21	8	36	
(25)	Arteriosclerosis (97)	-	1	-	-	-	-	3	-	2	
(26)	Bronchitis (106)	-	-	-	-	-	-	-	-	-	
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	-	1	-	-	-	-	-	5	
(27)	Lobar pneumonia (108)	-	2	1	-	1	-	3	-	4	
(27)	Pneumonia (unspecified) (109)	-	-	-	-	-	-	-	-	-	
(28)	Other diseases of the respiratory system (104, 105, 110-114)	-	-	-	-	-	-	1	-	2	
(30)	Appendicitis (121)	-	-	-	1	-	-	2	-	2	
(31)	Cirrhosis of the liver (124)	-	1	-	-	1	-	3	-	4	
(32)	Diseases of the stomach (117, 118)	1	-	-	-	-	-	2	1	4	
(32)	Hernia, intestinal obstruction (122)	-	-	-	-	-	-	1	-	1	
(33)	Nephritis (130-132)	-	6	-	1	-	-	4	3	9	
(34)	Other diseases of the urinary and genital systems (133-139)	-	-	-	-	-	-	2	1	1	
(35)	Puerperal infection (140, 147)	-	-	-	-	-	-	-	-	-	
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	-	-	-	-	-	-	-	-	-	
(39)	Senility (162)	-	-	-	-	-	-	-	-	-	
(40)	Suicide (163, 164)	1	4	-	-	-	2	3	-	1	
(41)	Homicide (165-168)	-	-	-	-	-	-	1	-	1	
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	-	9	1	-	-	-	3	2	13	
(42)	Railroad and automobile collisions (170a)	-	-	-	-	-	-	-	-	-	
(42)	Automobile accidents and injuries (170c)	-	2	-	-	-	-	-	-	4	
(43)	Railroad accidents and injuries (169)	-	-	-	-	-	-	-	2	-	
(43)	Street car and other road-transport accidents (171)	-	-	-	-	-	-	-	-	-	
(43)	Burns (conflagration excepted) (181)	-	-	-	-	-	-	-	-	1	
(43)	Accidental drowning (183)	-	-	-	-	-	-	1	-	1	
(43)	Accidental injury by fall (186a)	-	3	-	-	-	-	2	-	4	
(43)	All others	-	4	1	-	-	-	-	-	3	
	All other defined causes	-	5	-	-	1	1	4	2	10	
(44)	Cause of death not specified or ill-defined (199, 200)	-	-	-	-	1	-	-	-	-	

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Coppers.	Coppersmiths.	Cranemen, derrickmen, hoistmen, etc.	Credit men.	Dealers, automobiles and accessories.	Dealers, books, music, news, etc.	Dealers, candy and confectionery.	Dealers, cigars and tobacco.	Dealers, coal and wood.	Dealers, department stores.	Dealers, drugs and medicines.	Dealers, five and ten cent and variety stores.	Dealers, food, groceries, etc.	Dealers, furniture, carpets, etc.	Dealers, gasoline and oil filling stations.	Dealers, hardware, implements and wagons.
(1)	6	2	15	8	20	7	15	7	18	74	46	21	289	18	26	14
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	1	1	2	-	15	-	1	-
(7)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
(9)	-	-	1	-	-	-	1	1	-	1	1	-	1	1	-	-
(10)	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	1	1	3	1	2	2	3	1	4	9	5	3	42	3	3	2
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	1	-	-	3	-	-	-	-	1	1	1	11	2	1	-
(19)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	1	-	-	-	-	-	-	-	2	4	5	3	24	3	2	2
(24)	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
(24)	-	-	3	2	6	1	4	2	5	23	10	5	44	5	6	3
(24)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
(24)	1	-	4	-	2	4	4	2	1	15	5	4	61	2	3	2
(25)	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-
(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(27)	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	1
(27)	-	-	-	-	-	-	-	-	-	-	-	-	6	-	1	-
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(28)	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1
(30)	-	-	-	-	1	-	1	-	2	-	-	1	1	-	1	-
(31)	-	-	-	-	1	-	-	-	1	-	1	-	7	-	1	1
(32)	1	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-
(32)	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-
(33)	-	-	1	-	3	-	-	-	-	4	2	1	15	1	1	1
(34)	-	-	-	-	1	-	-	1	-	1	-	-	6	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	-	-	-	1	-	-	-	-	1	3	2	-	8	-	-	-
(41)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(42)	-	-	2	-	1	-	1	-	-	-	4	1	17	1	2	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
(42)	-	-	1	-	1	-	1	-	-	-	2	1	6	-	2	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
(43)	-	-	1	-	-	-	-	-	-	-	4	-	4	-	-	-
(43)	-	-	1	1	-	-	-	-	-	3	4	2	11	1	2	-
(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Abridged Int. List No.	Table 18 CAUSE OF DEATH ¹	ALLOCATED DEATHS								
		Dealers, ice.	Dealers, jewelry.	Dealers, junk and rags.	Dealers, livestock and farm products.	Dealers, lumber.	Dealers, opticians.	Dealers, others (n. e. s). ²	Decorators, drapers and window dressers.	Deliverymen (including milkmen).
	All Causes.	13	2	37	14	8	14	182	1	26
(1)	Typhoid and paratyphoid fevers (1,2)	-	-	-	-	-	-	-	-	-
(3)	Scarlet fever (8)	-	-	-	-	-	-	-	-	-
(6)	Tuberculosis of the respiratory system (13)	-	-	1	-	-	-	6	-	3
(7)	Tuberculosis of the meninges and central nervous system (14)	-	-	-	-	-	-	-	-	-
(7)	All other forms of tuberculosis (15-22)	-	-	-	-	-	-	-	-	-
(9)	Syphilis (30)	-	-	-	1	-	-	3	-	-
(10)	Influenza (33)	-	-	-	-	-	-	2	-	-
(14)	Cerebrospinal (meningococcus) meningitis (6)	-	-	-	-	-	-	-	-	-
(14)	Erysipelas (11)	-	-	-	-	-	-	-	-	-
(15)	Cancer and other malignant tumors (45-55)	1	1	7	1	2	1	19	-	2
(17)	Chronic rheumatism and gout (59, 60)	-	-	-	-	-	-	-	-	-
(18)	Diabetes mellitus (61)	1	-	2	2	-	-	10	-	-
(19)	Chronic or acute alcoholism (77)	-	-	-	-	-	-	1	-	-
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	-	-	-	-	-	-	1	-	-
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	-	1	2	-	2	12	1	1
(24)	Acute endocarditis (91)	-	-	-	-	-	-	-	-	-
(24)	Diseases of the coronary arteries and angina pectoris (94)	4	1	9	2	2	2	38	-	2
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	-	-	-	1	1	-	1	-	-
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	3	-	6	4	2	6	7	-	6
(25)	Arteriosclerosis (97)	-	-	-	-	-	-	1	-	-
(26)	Bronchitis (106)	-	-	-	-	-	-	-	-	-
(27)	Bronchopneumonia (including capillary bronchitis) (107)	-	-	2	-	-	-	2	-	1
(27)	Lobar pneumonia (108)	1	-	1	-	-	-	4	-	2
(27)	Pneumonia (unspecified) (109)	-	-	-	-	-	-	-	-	-
(28)	Other diseases of the respiratory system (104, 105, 110-114)	-	-	1	-	-	-	3	-	-
(30)	Appendicitis (121)	-	-	-	-	-	-	3	-	1
(31)	Cirrhosis of the liver (124)	-	-	1	-	-	-	3	-	1
(32)	Diseases of the stomach (117, 118)	-	-	-	-	-	-	6	-	-
(32)	Hernia, intestinal obstruction (122)	-	-	-	-	1	-	1	-	-
(33)	Nephritis (130-132)	2	-	1	1	-	1	10	-	1
(34)	Other diseases of the urinary and genital systems (133-139)	-	-	2	-	-	-	4	-	-
(35)	Puerperal infection (140, 147)	-	-	-	-	-	-	-	-	-
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	-	-	-	-	-	-	-	-	-
(39)	Senility (162)	-	-	-	-	-	-	-	-	-
(40)	Suicide (163, 164)	-	-	1	-	-	-	4	-	-
(41)	Homicide (165-168)	-	-	-	-	-	1	-	-	-
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	-	-	1	-	-	-	6	-	4
(42)	<i>Railroad and automobile collisions (170a)</i>	-	-	-	-	-	-	-	-	-
(42)	<i>Automobile accidents and injuries (170c)</i>	-	-	1	-	-	-	2	-	2
(43)	<i>Railroad accidents and injuries (169)</i>	-	-	-	-	-	-	-	-	-
(43)	<i>Street car and other road-transport accidents (171)</i>	-	-	-	-	-	-	-	-	-
(43)	<i>Burns (conflagration excepted) (181)</i>	-	-	-	-	-	-	1	-	-
(43)	<i>Accidental drowning (183)</i>	-	-	-	-	-	-	-	-	1
(43)	<i>Accidental injury by fall (186a)</i>	-	-	-	-	-	-	3	-	1
(43)	<i>All others</i>	-	-	-	-	-	-	-	-	-
(44)	<i>All other defined causes</i>	-	-	1	-	-	1	5	-	2
(44)	<i>Cause of death not specified or ill-defined (199, 200)</i>	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Demonstrators.	Dentists.	Dentist's assistants and attendants.	Detectives.	Directors, managers and officials, motion picture production.	Draymen, teamsters and carriage drivers.	Dressmakers and seamstresses (not in factory).	Dyers.	Editors and reporters.	Electricians.	Electrotypers and stereotypers.	Elevator tenders.	Employment office keepers.	Enamellers, lacquerers and japanners.	Engineers, civil, and surveyors.
(1)	3	40	1	7	1	79	88	27	31	97	5	34	3	1	41
(3)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	2	2	2	3	5	-	2	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(9)	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	-	4	-	-	-	13	25	5	3	13	-	1	-	-	5
(17)	-	-	-	-	-	1	2	1	-	4	-	-	-	-	1
(18)	-	1	-	-	-	1	-	1	-	3	2	-	-	-	1
(19)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	-	2	-	-	1	5	5	4	3	3	-	3	1	-	2
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	1	9	-	-	-	8	6	4	7	15	-	7	-	1	12
(24)	-	2	-	-	-	1	3	-	-	3	-	2	-	-	-
(24)	1	8	-	-	-	21	18	2	6	19	-	6	1	-	9
(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(26)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(27)	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-
(27)	-	-	-	-	-	1	3	-	1	5	-	-	-	-	1
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	-	-	-	-	-	1	3	-	1	-	-	-	-	-	1
(30)	-	1	-	-	-	-	-	1	1	2	-	1	-	-	1
(31)	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-
(32)	-	1	-	-	-	-	1	-	1	2	-	1	-	-	1
(32)	-	2	-	-	-	1	1	-	1	1	-	-	-	-	-
(33)	-	4	-	1	-	2	2	2	1	8	-	-	-	-	1
(34)	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-
(35)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	1	1	-	1	-	-	1	-	1	1	2	3	1	-	-
(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	2	1	1	-	9	5	3	1	5	-	3	-	-	2
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	1	-	3	2	-	-	1	-	1	-	-	1
(43)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(43)	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
(43)	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
(43)	-	-	-	-	-	2	1	-	-	2	-	2	-	-	1
(43)	-	1	1	-	-	2	1	2	1	1	-	-	-	-	-
(43)	-	1	-	3	-	4	7	1	1	3	-	4	-	-	4
(44)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

* Not elsewhere specified.

Abridged Int. List No.	Table 18 CAUSE OF DEATH ¹	ALLOCATED DEATHS								
		Engineers, electrical.	Engineers, locomotive.	Engineers, mechanical.	Engineers, mining.	Engineers, stationary.	Engravers.	Firemen, fire department.	Firemen, locomotive.	Firemen (n. e. s.) ²
	All Causes.	20	51	26	1	133	17	71	14	91
(1)	Typhoid and paratyphoid fevers (1,2)	—	—	—	—	—	—	—	—	—
(3)	Scarlet fever (8)	—	—	—	—	—	—	—	—	—
(6)	Tuberculosis of the respiratory system (13)	1	—	—	—	5	1	2	2	1
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	—	—	—	—
(7)	All other forms of tuberculosis (15-22)	—	—	—	—	—	—	—	—	—
(9)	Syphilis (30)	—	1	—	—	1	—	—	1	—
(10)	Influenza (33)	—	—	—	—	—	—	—	—	1
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	—	—	—
(14)	Erysipelas (11)	—	—	—	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	3	3	2	—	23	3	6	2	14
(17)	Chronic rheumatism and gout (59, 60)	—	—	—	—	—	—	—	—	—
(18)	Diabetes mellitus (61)	—	1	—	—	1	—	1	—	3
(19)	Chronic or acute alcoholism (77)	—	—	—	—	3	—	1	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	—	—	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	3	5	3	—	11	1	6	—	6
(24)	Acute endocarditis (91)	—	—	—	—	—	1	—	—	1
(24)	Diseases of the coronary arteries and angina pectoris (94)	3	11	5	—	30	2	25	2	13
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	—	—	—	—	1	—	—	—	2
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2	4	9	1	19	6	7	1	22
(25)	Arteriosclerosis (97)	—	—	—	—	—	—	—	—	—
(26)	Bronchitis (106)	—	—	—	—	—	—	1	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	—	—	—	5	—	—	—	3
(27)	Lobar pneumonia (108)	—	—	—	—	2	—	2	—	1
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	—	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	1	—	1	—	1	—	1	1	—
(30)	Appendicitis (121)	—	—	—	—	3	—	2	—	2
(31)	Cirrhosis of the liver (124)	—	—	—	—	2	1	—	—	1
(32)	Diseases of the stomach (117, 118)	1	1	1	—	2	—	2	1	—
(32)	Hernia, intestinal obstruction (122)	—	—	—	—	—	—	—	—	—
(33)	Nephritis (130-132)	1	1	1	—	6	—	1	1	5
(34)	Other diseases of the urinary and genital systems (133-139)	—	1	—	—	4	—	—	—	—
(35)	Puerperal infection (140, 147)	—	—	—	—	—	—	—	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	—	—	—	—	—	—	—
(39)	Senility (162)	—	—	—	—	—	—	—	—	—
(40)	Suicide (163, 164)	1	—	—	—	1	—	2	—	2
(41)	Homicide (165-168)	—	—	—	—	—	—	—	—	1
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	2	2	3	—	8	2	5	3	9
(42)	<i>Railroad and automobile collisions (170a)</i>	—	—	—	—	—	—	—	—	—
(42)	<i>Automobile accidents and injuries (170c)</i>	—	—	2	—	1	1	2	—	—
(43)	<i>Railroad accidents and injuries (169)</i>	—	1	—	—	—	—	—	—	—
(43)	<i>Street car and other road-transport accidents (171)</i>	—	—	—	—	—	—	—	—	—
(43)	<i>Burns (conflagration excepted) (181)</i>	—	—	—	—	—	—	—	—	1
(43)	<i>Accidental drowning (183)</i>	1	—	—	—	—	—	—	1	1
(43)	<i>Accidental injury by fall (186a)</i>	—	—	—	—	4	1	—	2	3
(43)	<i>All others</i>	1	1	1	—	3	—	3	—	4
(43)	<i>All other defined causes</i>	1	1	1	—	5	—	7	—	4
(44)	<i>Cause of death not specified or ill-defined (199, 200)</i>	—	—	—	—	—	—	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Fishermen and oystermen.	Foremen and overseers, domestic and personal service.	Foremen and overseers, extraction of minerals.	Foremen and overseers manufacturing and mechanical industries.	Foremen and overseers, other industries (n.e.s.). ²	Foremen and overseers, professional service.	Foremen and overseers, public service.	Foremen and overseers, trade.	Foremen and overseers, transportation and communication.	Foresters, forest rangers and timber cruisers.	Furnace men, smelter men and pourers.	Garbage men and scavengers.	Glass blowers.	Goldsmiths and silversmiths.	Guards, watchmen and doorkeepers.
(1)	58	4	1	184	15	2	36	6	60	4	2	4	1	6	192
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	3	2	1	6	-	-	1	-	1	1	-	-	-	-	5
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	3
(10)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	5	-	-	24	2	-	2	-	4	-	-	-	-	3	35
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	1	-	-	4	-	-	1	-	2	-	-	-	-	-	3
(19)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	4	-	-	10	2	-	2	-	3	-	-	1	-	1	15
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	8	1	-	38	3	-	9	-	12	-	-	-	-	-	30
(24)	-	-	-	5	-	-	-	-	-	-	-	-	-	-	2
(24)	9	1	-	36	1	-	7	2	14	1	-	1	1	1	44
(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(26)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(27)	-	-	-	3	-	-	-	-	1	-	-	-	-	-	1
(27)	1	-	-	9	1	-	1	1	4	-	-	1	-	-	7
(27)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(28)	-	-	-	2	-	-	-	-	1	-	-	-	-	-	3
(30)	-	-	-	2	1	-	-	-	1	-	-	-	-	-	1
(31)	1	-	-	4	-	1	-	-	-	-	-	-	-	-	4
(32)	-	-	-	2	-	-	1	-	2	-	-	-	-	-	3
(32)	-	-	-	3	-	-	-	-	1	-	-	-	-	-	2
(33)	2	-	-	14	-	-	5	-	5	-	1	-	-	-	11
(34)	-	-	-	-	1	-	2	-	-	-	-	-	-	1	2
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	1	-	-	2	-	-	-	1	-	-	-	-	-	-	5
(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	14	-	-	9	1	-	3	-	6	-	1	1	-	-	9
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	1	-	-	3	1	-	-	-	1	-	1	-	-	-	2
(43)	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-
(43)	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
(43)	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2
(43)	1	-	-	1	-	-	3	-	1	-	-	-	-	-	5
(43)	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-
(43)	6	-	-	7	2	1	2	2	2	2	-	-	-	-	4
(44)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

² Not elsewhere specified.

Abridged Int. List No.	Table 18 CAUSE OF DEATH. ¹	ALLOCATED DEATHS								
		Healers (n. e. s.). ²	Hotel keepers and managers.	Housekeepers and stewards.	Inspectors (n. e. s.). ²	Inventors.	Janitors and sextons.	Jewelers and lapidaries (factory).	Jewelers and watchmakers (not in factory).	Keepers of penal and charitable institutions.
	All Causes.	9	35	153	16	3	232	4	39	10
(1)	Typhoid and paratyphoid fevers (1,2)	—	—	—	—	—	—	—	—	—
(3)	Scarlet fever (8)	—	—	—	—	—	—	—	—	—
(6)	Tuberculosis of the respiratory system (13)	2	2	5	1	—	12	—	1	—
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	—	—	—	—
(7)	All other forms of tuberculosis (15-22)	—	—	—	—	—	—	—	—	—
(9)	Syphilis (30)	—	—	—	—	—	3	—	—	—
(10)	Influenza (33)	—	—	—	—	—	—	—	—	—
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	—	—	—
(14)	Erysipelas (11)	—	—	1	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	—	3	35	2	—	45	1	4	1
(17)	Chronic rheumatism and gout (59, 60)	—	—	1	—	—	—	—	—	—
(18)	Diabetes mellitus (61)	—	—	4	1	—	5	1	1	1
(19)	Chronic or acute alcoholism (77)	—	—	1	—	—	1	—	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	—	—	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	4	22	1	—	15	—	3	—
(24)	Acute endocarditis (91)	—	—	—	—	—	1	—	—	—
(24)	Diseases of the coronary arteries and angina pectoris (94)	2	5	17	2	2	32	—	11	3
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	—	2	2	—	—	2	—	—	—
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	—	8	28	3	—	47	1	6	2
(25)	Arteriosclerosis (97)	—	—	—	—	—	2	—	—	—
(26)	Bronchitis (106)	—	—	—	—	—	—	—	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	—	—	2	—	—	1	—	1	—
(27)	Lobar pneumonia (108)	—	1	1	—	—	2	—	1	—
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	1	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	—	—	1	—	—	3	—	—	—
(30)	Appendicitis (121)	—	1	3	—	—	1	—	—	—
(31)	Cirrhosis of the liver (124)	—	—	2	—	—	2	—	—	—
(32)	Diseases of the stomach (117, 118)	—	1	1	—	—	5	—	2	—
(32)	Hernia, intestinal obstruction (122)	—	—	1	—	—	4	—	—	—
(33)	Nephritis (130-132)	1	3	9	1	1	14	1	3	—
(34)	Other diseases of the urinary and genital systems (133-139)	—	1	3	1	—	1	—	—	—
(35)	Puerperal infection (140, 147)	—	—	—	—	—	—	—	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	—	—	—	—	—	—	—
(39)	Senility (162)	—	—	—	—	—	—	—	—	—
(40)	Suicide (163, 164)	—	1	2	1	—	6	—	2	1
(41)	Homicide (165-168)	—	1	—	—	—	2	—	—	—
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	2	2	4	2	—	13	—	1	—
(42)	Railroad and automobile collisions (170a)	—	—	1	—	—	—	—	—	—
(42)	Automobile accidents and injuries (170c)	—	—	1	1	—	5	—	1	—
(43)	Railroad accidents and injuries (169)	—	—	—	—	—	—	—	—	—
(43)	Street car and other road-transport accidents (171)	1	—	—	—	—	—	—	—	—
(43)	Burns (conflagration excepted) (181)	1	—	1	1	—	—	—	—	—
(43)	Accidental drowning (183)	—	1	—	—	—	—	—	—	—
(43)	Accidental injury by fall (186a)	—	1	—	—	—	5	—	—	—
(43)	All others	—	—	1	—	—	3	—	—	—
(44)	All other defined causes	1	—	8	1	—	12	—	3	2
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Keepers of pleasure resorts, race tracks, etc.	Laborers, domestic, personal and professional service.	Laborers, extraction of minerals.	Laborers, fishing and forestry.	Laborers, manufacturing and mechanical industries.	Laborers, others (n. e. s.). ²	Laborers, public service.	Laborers, trade.	Laborers, transportation and communication.	Launderers and laundresses.	Lawyers, judges and justices.	Librarians, assistants and attendants.	Lithographers.	Loan brokers and pawn brokers.	Longshoremen and stevedores.
(1)	2	21	8	14	346	657	524	57	171	12	71	13	4	3	66
(3)	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
(6)	-	1	-	-	32	77	28	5	10	2	3	1	-	-	9
(7)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	6	30	10	-	1	-	-	-	-	-	-
(9)	-	-	1	-	-	1	-	-	3	-	-	-	-	-	1
(10)	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(15)	-	3	2	-	55	90	69	9	29	2	9	3	1	1	8
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	-	-	1	5	11	8	-	3	-	2	-	-	1	-
(19)	-	-	-	-	7	6	11	1	2	-	-	-	-	-	3
(20)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(22)	-	1	-	3	24	34	35	2	10	-	5	2	-	-	3
(24)	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
(24)	1	5	2	1	33	61	72	6	25	2	15	1	3	-	5
(24)	-	1	-	-	3	4	7	1	2	-	2	2	-	-	1
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	1	4	1	2	51	119	94	8	32	3	10	-	-	1	8
(25)	-	-	-	-	1	6	-	-	-	-	-	-	-	-	-
(26)	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
(27)	-	1	-	1	10	25	12	3	4	1	-	-	-	-	3
(27)	-	-	-	-	10	24	16	5	4	1	3	-	-	-	5
(27)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(28)	-	-	-	-	4	3	3	1	-	-	3	-	-	-	-
(30)	-	-	-	-	1	5	4	1	1	-	1	-	-	-	-
(31)	-	-	-	-	7	13	8	1	2	-	4	-	-	-	2
(32)	-	-	-	-	3	12	4	-	1	-	1	-	-	-	2
(32)	-	-	-	-	4	4	4	1	-	-	1	-	-	-	-
(33)	-	-	-	2	14	23	34	2	10	-	6	1	-	-	-
(34)	-	-	-	-	2	9	4	1	2	-	-	-	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	-	2	-	2	7	14	19	2	4	-	3	-	-	-	1
(41)	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	1	2	1	42	57	59	6	20	-	2	1	-	-	15
(42)	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	15	13	20	3	6	-	1	-	-	-	-
(43)	-	-	-	-	1	3	1	-	4	-	-	-	-	-	1
(43)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-
(43)	-	-	-	1	6	6	9	1	-	-	-	-	-	-	2
(43)	-	1	-	-	9	22	10	1	6	-	1	1	-	-	3
(43)	-	-	2	-	10	11	15	-	3	-	-	-	-	-	9
(44)	-	2	-	-	21	23	19	1	4	1	1	1	-	-	-

² Not elsewhere specified.

Abridged Int. List No.	Table 18 CAUSE OF DEATH. ¹	ALLOCATED DEATHS								
		Loom fixers.	Machinists.	Mail carriers.	Managers and officials, domestic and personal service.	Managers and officials, extraction of minerals.	Managers and officials, manufacturing and mechanical industries.	Managers and officials, others (n. e. s.). ²	Managers and officials, professional service.	Managers and officials, trade.
	All Causes.	63	468	37	5	4	122	48	2	20
(1)	Typhoid and paratyphoid fevers (1,2)	—	—	—	—	—	—	—	—	—
(3)	Scarlet fever (8)	—	—	—	—	—	—	—	—	—
(6)	Tuberculosis of the respiratory system (13)	3	30	4	1	—	3	—	—	—
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	—	—	—	—	—	—	—
(7)	All other forms of tuberculosis (15-22)	—	512	—	—	—	1	—	—	—
(9)	Syphilis (30)	—	—	—	—	—	—	—	—	—
(10)	Influenza (33)	—	—	—	—	—	—	—	—	—
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	—	—	—	—	—	—	—
(14)	Erysipelas (11)	—	—	—	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	14	67	3	1	—	15	6	1	5
(17)	Chronic rheumatism and gout (59, 60)	3	—	—	—	—	—	—	—	—
(18)	Diabetes mellitus (61)	3	12	1	—	—	—	3	—	2
(19)	Chronic or acute alcoholism (77)	1	3	—	—	—	—	1	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	—	—	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4	37	3	—	—	12	2	—	1
(24)	Acute endocarditis (91)	—	2	—	—	—	—	—	—	—
(24)	Diseases of the coronary arteries and angina pectoris (94)	9	79	6	—	3	32	14	—	4
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	—	5	—	—	—	5	—	—	—
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	11	78	5	1	—	19	6	1	4
(25)	Arteriosclerosis (97)	—	1	1	—	—	—	—	—	—
(26)	Bronchitis (106)	—	2	—	—	—	1	—	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	—	10	—	—	—	3	1	—	—
(27)	Lobar pneumonia (108)	—	14	2	—	—	2	—	—	—
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	—	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	—	5	—	—	—	2	—	—	—
(30)	Appendicitis (121)	—	8	1	—	—	3	—	—	—
(31)	Cirrhosis of the liver (124)	1	5	1	—	—	—	3	—	—
(32)	Diseases of the stomach (117, 118)	—	12	1	—	—	—	2	—	—
(32)	Hernia, intestinal obstruction (122)	—	3	—	—	—	1	—	—	—
(33)	Nephritis (130-132)	1	23	1	1	1	9	5	—	1
(34)	Other diseases of the urinary and genital systems (133-139)	—	8	1	—	—	3	1	—	1
(35)	Puerperal infection (140, 147)	—	—	—	—	—	—	—	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	—	—	—	—	—	—	—
(39)	Senility (162)	—	—	—	—	—	—	—	—	—
(40)	Suicide (163, 164)	3	7	1	—	—	3	—	—	1
(41)	Homicide (165-168)	—	—	—	—	—	—	—	—	—
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	4	32	4	1	—	2	1	—	1
(42)	Railroad and automobile collisions (170a)	—	—	—	—	—	—	—	—	—
(42)	Automobile accidents and injuries (170c)	2	10	1	1	—	1	1	—	—
(43)	Railroad accidents and injuries (169)	—	—	—	—	—	—	—	—	—
(43)	Street car and other road-transport accidents (171)	—	1	—	—	—	—	—	—	—
(43)	Burns (conflagration excepted) (181)	—	—	1	—	—	1	—	—	—
(43)	Accidental drowning (183)	1	11	1	—	—	—	—	—	—
(43)	Accidental injury by fall (186a)	1	10	1	—	—	—	—	—	1
(43)	All others	4	18	2	—	—	4	3	—	—
(44)	All other defined causes	—	—	—	—	—	—	—	—	—
(44)	Cause of death not specified or ill-defined (199, 200)	—	—	—	—	—	—	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Managers and officials, transportation and com- munication.	Marshals and constables,	Meat cutters,	Mechanics (n. e. s.) ²	Messenger and office boys and girls.	Messengers, express.	Messengers, telegraph.	Milliners.	Millwrights.	Motormen.	Motor truck and tractor drivers.	Musicians and teachers of music.	Newsboys.	Nurses (not trained in- cluded).	Officials and inspectors (City).
(1)	41	10	64	199	8	6	1	18	26	26	137	71	3	150	59
(3)	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
(6)	-	-	5	15	4	-	-	-	1	1	9	8	-	14	3
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(9)	1	-	-	2	-	-	-	-	-	12	1	3	1	2	1
(10)	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(15)	4	1	6	26	2	1	-	3	3	1	16	13	-	32	9
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	1	3	9	-	-	-	-	-	-	2	-	-	3	3
(19)	-	1	7	7	-	-	-	-	-	-	-	1	-	-	-
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	5	-	5	9	-	-	-	3	4	2	9	8	-	9	5
(24)	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
(24)	14	1	13	27	1	-	-	1	5	6	20	12	-	17	11
(24)	-	1	1	-	-	-	-	-	-	-	2	1	-	1	-
(24)	9	3	13	24	-	3	-	5	6	6	18	9	-	25	9
(25)	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(27)	-	-	-	6	-	-	-	-	-	1	2	2	-	2	2
(27)	-	1	2	4	-	1	-	-	-	1	3	1	-	2	-
(27)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(28)	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-
(30)	-	-	1	2	-	-	-	-	-	-	8	2	-	1	-
(31)	-	-	1	3	-	1	-	-	-	-	-	-	-	1	2
(32)	-	-	2	3	-	-	-	1	-	1	1	1	-	3	-
(32)	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-
(33)	2	-	-	14	-	-	-	1	1	1	6	1	1	4	6
(34)	-	-	-	2	-	-	-	1	-	-	1	2	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	2	-	1	7	-	-	-	1	1	-	6	1	-	5	1
(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43)	1	1	4	24	-	-	1	-	3	-	19	3	-	9	3
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	1	8	-	-	1	-	1	-	10	1	-	1	1
(43)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(43)	-	1	-	3	-	-	-	-	-	-	1	-	-	-	-
(43)	1	-	2	4	-	-	-	-	2	-	1	1	-	4	2
(43)	-	-	1	7	-	-	-	-	-	2	7	1	-	4	-
(44)	3	-	2	12	1	-	-	2	1	2	7	2	1	15	3
(44)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

² Not elsewhere specified.

Abridged Int. List No.	Table 18 CAUSE OF DEATH. ¹	ALLOCATED DEATHS								
		Officials and inspectors (County).	Officials and inspectors (State).	Officials and inspectors (United States).	Officials of lodges, soci- eties, etc.	Oilers of machinery.	Operatives, building and construction.	Operatives, chemical and allied industries.	Operatives, cigar and to- bacco factories.	Operatives, clay, glass and stone industries.
	All Causes.	8	20	20	9	8	7	28	18	23
(1)	Typhoid and paratyphoid fevers (1,2)	-	-	-	-	-	-	-	-	-
(1)	Scarlet fever (8)	-	-	-	-	-	-	-	-	-
(6)	Tuberculosis of the respiratory sys- tem (13)	-	-	1	-	1	-	7	2	3
(7)	Tuberculosis of the meninges and central nervous system (14)	-	-	-	-	-	-	-	-	-
(7)	All other forms of tuberculosis (15-22)	-	-	-	-	-	1	-	-	-
(9)	Syphilis (30)	-	-	-	-	1	1	-	-	-
(10)	Influenza (33)	-	-	-	-	-	-	-	-	-
(14)	Cerebrospinal (meningococcus) men- ingitis (6)	-	-	-	-	-	-	-	-	-
(14)	Erysipelas (11)	-	-	-	-	-	-	-	-	-
(15)	Cancer and other malignant tumors (45-55)	2	5	1	2	-	1	4	5	3
(17)	Chronic rheumatism and gout (59, 60)	-	-	-	-	-	-	-	-	-
(18)	Diabetes mellitus (61)	-	1	1	1	-	-	-	-	1
(19)	Chronic or acute alcoholism (77)	-	-	-	-	-	-	-	1	-
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	-	-	-	-	-	-	1	-	-
(22)	Cerebral hemorrhage, cerebral em- bolism and thrombosis (83)	1	-	-	1	-	1	2	-	2
(24)	Acute endocarditis (91)	-	-	-	-	-	-	-	-	-
(24)	Diseases of the coronary arteries and angina pectoris (94)	-	5	8	1	-	-	5	3	3
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	1	3	-	-	-	-	-	1	-
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	1	3	4	2	2	-	3	1	4
(25)	Arteriosclerosis (97)	-	-	-	-	-	-	-	-	-
(26)	Bronchitis (106)	-	-	-	-	-	-	-	-	-
(27)	Bronchopneumonia (including capil- lary bronchitis) (107)	1	-	-	-	1	1	1	-	1
(27)	Lobar pneumonia (108)	-	-	-	-	-	-	-	-	-
(27)	Pneumonia (unspecified) (109)	-	-	-	-	-	-	-	-	-
(28)	Other diseases of the respiratory sys- tem (104, 105, 110-114)	-	-	-	-	-	-	-	-	-
(30)	Appendicitis (121)	-	1	-	-	-	-	-	-	1
(31)	Cirrhosis of the liver (124)	-	-	1	-	-	-	-	-	-
(32)	Diseases of the stomach (117, 118)	-	-	-	-	-	-	-	1	-
(32)	Hernia, intestinal obstruction (122)	1	-	1	-	-	-	-	1	1
(33)	Nephritis (130-132)	-	-	-	-	-	-	-	-	-
(34)	Other diseases of the urinary and genital systems (133-139)	-	1	2	1	1	-	1	2	-
(35)	Puerperal infection (140, 147)	-	-	-	-	-	1	1	-	-
(36)	Other diseases of pregnancy, child- birth and the puerperium (141- 146, 148-150)	-	-	-	-	-	-	-	-	-
(39)	Senility (162)	-	-	-	-	-	-	-	-	-
(40)	Suicide (163, 164)	-	-	-	-	-	-	-	-	-
(41)	Homicide (165-168)	-	-	-	-	-	-	-	-	-
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	-	-	1	1	1	1	2	-	2
(42)	Railroad and automobile collisions (170a)	-	-	-	-	-	-	-	-	-
(42)	Automobile accidents and injuries (170c)	-	-	-	-	-	1	-	-	1
(43)	Railroad accidents and injuries (169)	-	-	-	-	-	-	-	-	-
(43)	Street car and other road-transport accidents (171)	-	-	-	-	-	-	-	-	-
(43)	Burns (conflagration excepted) (181)	-	-	-	-	-	-	1	-	-
(43)	Accidental drowning (183)	-	-	-	1	-	-	-	-	-
(43)	Accidental injury by fall (186a)	-	-	-	-	1	-	1	-	-
(43)	All others	-	-	1	-	-	-	-	-	1
(44)	All other defined causes	1	1	-	-	1	-	1	1	-
(44)	Cause of death not specified or ill- defined (199, 200)	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Operatives, clothing industry.	Operatives, domestic, personal and professional service.	Operatives, food and allied industries.	Operatives, iron, metals, machinery, etc., industries.	Operatives, leather industry.	Operatives, lumber and furniture industries.	Operatives, miscellaneous manufacturing industries.	Operatives, others (n. e. s.). ²	Operatives, paper, printing and allied industries.	Operatives, public service.	Operatives, textile industry.	Operatives, trade.	Operatives, transportation and communication.	Operators and manufacturers (n. e. s.). ²	Operators, office appliances.
(1)	72	97	67	273	668	63	541	50	120	31	647	8	83	220	2
(3)	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
(6)	5	8	3	23	40	2	51	1	12	1	35	1	3	6	-
(7)	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
(7)	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-
(9)	-	2	-	1	11	-	9	3	2	1	6	-	1	3	-
(10)	-	-	-	2	-	1	2	-	-	-	2	-	-	1	-
(14)	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(15)	13	18	9	39	122	10	91	6	23	5	112	1	16	30	-
(17)	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
(18)	2	2	1	8	15	1	9	1	3	-	10	-	1	5	-
(19)	1	-	-	6	3	-	1	2	-	2	5	-	1	1	-
(20)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(22)	6	7	6	18	44	8	35	4	5	2	50	-	6	13	-
(24)	-	-	-	1	1	-	3	-	-	-	1	-	-	1	-
(24)	9	11	6	40	103	9	62	6	15	6	77	2	12	49	-
(24)	3	1	3	4	9	3	6	-	1	-	5	-	-	1	-
(24)	11	12	16	43	134	5	100	9	28	2	134	3	19	46	1
(25)	-	-	-	1	5	1	-	-	1	-	3	-	-	4	-
(26)	1	-	-	-	-	-	3	-	-	-	3	-	-	1	-
(27)	1	2	2	2	17	2	13	2	-	-	12	-	4	3	-
(27)	1	4	-	8	17	2	13	1	2	2	11	1	2	3	-
(27)	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-
(28)	-	3	1	4	3	2	3	-	2	-	5	-	1	2	-
(30)	2	1	1	1	3	1	6	-	1	1	6	-	1	3	-
(31)	1	2	1	3	6	-	4	-	-	1	10	-	-	8	-
(32)	-	-	2	4	10	1	9	-	-	-	4	-	2	3	-
(32)	1	-	-	1	5	-	4	-	3	-	6	-	-	1	-
(33)	3	6	3	11	31	3	25	1	6	3	46	-	6	10	-
(34)	-	-	-	2	5	-	7	-	1	-	7	-	-	3	-
(35)	-	2	-	-	2	-	1	-	1	-	1	-	-	-	-
(36)	-	-	-	1	-	-	3	-	-	-	2	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	4	3	3	5	15	-	10	2	1	-	25	-	2	9	-
(41)	-	-	-	2	1	2	-	-	-	-	-	-	-	1	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	4	7	2	29	38	6	37	9	7	4	32	-	4	5	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	2	1	1	12	14	3	5	-	-	-	12	-	2	2	-
(43)	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	1	-	-	1	2	-	1	1	-	1	1	-	1	1	-
(43)	1	1	-	2	8	-	4	4	1	-	1	-	-	-	-
(43)	-	3	-	8	8	-	11	3	2	2	8	-	1	1	-
(43)	-	2	1	5	4	2	16	1	4	1	10	-	-	1	-
(44)	4	5	5	9	23	4	30	1	6	1	33	-	2	6	1
(44)	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-

² Not elsewhere specified.

Abridged Int. List No.	Table 18 CAUSE OF DEATH. ¹	ALLOCATED DEATHS									
		Osteopaths.	Other occupations, domestic and personal service (n. e. s.). ²	Other occupations, professional (n. e. s.). ²	Other occupations, public service (n. e. s.). ²	Other occupations, semi-professional and recreational (n. e. s.). ²	Painters, glaziers and varnishers. (Building).	Painters, glaziers and varnishers. (Factory).	Paper hangers.	Pattern and model makers.	
	All Causes.	2	62	38	23	2	342	14	3	22	
(1)	Typhoid and paratyphoid fevers (1,2)	-	-	-	-	-	-	-	-	-	
(3)	Scarlet fever (8)	-	-	-	-	-	-	-	-	-	
(6)	Tuberculosis of the respiratory system (13)	-	4	2	-	-	28	1	-	-	
(7)	Tuberculosis of the meninges and central nervous system (14)	-	-	-	-	-	-	-	-	-	
(7)	All other forms of tuberculosis (15-22)	-	-	-	-	-	-	-	-	-	
(9)	Syphilis (30)	-	-	1	1	-	7	-	-	-	
(10)	Influenza (33)	-	-	-	-	-	-	-	-	-	
(14)	Cerebrospinal (meningococcus) meningitis (6)	-	-	-	-	-	-	-	-	-	
(14)	Erysipelas (11)	-	-	-	-	-	-	-	1	-	
(15)	Cancer and other malignant tumors (45-55)	-	9	5	2	-	50	-	-	2	
(17)	Chronic rheumatism and gout (59, 60)	-	-	-	-	-	-	-	-	-	
(18)	Diabetes mellitus (61)	1	3	-	1	-	2	-	-	-	
(19)	Chronic or acute alcoholism (77)	-	-	1	1	-	9	-	-	-	
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	-	-	-	-	-	-	-	-	-	
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	4	3	-	-	22	2	1	2	
(24)	Acute endocarditis (91)	-	-	1	-	-	2	-	-	-	
(24)	Diseases of the coronary arteries and angina pectoris (94)	-	12	3	2	2	53	2	-	3	
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	-	-	1	-	-	3	-	-	1	
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	-	9	9	5	-	56	6	-	4	
(25)	Arteriosclerosis (97)	-	-	-	-	-	2	1	-	-	
(26)	Bronchitis (106)	-	-	-	1	-	1	-	-	-	
(27)	Bronchopneumonia (including capillary bronchitis) (107)	-	1	3	-	-	6	-	-	2	
(27)	Lobar pneumonia (108)	-	2	-	-	-	8	-	-	1	
(27)	Pneumonia (unspecified) (109)	-	-	-	-	-	-	-	-	-	
(28)	Other diseases of the respiratory system (104, 105, 110-114)	-	-	1	-	-	3	-	-	1	
(30)	Appendicitis (121)	-	-	-	1	-	2	-	-	-	
(31)	Cirrhosis of the liver (124)	-	-	-	2	-	4	-	-	-	
(32)	Diseases of the stomach (117, 118)	-	-	-	1	-	6	-	-	1	
(32)	Hernia, intestinal obstruction (122)	-	-	-	1	-	1	-	-	-	
(33)	Nephritis (130-132)	-	4	2	-	-	20	1	-	1	
(34)	Other diseases of the urinary and genital systems (133-139)	-	3	-	1	-	2	-	-	-	
(35)	Puerperal infection (140, 147)	-	-	-	-	-	-	-	-	-	
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	-	-	-	-	-	-	-	-	-	
(39)	Senility (162)	-	-	-	-	-	-	-	-	-	
(40)	Suicide (163, 164)	-	2	2	-	-	8	1	-	-	
(41)	Homicide (165-168)	-	-	-	-	-	2	-	-	-	
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	-	4	2	3	-	26	-	-	2	
(42)	Railroad and automobile collisions (170a)	-	-	-	-	-	-	-	-	-	
(42)	Automobile accidents and injuries (170c)	-	1	1	-	-	6	-	-	1	
(43)	Railroad accidents and injuries (169)	-	-	-	-	-	-	-	-	-	
(43)	Street car and other road-transport accidents (171)	-	-	-	-	-	-	-	-	-	
(43)	Burns (conflagration excepted) (181)	-	-	-	-	-	1	-	-	-	
(43)	Accidental drowning (183)	-	-	-	-	-	2	-	-	-	
(43)	Accidental injury by fall (186a)	-	3	-	-	-	11	-	-	1	
(43)	All others	-	-	1	3	-	6	-	-	-	
(44)	All other defined causes	-	5	2	1	-	19	-	-	2	
(44)	Cause of death not specified or ill-defined (199, 200)	-	-	-	-	-	-	-	-	-	

¹The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Photographers.	Physicians and surgeons.	Physicians' and surgeons' attendants.	Piano and organ tuners.	Plasterers.	Plumbers and gas and steam fitters.	Policemen.	Porters.	Postmasters.	Pressmen and plate printers.	Probation and truant officers.	Radio operators.	Religious workers.	Restaurant, cafe and lunch room keepers.	Roofers and slaters.	Sailors and deck hands (not in navy).
(1)	16	153	1	5	17	135	110	52	12	11	3	1	24	77	25	35
(3)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(6)	1	4	-	-	1	3	3	4	-	-	-	1	1	3	3	7
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(9)	-	-	-	-	-	2	1	3	-	-	-	-	-	1	-	-
(10)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	2	28	1	-	-	18	14	3	2	3	-	-	3	12	2	3
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	1	2	-	-	-	6	7	1	-	-	-	-	1	4	-	2
(19)	-	-	-	-	1	2	-	1	-	-	-	-	-	1	1	-
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	1	15	-	1	1	9	7	5	3	-	-	-	5	4	1	-
(24)	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(24)	4	36	-	-	1	17	19	2	1	2	-	-	3	14	6	4
(24)	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
(24)	3	31	-	2	4	30	25	15	2	2	1	-	4	16	3	4
(25)	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(26)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(27)	1	1	-	-	1	3	-	1	-	-	-	-	1	2	-	-
(27)	-	2	-	-	3	5	2	1	-	1	-	-	1	-	2	-
(27)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(28)	-	-	-	-	1	2	3	-	-	-	-	-	-	-	2	-
(30)	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
(31)	-	-	-	-	-	1	4	-	1	1	1	-	-	1	1	1
(32)	-	-	-	-	-	1	1	-	1	1	-	-	-	1	1	1
(32)	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(33)	1	7	-	1	1	9	2	2	2	1	-	-	1	5	1	-
(34)	-	4	-	-	-	1	1	1	-	1	-	-	-	2	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(39)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(40)	1	6	-	-	1	1	3	1	-	-	1	-	-	3	-	1
(41)	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	1	-	-	1	2	3	-	-	-	-	-	-	2	-	1
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	7
(43)	-	3	-	-	-	1	2	3	-	-	-	-	-	1	-	-
(43)	-	-	-	-	-	3	1	4	-	-	-	-	-	2	-	2
(43)	1	4	-	-	-	9	3	3	-	-	-	-	3	1	-	2
(44)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

* Not elsewhere specified.

Abridged Int. List No.	Table 18 CAUSE OF DEATH. ¹	ALLOCATED DEATHS								
		Salesmen and saleswomen.	Sawyers.	Servants, domestic and personal service (n.e.s.). ²	Sheriffs.	Shoemakers and cobblers (not in factory).	Shownen.	Skilled occupations (n. e. s.). ²	Social and welfare workers.	Soldiers, sailors and marines.
(1)	All Causes.	830	3	282	3	32	8	5	21	43
(1)	Typhoid and paratyphoid fevers (1,2)	-	-	-	-	-	-	-	-	-
(3)	Scarlet fever (8)	-	-	-	-	-	-	-	-	-
(6)	Tuberculosis of the respiratory system (13)	56	-	21	-	-	1	-	1	5
(7)	Tuberculosis of the meninges and central nervous system (14)	-	-	-	-	-	-	-	-	-
(7)	All other forms of tuberculosis (15-22)	2	-	1	-	-	-	-	-	-
(9)	Syphilis (30)	12	-	3	-	1	1	1	-	1
(10)	Influenza (33)	2	-	-	-	-	-	-	-	-
(14)	Cerebrospinal (meningococcus) meningitis (6)	1	-	-	-	-	-	-	-	-
(14)	Erysipelas (11)	1	-	2	-	-	-	-	-	-
(15)	Cancer and other malignant tumors (45-55)	98	2	59	-	4	1	-	3	1
(17)	Chronic rheumatism and gout (59, 60)	1	-	-	-	-	-	-	-	-
(18)	Diabetes mellitus (61)	20	-	10	-	2	-	-	2	1
(19)	Chronic or acute alcoholism (77)	7	-	4	-	-	-	-	-	1
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	-	-	-	-	-	-	-	-	-
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	45	-	13	-	4	1	-	1	-
(24)	Acute endocarditis (91)	3	-	1	-	1	-	-	-	-
(24)	Diseases of the coronary arteries and angina pectoris (94)	151	1	19	1	2	1	2	1	4
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	8	-	2	-	-	-	-	2	-
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	157	-	47	-	7	-	-	4	6
(25)	Arteriosclerosis (97)	3	-	-	-	-	-	-	-	1
(26)	Bronchitis (106)	2	-	-	-	-	-	-	-	-
(27)	Bronchopneumonia (including capillary bronchitis) (107)	17	-	7	-	1	1	-	1	2
(27)	Lobar pneumonia (108)	19	-	6	-	3	-	-	1	1
(27)	Pneumonia (unspecified) (109)	-	-	-	-	-	-	-	-	-
(28)	Other diseases of the respiratory system (104, 105, 110-114)	7	-	5	-	1	-	-	-	-
(30)	Appendicitis (121)	13	-	3	-	-	-	-	-	-
(31)	Cirrhosis of the liver (124)	9	-	3	1	1	-	-	-	-
(32)	Diseases of the stomach (117, 118)	13	-	2	-	1	-	-	-	2
(32)	Hernia, intestinal obstruction (122)	4	-	4	-	-	-	-	1	-
(33)	Nephritis (130-132)	49	-	17	1	2	-	2	2	3
(34)	Other diseases of the urinary and genital systems (133-139)	11	-	1	-	-	-	-	-	-
(35)	Puerperal infection (140, 147)	-	-	2	-	-	-	-	-	-
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	1	-	3	-	-	-	-	-	-
(39)	Senility (162)	-	-	-	-	-	-	-	-	-
(40)	Suicide (163, 164)	18	-	6	-	1	1	-	-	3
(41)	Homicide (165-168)	3	-	4	-	-	-	-	-	-
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	45	-	23	-	-	-	-	1	8
(42)	<i>Railroad and automobile collisions (170a)</i>	-	-	-	-	-	-	-	-	-
(42)	<i>Automobile accidents and injuries (170c)</i>	16	-	6	-	-	-	-	-	4
(43)	<i>Railroad accidents and injuries (169)</i>	1	-	-	-	-	-	-	-	-
(43)	<i>Street car and other road-transport accidents (171)</i>	-	-	-	-	-	-	-	-	-
(43)	<i>Burns (conflagration excepted) (181)</i>	2	-	-	-	-	-	-	-	1
(43)	<i>Accidental drowning (183)</i>	1	-	4	-	-	-	-	-	-
(43)	<i>Accidental injury by fall (186a)</i>	16	-	6	-	-	-	-	1	-
(43)	<i>All others</i>	9	-	7	-	-	-	-	-	3
(44)	<i>All other defined causes</i>	51	-	14	-	1	1	-	1	4
(44)	<i>Cause of death not specified or ill-defined (199, 200)</i>	1	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.

Abridged Int. List No.	Stage hands and circus helpers.	Stenographers and typists.	Stock brokers.	Stonecutters.	Structural iron workers (building).	Switchmen and flagmen.	Tailors and tailoresses.	Teachers, athletics, dancing, school, etc.	Technicians and laboratory assistants.	Telegraph and telephone linemen.	Telegraph operators.	Telephone operators.	Theatre ushers.	Theatrical owners, managers, etc.	Ticket and station agents.	Tinsmiths and sheet metal workers.
(1)	2	38	20	37	10	20	81	211	6	22	18	35	5	5	10	28
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	10	-	9	1	-	2	6	-	-	1	2	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(9)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
(10)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	-	7	2	5	-	5	13	59	-	3	2	6	1	1	2	4
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	2	-	1	-	-	3	4	-	1	-	3	-	-	-	-
(19)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	1	2	2	3	-	3	5	20	1	1	1	1	-	-	1	2
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(24)	-	1	3	3	3	4	16	28	2	5	5	3	1	2	2	3
(24)	-	-	1	-	-	1	3	5	-	-	-	-	-	-	-	1
(24)	-	2	3	6	-	4	10	37	-	4	4	7	2	1	2	4
(25)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(27)	-	1	1	1	-	-	1	1	1	1	-	1	-	-	-	-
(27)	-	1	-	1	-	-	2	3	-	-	-	1	-	-	-	3
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-
(30)	-	1	-	-	-	-	-	4	-	-	-	1	-	-	-	-
(31)	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	1
(32)	1	1	1	-	-	-	-	1	1	-	1	-	-	-	1	1
(32)	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
(33)	-	2	1	1	-	1	6	13	-	1	3	2	-	1	1	2
(34)	-	1	-	2	1	1	3	1	-	-	-	1	-	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	-	-	1	-	-	1	4	2	1	-	-	-	-	-	-	-
(41)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	1	2	2	5	-	2	8	-	4	1	2	-	-	-	4
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	1	1	-	-	-	-	3	-	1	1	1	-	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(43)	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
(43)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(43)	-	-	1	-	4	-	1	1	-	1	-	1	-	-	-	1
(43)	-	-	2	2	1	-	6	15	-	2	-	3	-	-	-	1
(44)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

2 Not else where specified.

Abridged Int. List No.	Table 18 CAUSE OF DEATH. ¹	ALLOCATED DEATHS FROM IMPORTANT CAUSES BY OCCUPATIONS: 1940.								
		Toolmakers, die setters and sinkers.	Undertakers.	Unknown or unspecified occupations.	Upholsterers.	Veterinary surgeons.	Waiters and waitresses.	Weighers.	Wholesale dealers, im- porters and exporters.	Yardmen.
	All Causes.	50	26	705	18	7	109	1	19	2
(1)	Typhoid and paratyphoid fevers (1,2)	—	—	—	—	—	—	—	—	—
(3)	Scarlet fever (8)	—	—	1	—	—	—	—	—	—
(6)	Tuberculosis of the respiratory system (13)	2	—	70	1	—	21	—	—	—
(7)	Tuberculosis of the meninges and central nervous system (14)	—	—	1	1	—	—	—	—	—
(7)	All other forms of tuberculosis (15-22)	—	—	4	—	—	1	—	—	—
(9)	Syphilis (30)	—	—	11	—	—	1	—	—	—
(10)	Influenza (33)	—	—	—	—	—	—	—	—	—
(14)	Cerebrospinal (meningococcus) meningitis (6)	—	—	1	—	—	—	—	—	—
(14)	Erysipelas (11)	—	—	—	—	—	—	—	—	—
(15)	Cancer and other malignant tumors (45-55)	2	3	61	3	2	10	—	4	—
(17)	Chronic rheumatism and gout (59, 60)	—	—	1	—	—	—	—	—	—
(18)	Diabetes mellitus (61)	2	—	14	—	—	2	—	—	—
(19)	Chronic or acute alcoholism (77)	—	—	9	—	—	3	—	—	—
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	—	—	—	—	—	—	—	—	—
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4	—	43	—	2	3	1	1	—
(24)	Acute endocarditis (91)	—	—	7	—	—	—	—	—	—
(24)	Diseases of the coronary arteries and angina pectoris (94)	15	5	62	4	—	6	—	4	—
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	—	—	12	—	—	1	—	—	—
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	9	4	153	2	2	19	—	4	—
(25)	Arteriosclerosis (97)	—	—	5	—	—	1	—	—	—
(26)	Bronchitis (106)	—	—	2	—	—	—	—	—	—
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	—	29	—	—	2	—	1	—
(27)	Lobar pneumonia (108)	—	2	10	—	—	—	—	—	—
(27)	Pneumonia (unspecified) (109)	—	—	—	—	—	—	—	—	—
(28)	Other diseases of the respiratory system (104, 105, 110-114)	—	—	4	—	—	—	—	—	—
(30)	Appendicitis (121)	1	1	5	—	—	—	—	—	—
(31)	Cirrhosis of the liver (124)	1	1	7	1	—	2	—	—	—
(32)	Diseases of the stomach (117, 118)	—	—	7	—	—	1	—	—	—
(32)	Hernia, intestinal obstruction (122)	1	—	6	—	1	2	—	1	—
(33)	Nephritis (130-132)	5	2	41	2	—	6	—	—	—
(34)	Other diseases of the urinary and genital systems (133-139)	1	—	8	—	—	1	—	—	—
(35)	Puerperal infection (140, 147)	—	—	—	—	—	1	—	—	—
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	—	—	1	—	—	2	—	—	—
(39)	Senility (162)	—	—	—	—	—	—	—	—	—
(40)	Suicide (163, 164)	2	2	17	2	—	6	—	1	—
(41)	Homicide (165-168)	—	—	5	—	—	—	—	—	—
(42)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	2	3	45	2	—	12	—	2	2
(42)	Railroad and automobile collisions (170a)	—	—	—	—	—	—	—	—	—
(42)	Automobile accidents and injuries (170c)	2	2	14	—	—	9	—	—	—
(43)	Railroad accidents and injuries (169)	—	—	4	—	—	—	—	—	1
(43)	Street car and other road-transport accidents (171)	—	—	—	—	—	—	—	—	—
(43)	Burns (conflagration excepted) (181)	—	—	1	—	—	1	—	—	—
(43)	Accidental drowning (185)	—	—	2	—	—	—	—	—	—
(43)	Accidental injury by fall (186a)	—	—	15	1	—	2	—	1	1
(43)	All others	—	1	9	1	—	—	—	1	—
(44)	All other defined causes	—	3	62	—	—	5	—	1	—
(44)	Cause of death not specified or ill-defined (199, 200)	1	—	1	—	—	—	—	—	—

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

YEARS.	All causes.	Diseases of the heart.	Cancer.	Cerebral hemorrhage, embolism and thrombosis.	Pneumonia.	Nephritis.	Tuberculosis of the respiratory system.	Diabetes.	Respiratory diseases.	Puerperal causes.
	90-95	45-55	83	107-109	130-132	13	61	104-114	140-150	
1916 . . .	56,366	8,682	3,990	3,690	6,567	3,593	4,467	783	7,859	525
1917 . . .	56,628	8,889	4,057	4,152	6,293	3,591	4,559	776	7,391	616
1918 . . .	78,842	7,800	4,098	4,343	14,626	4,008	5,078	680	16,078	804
1919 . . .	52,345	6,041	4,112	4,461	5,279	3,743	4,145	633	6,313	622
1920 . . .	53,632	7,439	4,494	4,336	6,347	3,644	3,645	796	7,467	698
1921 . . .	47,780	7,757	4,645	4,389	4,200	3,250	3,272	777	1,903	580
1922 . . .	51,115	8,797	4,650	4,762	5,493	3,268	3,167	948	6,260	559
1923 . . .	52,380	9,132	4,775	4,847	5,835	3,466	3,062	852	6,618	498
1924 . . .	49,466	8,781	5,074	4,881	4,362	3,345	2,953	772	1,971	544
1925 . . .	51,890	9,747	5,196	5,050	5,244	3,153	2,883	806	5,898	501
1926 . . .	52,888	10,851	5,341	4,239	5,158	4,005	2,961	835	5,820	501
1927 . . .	49,324	10,309	5,454	4,113	4,088	3,763	2,774	844	4,663	486
1928 . . .	51,442	11,248	5,611	4,371	4,625	3,758	2,690	930	5,152	456
1929 . . .	52,171	11,528	5,672	4,299	4,906	3,565	2,561	997	5,502	453
1930 . . .	49,503	11,353	5,813	4,228	4,043	3,715	2,423	1,021	4,511	438
1931 . . .	48,743	11,959	5,859	4,363	3,844	3,488	2,306	1,060	4,341	408
1932 . . .	49,531	13,255	6,153	4,170	3,803	3,678	2,041	1,197	4,250	369
1933 . . .	50,832	14,119	6,382	4,359	4,039	3,518	2,059	1,234	4,558	389
1934 . . .	50,760	14,543	6,675	4,269	3,631	3,362	1,902	1,327	4,079	317
1935 ¹ . . .	49,634	14,835	6,351	4,167	3,992	3,307	1,813	1,303	4,428	325
1936 ¹ . . .	51,435	16,087	6,599	4,273	4,220	3,186	1,733	1,388	4,689	270
1937 ¹ . . .	51,739	16,233	6,669	4,350	4,174	3,099	1,761	1,495	4,583	252
1938 ¹ . . .	49,285	16,296	6,875	4,292	3,216	3,010	1,536	1,436	3,630	232
1939 ¹ . . .	50,292	17,604	6,914	4,504	3,126	2,916	1,505	1,506	3,519	210
1940 ¹ . . .	50,698	18,148	7,219	4,642	2,661	3,016	1,484	1,570	3,104	181

¹ Allocated.

YEARS.	Scarlet fever.	Whooping cough.	Diphtheria.	Polio-myelitis.	Measles.	Meningococcus meningitis.	Typhoid fever.	Acute infectious encephalitis.	Bacillary dysentery.	Lobar pneumonia.
	8	9	10	36	35	6	1	37a, 37b	27a	108
1916 . . .	127	346	629	452	392	10	172	-	-	3,694
1917 . . .	120	243	838	51	371	13	178	-	-	3,786
1918 . . .	78	729	608	37	532	115	160	-	-	9,921
1919 . . .	122	323	593	15	183	71	107	-	-	2,530
1920 . . .	214	546	591	144	352	39	95	-	-	2,750
1921 . . .	191	201	607	48	179	49	119	-	16	1,749
1922 . . .	149	294	606	33	218	47	86	-	7	2,238
1923 . . .	155	493	579	35	321	41	70	-	-	2,166
1924 . . .	158	147	534	27	165	39	68	-	2	1,817
1925 . . .	117	260	333	52	337	35	73	-	4	2,274
1926 . . .	117	391	249	44	367	39	61	-	3	2,315
1927 . . .	144	149	268	169	87	43	44	-	6	1,909
1928 . . .	90	208	249	65	265	38	36	-	11	2,106
1929 . . .	71	137	256	21	121	79	41	-	2	2,154
1930 . . .	98	182	182	35	137	59	37	-	4	1,816
1931 . . .	101	88	130	114	64	30	30	24	4	1,717
1932 . . .	145	107	107	13	64	34	25	19	3	1,688
1933 . . .	108	97	86	32	27	25	22	16	3	1,825
1934 . . .	76	125	50	9	91	28	14	25	17	1,601
1935 ² . . .	57	67	26	61	37	55	10	16	6	1,731
1936 ² . . .	44	52	27	8	35	100	10	14	4	1,944
1937 ² . . .	38	95	18	22	28	72	13	14	4	1,846
1938 ² . . .	24	35	19	7	13	18	13	19	15	1,312
1939 ² . . .	15	45	15	4	16	17	11	7	9	1,211
1940 ² . . .	19	22	8	2	11	15	8	3	4	925

¹ Not tabulated.² Allocated.

Abridged Int. List No.	Table 21 CAUSE OF DEATH. ¹	NUMBER OF DEATHS. ²						
		1940. ³	1939. ³	1938. ³	1937. ³	1936. ³	1935. ³	1934.
	All Causes²	50,698	50,292	49,285	51,739	51,435	49,634	50,760
I	Infectious and parasitic diseases	2,342	2,267	2,276	2,940	2,824	2,954	3,127
II	Cancers and other tumors	7,464	7,130	7,097	6,900	6,836	6,590	6,917
III	Rheumatic diseases, nutritional diseases, diseases of the endocrine glands and other general diseases	1,746	1,664	1,610	1,743	1,638	1,573	1,602
IV	Diseases of the blood and blood-forming organs	317	413	415	430	374	392	425
V	Chronic poisonings and intoxications	186	207	184	202	214	223	276
VI	Diseases of the nervous system and of the organs of special sense	5,072	5,074	4,861	5,034	5,020	4,911	5,094
VII	Diseases of the circulatory system	19,152	18,589	17,392	17,458	17,320	16,038	15,976
VIII	Diseases of the respiratory system	3,104	3,519	3,630	4,583	4,689	4,428	4,079
IX	Diseases of the digestive system	2,323	2,450	2,487	2,709	2,629	2,539	2,837
X	Diseases of the genitourinary system	3,629	3,555	3,639	3,783	3,844	3,922	4,019
XI	Diseases of pregnancy, childbirth and the puerperal state	181	210	232	252	270	325	317
XII	Diseases of the skin and cellular tissue	59	71	61	64	83	92	102
XIII	Diseases of the bones and organs of locomotion	43	61	44	62	66	44	55
XIV	Congenital malformations	378	385	387	385	405	393	444
XV	Diseases of early infancy	1,321	1,250	1,326	1,386	1,493	1,473	1,541
XVI	Senility	39	32	28	33	54	50	42
XVII	Violent and accidental deaths	3,316	3,381	3,590	3,741	3,662	3,650	3,836
XVIII	Ill-defined causes of death	26	34	26	34	14	37	71
(1)	Typhoid and paratyphoid fevers (1, 2)	9	13	13	15	11	10	14
(3)	Scarlet-fever (8)	19	15	24	38	44	57	76
(4)	Whooping cough (9)	22	45	35	95	52	67	125
(5)	Diphtheria (10)	8	15	19	18	27	26	50
(6)	Tuberculosis of the respiratory system (13)	1,484	1,505	1,536	1,761	1,733	1,813	1,902
(7)	Tuberculosis of the meninges and central nervous system (14)	34	29	40	45	54	51	74
(7)	All other forms of tuberculosis (15-22)	80	68	99	81	111	97	140
(8)	Malaria (28)	-	1	1	2	-	1	2
(9)	Syphilis (30)	340	204	198	208	196	177	159
(10)	Influenza (33)	147	230	155	432	280	322	268
(12)	Measles (35)	11	16	13	28	35	37	91
(14)	Cerebrospinal (meningococcus) meningitis (6)	15	17	18	72	100	55	28
(14)	Erysipelas (11)	23	20	22	34	74	77	61
(14)	Acute poliomyelitis and acute polioencephalitis (36)	2	4	7	22	8	61	9
(15)	Cancer and other malignant tumors (45-55)	7,219	6,914	6,875	6,669	6,599	6,351	6,675
(17)	Chronic rheumatism and gout (59, 60)	40	42	41	68	65	81	76
(18)	Diabetes mellitus (61)	1,570	1,506	1,436	1,495	1,388	1,303	1,327
(19)	Chronic or acute alcoholism (77)	178	198	173	188	207	209	266
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	42	26	29	36	48	54	49
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4,642	4,504	4,292	4,350	4,273	4,167	4,269
(24)	Acute endocarditis (91)	102	116	86	121	107	125	120
(24)	Diseases of the coronary arteries and angina pectoris (94)	5,374	4,372	3,872	3,220	3,173	3,354	3,470
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	430	-	-	-	-	-	-
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12,242	13,116	12,338	12,892	12,807	11,356	10,953
(25)	Arteriosclerosis (97)	827	793	894	1,037	1,044	1,004	1,275
(26)	Bronchitis (106)	122	92	107	111	121	149	146
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1,696	1,882	1,868	2,291	2,233	2,232	2,005
(27)	Lobar pneumonia (108)	925	1,211	1,312	1,846	1,944	1,731	1,601
(27)	Pneumonia (unspecified) (109)	40	33	36	37	43	29	25
(28)	Other diseases of the respiratory system (104, 105, 110-114)	321	301	307	298	348	287	302
(29)	Diarrhea and enteritis (under 2 years of age) (119)	127	90	122	124	153	219	194
(30)	Appendicitis (121)	419	423	450	568	490	484	588
(31)	Cirrhosis of the liver (124)	401	483	436	436	392	355	368
(32)	Diseases of the stomach (117, 118)	343	357	346	346	354	312	355
(32)	Hernia, intestinal obstruction (122)	342	384	371	417	380	402	413
(33)	Nephritis (130-132)	3,016	2,916	3,010	3,099	3,186	3,307	3,362
(34)	Other diseases of the urinary and genital systems (133-139)	613	639	629	684	658	615	657
(35)	Puerperal infection (140, 147)	72	65	61	67	80	104	93
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148-150)	109	145	171	185	190	221	224
(38)	Congenital malformations (157)	378	385	387	385	405	393	444
(38)	Congenital debility (158)	29	20	20	43	39	39	47
(38)	Premature birth (159)	857	782	898	899	1,046	942	1,018
(39)	Senility (162)	39	32	28	33	54	50	42
(40)	Suicide (163, 164)	570	570	586	642	555	570	598
(41)	Homicide (165-168)	69	61	61	85	72	74	93
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169-198)	2,677	2,750	2,943	3,014	3,035	3,006	3,145
(44)	All other defined causes (3-5, 7, 12, 23-27, 29, 31, 32, 34, 37-44, 56-58, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	2,647	2,868	2,894	3,168	3,207	3,221	3,490
(44)	Causes of death not specified or ill defined (199, 200)	26	34	26	34	14	37	71

¹ Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged List No.	DEATH RATES ² PER 100,000 POPULATION.								PER CENT DISTRIBUTION.							
	1940. ³	1939. ³	1938. ³	1937. ³	1936. ³	1935. ³	1934.	1940. ³	1939. ³	1938. ³	1937. ³	1936. ³	1935. ³	1934.	1933. ³	1932. ³
I	1,174.6	1,131.0	1,113.6	1,174.8	1,173.5	1,140.8	1,169.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
II	54.3	51.0	51.5	66.7	64.4	67.9	72.1	4.6	4.5	4.6	5.7	5.5	6.0	6.2	6.3	6.3
III	40.4	37.4	36.4	59.6	37.4	36.1	36.9	3.4	3.3	3.3	3.4	3.2	3.2	3.2	3.2	3.2
IV	7.3	9.3	9.4	9.8	8.5	9.0	9.8	.6	.8	.8	.8	.7	.8	.8	.8	.8
V	4.3	4.7	4.1	4.6	4.9	5.1	6.4	.4	.4	.4	.4	.4	.4	.4	.4	.4
VI	117.5	114.1	109.8	114.3	114.5	112.9	117.4	10.0	10.1	9.9	9.7	9.8	9.9	10.0	10.0	10.0
VII	443.7	418.0	393.0	396.4	395.2	368.6	368.2	37.8	37.0	35.3	33.7	33.7	32.3	31.7	31.7	31.7
VIII	72.0	79.1	82.0	104.1	107.0	101.8	94.0	6.1	7.0	7.4	8.9	9.1	8.9	8.0	8.0	8.0
IX	53.8	55.1	56.2	61.5	60.0	58.4	65.4	4.6	4.9	5.0	5.2	5.1	5.1	5.0	5.0	5.0
X	84.1	80.0	82.2	85.9	87.7	90.1	92.6	7.2	7.1	7.4	7.3	7.5	7.9	7.9	7.9	7.9
XI	4.2	4.7	5.2	5.7	6.1	7.5	7.3	.4	.4	.5	.5	.5	.6	.6	.6	.6
XII	1.4	1.6	1.4	1.4	1.9	2.1	2.4	.1	.1	.1	.1	.2	.2	.2	.2	.2
XIII	1.0	1.4	1.0	1.1	1.5	1.0	1.3	.1	.1	.1	.1	.1	.1	.1	.1	.1
XIV	8.8	8.7	8.7	8.7	9.2	9.0	10.2	.7	.8	.8	.8	.8	.8	.8	.8	.8
XV	30.6	28.1	30.0	31.5	34.1	33.9	35.5	2.6	2.5	2.7	2.7	2.9	3.0	3.0	3.0	3.0
XVI	.9	.7	.6	.8	1.2	1.1	.9	.1	.1	.1	.1	.1	.1	.1	.1	.1
XVII	76.8	76.0	81.1	84.9	83.6	83.9	88.4	6.5	6.7	7.3	7.2	7.1	7.3	7.0	7.0	7.0
XVIII	.6	.8	.6	.8	.3	.9	1.6	.1	.1	.1	.1	.1	.1	.1	.1	.1
1	.2	.3	.3	.3	.3	.2	.3	—	—	—	—	—	—	—	—	—
2	.4	.3	.5	.9	1.0	1.3	1.7	—	—	.1	.1	.1	.1	.2	.2	.2
3	.5	1.0	.8	2.2	1.2	1.5	2.9	—	.1	.1	.2	.1	.1	.1	.2	.2
4	.2	.3	.4	.4	.6	.6	1.2	—	.1	.1	.1	.1	.1	.1	.1	.1
5	34.4	33.8	34.7	40.0	39.5	41.7	43.8	2.9	3.0	3.1	3.4	3.4	3.7	3.7	3.7	3.7
6	.8	.7	.9	1.0	1.2	1.2	1.7	.1	.1	.1	.1	.1	.1	.1	.1	.1
7	1.9	1.5	2.3	1.8	2.5	2.2	3.2	.2	.1	.2	.2	.2	.2	.2	.3	.3
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	7.9	4.6	4.5	4.7	4.5	4.1	3.7	.7	.4	.3	.4	.4	.4	.4	.3	.3
10	3.4	5.2	3.5	9.8	6.4	7.4	6.2	.3	.5	.3	.8	.5	.6	.5	.6	.5
11	.3	.4	.3	.6	.8	.9	2.1	—	—	—	.1	.1	.1	.2	.1	.2
12	.3	.4	.4	1.6	2.3	1.3	.6	—	—	—	.1	.2	.1	.1	.1	.1
13	.5	.5	.5	.8	1.7	1.8	1.4	.5	.5	.5	.1	.2	.1	.1	.1	.1
14	.4	.1	.2	.5	.2	1.4	.2	—	—	—	.1	.1	.1	.1	.1	.1
15	167.2	155.5	155.3	151.4	150.6	146.0	153.8	14.2	13.7	13.9	12.9	12.8	12.8	13.2	13.2	13.2
16	.9	.9	.9	1.6	1.5	1.9	1.8	.1	.1	.1	.1	.1	.2	.1	.1	.1
17	36.4	33.9	32.4	33.9	31.7	29.9	30.6	3.1	3.0	2.9	2.9	2.7	2.6	2.6	2.6	2.6
18	4.1	4.5	4.9	4.2	4.7	4.8	6.1	.4	.4	.4	.4	.4	.4	.5	.5	.5
19	1.0	.6	.7	.8	1.1	1.2	1.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
20	107.5	101.3	97.0	98.8	97.5	95.8	98.4	9.2	9.0	8.7	8.4	8.3	8.4	8.4	8.4	8.4
21	2.4	2.6	1.9	2.8	2.5	2.9	2.8	.2	.2	.2	.2	.2	.3	.2	.2	.2
22	124.5	98.3	87.5	73.1	72.4	77.1	80.0	10.6	8.7	7.9	6.2	6.2	6.8	6.8	6.8	6.8
23	10.0	—	—	—	—	—	—	.9	—	—	—	—	—	—	—	—
24	283.7	294.9	278.8	292.7	292.2	261.0	252.4	24.2	26.1	25.0	24.9	24.9	22.9	21.6	21.6	21.6
25	19.2	17.8	20.2	23.5	23.8	23.1	29.4	1.6	1.6	2.0	2.0	2.0	2.0	2.5	2.5	2.5
26	2.8	2.1	2.4	2.5	2.7	3.4	3.4	.2	.2	.2	.2	.3	.2	.3	.3	.3
27	39.3	42.3	42.2	52.0	50.9	51.3	46.2	3.3	3.7	3.8	4.4	4.3	4.5	4.0	4.0	4.0
28	21.4	27.2	29.6	41.9	44.3	39.8	36.9	1.8	2.4	2.7	3.6	3.8	3.6	3.2	3.2	3.2
29	.9	.7	.8	.9	1.0	.7	.6	.1	.1	.1	.1	.1	.1	.1	.1	.1
30	7.4	6.8	6.9	6.8	7.9	6.6	7.0	.6	.6	.6	.6	.7	.6	.7	.7	.7
31	2.9	2.0	2.8	2.8	3.5	5.0	4.5	.3	.2	.2	.2	.3	.4	.4	.4	.4
32	9.7	9.5	10.2	12.9	11.2	11.1	13.5	.8	.8	.9	1.1	.9	1.0	1.2	1.2	1.2
33	9.3	10.9	9.9	9.9	8.9	8.1	8.5	.8	1.0	.9	.9	.8	.7	.7	.7	.7
34	7.9	8.0	7.8	7.9	8.1	7.2	8.2	.7	.7	.7	.7	.7	.6	.7	.6	.7
35	7.9	8.6	8.4	9.5	8.7	9.2	9.5	.7	.8	.8	.8	.7	.8	.8	.8	.8
36	69.9	65.6	68.0	70.4	72.7	76.0	77.5	6.0	5.7	6.0	6.0	6.1	6.7	6.6	6.6	6.6
37	14.2	14.4	14.2	15.6	15.0	14.1	15.1	1.2	1.4	1.3	1.3	1.3	1.2	1.3	1.3	1.3
38	1.7	1.4	1.4	1.5	1.8	2.4	2.1	.2	.1	.1	.1	.1	.2	.2	.2	.2
39	2.5	3.3	3.8	4.2	4.3	5.1	5.2	.2	.3	.3	.4	.4	.4	.4	.4	.4
40	8.8	8.7	8.7	8.7	9.2	9.0	10.2	.8	.8	.7	.7	.8	.8	.9	.9	.9
41	.7	.4	.5	1.0	.9	.9	1.1	.5	.5	.1	.1	.1	.1	.1	.1	.1
42	19.9	17.6	20.3	20.4	23.9	21.7	23.5	1.7	1.6	1.8	1.8	2.0	1.9	2.0	2.0	2.0
43	.9	.7	.6	.8	1.2	1.1	1.0	.1	.1	.1	.1	.1	.1	.1	.1	.1
44	13.2	12.8	13.2	14.6	12.7	13.1	13.8	1.1	1.1	1.2	1.2	1.1	1.1	1.2	1.2	1.2
45	1.6	1.4	1.4	1.9	1.7	1.7	2.1	.1	.1	.1	.2	.1	.1	.2	.2	.2
46, 47	62.0	61.9	66.5	68.4	69.2	69.1	72.5	5.3	5.5	6.0	5.8	5.9	6.1	6.2	6.2	6.2
48	61.4	64.5	65.5	72.0	73.2	74.0	80.4	5.2	5.7	5.9	6.1	6.2	6.5	6.9	6.9	6.9
49	.6	.8	.6	.8	.3	.9	1.6	.5	.1	.1	.1	.1	.1	.1	.1	.1

² Exclusive of stillbirths.³ Allocated.⁴ Less than one-tenth of 1 per 100,000.⁵ Less than one-tenth of 1 per cent.

Table 22

DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE
NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR
IS THE MEDIAN YEAR:¹ CENSUS YEARS 1910 TO 1935.

YEARS.	All causes. ²	Ty- phoid fever.*	Small- pox.*	Mea- sles.*	Scarlet fever.*	Diph- theria and croup.*	Tuber- culosis of the respira- tory system.*	Cancer.	Ne- phritis, Bright's disease, etc. 130, 131, 132
		1	6	7	8	10	23	45 53	
1910	1,566.2	11.2	— ³	6.9	7.0	18.1	130.0	89.9	89.6
1915	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7
1920	1,472.9	2.9	— ³	7.6	3.9	15.6	100.2	114.2	93.0
1925	1,235.2	1.5	— ³	6.2	4.1	11.1	70.6	124.3	85.6
1930	1,181.9	.8	— ³	3.0	2.4	4.3	56.5	136.9	85.6
1935	1,167.2	.3	—	1.0	1.5	1.0	42.5	149.9	75.6

¹ This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.

² Exclusive of stillbirths.

³ Less than one-tenth of 1 per 100,000.

Table 23

DEATHS PRODUCED BY EXTERNAL CAUSES. 1916 TO 1940.

YEARS.	Total.	Traum- atism by fall.	Auto- mobile (includ- ing rail- road and street car col- lisions). 170a, b, c	Drown- ing.	Burns (confla- gration ex- cepted).	Absorp- tion of poison- ous gas.	Exces- sive heat.	Exces- sive cold.	Suicide.	Homi- cide.
		186a	170a, b, c	183	181	178	191	190	163,164	165-168
1916	3,402	682	314	318	282	260	26	27	455	115
1917	3,584	630	415	315	309	272	91	27	493	106
1918	3,442	563	495	276	302	295	14	17	492	93
1919	3,242	535	532	292	296	207	26	13	445	102
1920	2,938	529	457	224	282	207	15	9	391	78
1921	2,996	523	526	301	202	140	31	9	472	116
1922	3,140	611	500	269	243	183	12	3	458	102
1923	3,392	646	638	260	265	192	32	4	452	106
1924	3,474	674	705	354	257	135	30	14	486	109
1925	3,573	643	743	273	215	151	135	9	459	109
1926	3,343	700	682	225	219	157	63	1	473	87
1927	3,371	692	697	296	198	136	14	7	466	86
1928	3,567	746	734	318	204	127	34	8	550	82
1929	3,584	760	785	257	191	160	37	14	540	70
1930	3,499	817	799	238	189	123	25	7	547	79
1931	3,582	851	849	242	152	133	38	3	601	89
1932	3,485	859	804	261	179	94	12	6	639	91
1933	3,505	933	816	248	126	109	23	13	597	110
1934	3,142	982	1,016	238	137	71	24	28	598	93
1935	3,006 ¹	1,109	824	232	143	72	21	28	570	74
1936	3,035 ¹	1,130	866	188	135	83	13	15	555	72
1937	3,014 ¹	1,037	864	265	113	67	72	19	642	85
1938	2,943 ¹	1,207	658	295	116	79	11	13	586	61
1939	2,750 ¹	1,206	630	211	123	72	14	12	570	61
1940	2,677 ¹	1,137	646	201	129	67	3	8	570	69

¹ Allocated.

Table 24

Table 24		ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1940.				MUNICIPALITIES.		Total deaths under 1 month of age.		ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1940.			
MUNICIPALITIES.		Total deaths under 1 month of age.		Fe- Total. Males. males.						Fe- Total. Males. males.			
Infant Mortality Rate. The State		37.5 1,655	2,450	1,395	1,055								
Abington		2	3	3	—	Douglas		1	2	1	1		
Acton		—	—	—	—	Dover		—	—	—	—		
Acushnet		1	1	—	1	Dracut		5	7	4	3		
Adams		8	9	6	3	Dudley		2	2	2	—		
Agawam		2	3	1	2	Dunstable		1	2	1	1		
Alford		—	—	—	—	Duxbury		—	2	1	1		
Amesbury		8	10	7	3	East Bridgewater		1	2	2	—		
Amherst		2	2	—	2	East Brookfield		—	—	—	—		
Andover		2	2	1	1	East Longmeadow		1	2	1	1		
Arlington		16	20	7	13	Eastham		—	—	—	—		
Ashburnham		4	5	4	1	Easthampton		4	4	1	3		
Ashby		—	—	—	—	Easton		—	—	—	—		
Ashfield		1	1	1	—	Edgartown		—	—	—	—		
Ashland		—	—	—	—	Egremont		—	—	—	—		
Athol		3	8	6	2	Erving		—	1	—	1		
ATTLEBORO		7	13	8	5	Essex		—	1	—	—		
Auburn		1	1	—	1	EVERETT		19	30	19	11		
Avon		2	2	—	2	Fairhaven		4	4	2	2		
Ayer		—	—	—	—	FALL RIVER		41	86	47	39		
Barnstable		4	4	4	—	Falmouth		1	5	2	3		
Barre		2	3	2	1	FITCHBURG		12	28	16	12		
Becket		—	—	—	—	Florida		—	1	—	1		
Bedford		1	2	1	1	Foxborough		3	3	2	1		
Belchertown		—	—	—	—	Frammingham		10	13	9	4		
Bellingham		1	1	1	—	Franklin		1	4	3	1		
Belmont		11	11	2	9	Freetown		1	1	1	—		
Berkley		—	1	1	—	GARDNER		9	15	9	6		
Berlin		—	—	—	—	Gay Head		—	—	—	—		
Bernardston		—	—	—	—	Georgetown		1	1	—	1		
BEVERLY		6	12	8	4	Gill		—	—	—	—		
Billerica		3	5	2	3	GLOUCESTER		14	17	10	7		
Blackstone		4	6	2	4	Goshen		—	—	—	—		
Blandford		1	1	1	—	Gosnold		—	—	—	—		
Bolton		—	—	—	—	Grafton		2	2	—	2		
BOSTON		369	527	301	226	Granby		—	—	—	—		
Bourne		2	2	1	1	Granville		1	1	1	—		
Boxborough		—	1	1	—	Great Barrington		1	3	1	2		
Boxford		1	1	—	1	Greenfield		7	10	5	5		
Boylston		—	—	—	—	Groton		1	1	—	1		
Braintree		6	8	3	5	Groveland		1	1	—	—		
Brewster		—	—	—	—	Hadley		—	—	—	—		
Bridgewater		1	2	—	2	Halifax		—	—	—	—		
Brimfield		—	—	—	—	Hamilton		—	—	—	—		
BROCKTON		29	39	19	20	Hampden		—	—	—	—		
Brookfield		1	2	1	1	Hancock		—	—	—	—		
Brookline		10	12	9	3	Hanover		—	—	—	—		
Buckland		—	—	—	—	Hanson		1	3	1	2		
Burlington		1	1	1	—	Hardwick		—	1	—	1		
CAMBRIDGE		44	81	51	30	Harvard		—	—	—	—		
Canton		6	7	6	1	Harwich		3	4	1	3		
Carlisle		—	—	—	—	Hatfield		1	1	—	1		
Carver		1	1	1	—	HAVERHILL		14	27	13	14		
Charlemont		—	—	—	—	Hawley		—	—	—	—		
Charlton		—	1	1	—	Heath		—	—	—	—		
Chatham		—	—	—	—	Hingham		4	4	2	2		
Chelmsford		4	6	6	—	Hinsdale		2	3	3	—		
CHELSEA		14	21	14	7	Holbrook		2	2	2	—		
Cheshire		—	—	—	—	Holden		—	1	1	—		
Chester		—	2	1	1	Holland		—	—	—	—		
Chesterfield		—	—	—	—	Holliston		1	1	1	—		
CHICOPEE		22	33	20	13	HOLYOKE		12	19	13	6		
Chilmark		—	—	—	—	Hopedale		2	2	—	2		
Clarksburg		—	—	—	—	Hopkinton		—	1	—	1		
Clinton		6	9	2	7	Hubbardston		—	—	—	—		
Cohasset		1	1	1	—	Hudson		3	4	1	3		
Colrain		1	1	1	—	Hull		1	1	—	1		
Concord		3	3	2	1	Huntington		1	1	1	—		
Conway		—	—	—	—	Ipswich		1	3	1	2		
Cummington		—	—	—	—	Kingston		1	1	1	—		
Dalton		1	1	1	—	Lakeville		1	1	1	—		
Danvers		8	9	5	4	Lancaster		—	—	—	—		
Dartmouth		4	7	6	1	Lanesborough		—	—	—	—		
Dedham		7	7	6	1	LAWRENCE		51	62	28	34		
Deerfield		2	2	—	2	Lee		1	2	1	1		
Dennis		—	2	1	1	Leicester		3	3	1	2		
Dighton		2	4	1	3	Lenox		2	2	2	—		
						LEOMINSTER		9	13	8	5		
						Leverett		—	—	—	—		
						Lexington		5	9	4	—		

¹ Exclusive of stillbirths.

Table 24

MUNICIPALITIES.	Total deaths under 1 month of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1940.				MUNICIPALITIES.	Total deaths under 1 month of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1940.			
		Total.	Males.	Fe- males.				Total.	Males.	Fe- males.	
Leyden	—	—	—	—		Phillipston	—	—	—	—	
Lincoln	1	1	—	1		PITTSFIELD	14	23	6	17	
Littleton	—	—	—	—		Plainfield	—	—	—	—	
Longmeadow	—	—	—	—		Plainville	—	—	—	—	
LOWELL	38	66	39	27		Plymouth	3	6	6	—	
Ludlow	6	8	5	3		Plympton	—	—	—	—	
Lunenburg	1	2	2	—		Princeton	2	2	1	1	
LYNN	36	53	38	15		Provincetown	3	3	2	1	
Lynnfield	2	3	3	—		QUINCY	23	34	16	18	
MALDEN	28	44	24	20		Randolph	4	5	4	1	
Manchester	3	4	3	1		Raynham	2	2	—	2	
Mansfield	1	2	—	2		Reading	3	5	3	2	
Marblehead	4	5	1	4		Rehoboth	1	1	1	—	
Marion	—	—	—	—		REVERE	16	20	15	5	
MARLBOROUGH	5	8	4	4		Richmond	—	—	—	—	
Marshfield	2	2	1	1		Rochester	—	1	1	—	
Mashpee	1	1	1	—		Rockland	3	3	3	—	
Mattapoisett	—	—	—	—		Rockport	—	2	1	1	
Maynard	2	4	1	3		Rowe	—	—	—	—	
Medfield	—	—	—	—		Rowley	1	1	1	—	
MEDFORD	25	37	18	19		Royalston	—	1	—	1	
Medway	2	2	2	—		Russell	1	1	1	—	
MELROSE	1	4	4	—		Rutland	1	2	2	—	
Mendon	1	1	1	—		SALEM	9	18	8	10	
Merrimac	1	2	1	1		Salisbury	—	—	—	—	
Methuen	9	9	5	4		Sandisfield	—	—	—	—	
Middleborough	9	12	5	7		Sandwich	1	1	—	1	
Middlefield	—	—	—	—		Saugus	5	7	2	5	
Middleton	—	—	—	—		Savoy	—	—	—	—	
Milford	2	7	4	3		Scituate	1	1	1	—	
Millbury	6	7	5	2		Seekonk	2	3	1	2	
Millis	4	5	5	—		Sharon	1	1	—	1	
Millville	—	1	—	1		Sheffield	—	—	—	—	
Milton	2	2	—	2		Shelburne	—	—	—	—	
Monroe	—	—	—	—		Sherborn	—	—	—	—	
Monson	—	—	—	—		Shirley	—	—	—	—	
Montague	1	1	1	—		Shrewsbury	2	3	2	1	
Monterey	—	—	—	—		Shutesbury	—	—	—	—	
Montgomery	—	—	—	—		Somerset	5	8	8	—	
Mount Washington	—	—	—	—		SOMERVILLE	44	64	42	22	
Nahant	—	—	—	—		South Hadley	3	3	2	1	
Nantucket	—	1	1	—		Southampton	—	—	—	—	
Natick	9	11	9	2		Southborough	—	—	—	—	
Needham	4	4	2	2		Southbridge	8	9	3	6	
New Ashford	—	—	—	—		Southwick	—	—	—	—	
NEW BEDFORD	49	71	41	30		Spencer	6	7	2	5	
New Braintree	1	1	1	—		SPRINGFIELD	40	58	41	17	
New Marlborough	—	—	—	—		Sterling	1	1	1	—	
New Salem	—	—	—	—		Stockbridge	—	1	1	—	
Newbury	—	—	—	—		Stoneham	4	5	2	3	
NEWBURYPORT	5	7	5	2		Stoughton	4	9	4	5	
NEWTON	23	29	14	15		Stow	1	1	1	—	
Norfolk	—	—	—	—		Sturbridge	1	1	—	1	
NORTH ADAMS	7	12	5	7		Sudbury	—	—	—	—	
North Andover	5	5	2	3		Sunderland	—	—	—	—	
North Attleborough	4	8	7	1		Sutton	1	2	—	2	
North Brookfield	1	1	—	1		Swampscott	3	3	1	2	
North Reading	2	4	2	2		Swansea	2	2	1	1	
NORTHAMPTON	6	8	4	4		TAUNTON	11	19	9	10	
Northborough	—	—	—	—		Templeton	—	3	1	2	
Northbridge	5	5	5	—		Tewksbury	—	—	—	—	
Northfield	1	1	1	—		State Infirmary	—	—	—	—	
Norton	2	3	2	1		Tisbury	—	—	—	—	
Norwell	—	—	—	—		Tolland	—	—	—	—	
Norwood	6	7	4	3		Topsfield	—	—	—	—	
Oak Bluffs	3	3	1	2		Townsend	—	1	1	—	
Oakham	—	—	—	—		Truro	—	1	—	1	
Orange	3	3	1	2		Tyngsborough	2	2	1	1	
Orleans	—	—	—	—		Tyringham	—	—	—	—	
Otis	—	—	—	—		Upton	—	—	—	—	
Oxford	2	3	1	2		Uxbridge	—	2	1	1	
Palmer	3	3	1	2		Wakefield	4	7	4	3	
Paxton	1	1	1	—		Wales	—	—	—	—	
PEABODY	10	13	7	6		Walpole	4	5	2	3	
Pelham	—	—	—	—		WALTHAM	15	26	16	10	
Pembroke	—	—	—	—		Ware	2	2	—	2	
Pepperell	—	—	—	—		Wareham	2	3	—	3	
Peru	—	—	—	—		Warren	1	1	1	—	
Petersham	—	—	—	—		Warwick	—	1	1	—	

¹ Exclusive of stillbirths.

Table 24	Municipalities.	ALLOTTED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1940.				Municipalities.	Total deaths under 1 month of age.	ALLOTTED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1940.			
		Fe-						Fe-			
		Total.	Males.	males.				Total.	Males.	males.	
Washington	-	-	-	-	Weston	1	1	1	-		
Watertown	6	10	4	6	Westport	2	4	2	2		
Wayland	2	4	4	-	Westwood	1	3	3	-		
Webster	4	7	2	5	Weymouth	9	13	7	6		
Wellesley	3	4	2	2	Whately	-	-	-	-		
Wellfleet	1	1	1	-	Whitman	2	3	1	2		
Wendell	-	-	-	-	Wilbraham	1	2	2	-		
Wenham	-	-	-	-	Williamsburg	1	1	-	1		
West Boylston	1	1	1	-	Williamstown	2	2	2	-		
West Bridgewater	-	-	-	-	Wilmington	-	3	1	2		
West Brookfield	-	1	1	-	Winchendon	5	8	5	3		
West Newbury	-	-	-	-	Winchester	4	9	7	2		
West Springfield	6	8	6	2	Windsor	-	-	-	-		
West Stockbridge	2	2	2	-	Winthrop	3	4	2	2		
West Tisbury	-	-	-	-	Woburn	7	9	4	5		
Westborough	5	5	3	2	WORCESTER	66	95	51	44		
WESTFIELD	10	15	9	6	Worthington	-	-	-	-		
Westford	1	1	1	-	Wrentham	-	2	1	1		
Westhampton	-	-	-	-	Yarmouth	-	1	1	-		
Westminster	-	-	-	-							

¹ Exclusive of stillbirths.

Table 25	COUNTIES.	Infant and Maternal Deaths ¹ and Death Rates ¹ , for the State and Counties: 1940.			
		Total deaths ² under 1 year of age.	Per 1,000 live births.	All puerperal causes.	Per 10,000 live births.
The State		2,450	37.5	181	27.7
Barnstable		25	40.7	1	16.3
Berkshire		61	31.9	6	31.3
Bristol		240	44.4	19	35.2
Dukes		3	31.3	2	20.8
Essex		27.8	38.6	30	41.7
Franklin		21	28.7	1	13.7
Hampden		156	34.2	11	24.1
Hampshire		22	23.3	2	21.2
Middlesex		554	36.9	41	27.3
Nantucket		1	19.2	-	-
Norfolk		143	29.7	11	22.9
Plymouth		90	36.0	3	12.0
Suffolk		572	41.5	39	28.3
Worcester		284	36.6	15	19.3

¹ Allocated.² Exclusive of stillbirths.

Table 26

MUNICIPALITIES.
(Grouped in order of population,
1940.)

		INFANT DEATHS ¹ PER 1,000 LIVE BIRTHS IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1940: 1933 TO 1940.						
		1940. ²	1939. ²	1938. ²	1937. ²	1936. ²	1935. ²	1934. ²
The State OVER 100,000		38	37	39	44	47	48	49
Boston		42	38	44	49	51	49	55
Worcester		33	36	32	43	53	41	62
Springfield		28	34	39	40	48	45	52
Fall River		48	56	54	43	49	58	42
Cambridge		43	45	42	57	55	73	47
New Bedford		48	34	49	48	62	58	61
Somerville		37	31	43	38	39	44	45
Lowell		45	39	48	60	56	68	63
50,000 TO 100,000								
Lynn		37	41	27	36	39	69	33
Lawrence		49	46	44	52	54	62	65
Quincy		28	30	39	38	44	38	50
Newton		29	34	34	31	27	40	31
Medford		37	30	32	33	35	31	35
Brockton		43	43	34	44	47	35	35
Malden		49	35	25	38	43	37	50
Holyoke		26	27	39	37	44	47	48
25,000 TO 50,000								
Brookline (town)		20	14	34	37	23	13	45
Pittsfield		29	38	23	54	43	35	43
Everett		36	27	30	31	44	35	33
Haverhill		41	33	63	56	47	32	52
Fitchburg		42	42	37	45	36	63	52
Chicopee		54	43	45	56	68	75	71
Chelsea		34	56	33	38	57	54	39
Salem		30	44	39	53	61	84	83
Waltham		39	33	33	37	55	38	34
Arlington (town)		36	28	26	26	48	43	31
Taunton		34	47	60	30	51	55	56
Watertown (town)		19	33	33	43	42	33	47
Revere		39	37	42	35	41	32	65
Belmont (town)		32	20	28	28	32	12	21
Beverly		29	26	22	31	33	56	17
Melrose		12	31	48	30	21	51	41
15,000 TO 25,000								
Northampton		28	35	32	10	50	26	42
Gloucester		45	36	32	82	73	46	56
Weymouth (town)		30	37	39	46	20	27	38
Framingham (town)		35	52	41	36	46	43	31
Leominster		38	51	34	44	65	72	52
North Adams		35	57	63	38	55	49	49
Attleboro		41	17	45	84	17	55	47
Methuen (town)		33	56	32	36	55	52	32
Peabody		46	40	28	50	47	69	37
Gardner		48	29	50	28	51	53	47
Woburn		30	24	44	45	35	57	37
Westfield		55	60	43	51	53	17	33
Milton (town)		9	18	27	23	42	40	52
West Springfield (town)		33	32	29	46	98	67	43
Southbridge (town)		34	40	34	13	35	27	-
Winthrop (town)		17	32	28	38	16	41	40
Braintree (town)		28	35	40	44	45	32	40
Wakefield (town)		29	18	32	45	49	48	44
Greenfield (town)		41	55	25	35	46	49	43
Dedham (town)		30	28	36	42	29	68	23
Milford (town)		31	26	50	14	21	27	-
Norwood (town)		32	33	26	58	57	29	24
Marlborough		42	43	41	58	45	53	39
Wellesley (town)		19	-	-	-	-	-	-
Winchester (town)		48	-	-	-	-	-	-

¹ Exclusive of stillbirths.² Allocated.

Table 27

MUNICIPALITIES.
(Grouped in order of population,
1940.)BIRTH RATES,¹ DEATH RATES,¹ NATURAL INCREASE,
INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES
HAVING OVER 15,000 INHABITANTS IN 1940: 1940.

	Births ² per 1,000 popula- tion.	Deaths ² per 1,000 popula- tion.	Natural increase per 1,000 popula- tion.	Deaths ² under 1 year per 1,000 births. ²	SURVIVORS AT END OF FIRST YEAR OF LIFE.	
					Number.	Per 1,000 births. ²
The State OVER 100,000	15.1	11.7	3.4	37.5	62,919	963
Boston	16.0	13.0	3.0	42.4	11,902	958
Worcester	15.1	11.8	3.3	32.5	2,825	967
Springfield	13.6	11.2	2.4	28.4	1,982	972
Fall River	15.6	11.4	4.2	47.6	1,720	952
Cambridge	17.2	12.4	4.8	42.5	1,825	958
New Bedford	13.5	12.0	1.5	47.7	1,419	952
Somerville	17.2	11.2	6.0	36.5	1,691	964
Lowell	14.5	12.9	1.6	44.8	1,407	955

¹ Allocated.² Exclusive of stillbirths.

Table 27

BIRTH RATES,¹ DEATH RATES,¹ NATURAL INCREASE,¹
INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES
HAVING OVER 15,000 INHABITANTS IN 1940.—*Con.*

MUNICIPALITIES. (Grouped in order of population, 1940.)	Births ² per 1,000 popula- tion.	Deaths ² per 1,000 popula- tion.	Natural increase per 1,000 popula- tion.	Deaths ² under 1 year per 1,000 births. ²	SURVIVORS AT END OF FIRST YEAR OF LIFE.	
					Number.	Per 1,000 births. ²
50,000 to 100,000						
Lynn	14.7	12.4	2.3	36.7	1,391	963
Lawrence	15.0	11.4	3.6	48.9	1,206	951
Quincy	15.9	9.7	6.2	28.1	1,174	972
Newton	14.4	11.3	3.1	28.9	975	971
Medford	16.0	10.0	6.0	36.6	975	963
Brockton	14.6	13.1	1.5	42.9	870	957
Malden	15.4	12.0	3.4	49.1	852	951
Holyoke	13.5	12.0	1.5	26.3	794	974
25,000 to 50,000						
Brookline (town)	11.9	13.7	1.8 ³	20.3	580	980
Pittsfield	16.0	11.1	4.9	28.9	773	971
Everett	17.6	9.9	7.7	36.4	794	964
Haverhill	14.0	13.3	.7	41.2	628	959
Fitchburg	15.9	11.0	4.9	42.0	639	958
Chicopee	14.7	9.4	5.3	54.0	578	946
Chelsea	14.9	10.6	4.3	34.3	592	966
Salem	14.6	12.2	2.4	29.9	585	970
Waltham	16.9	10.4	6.5	38.5	649	961
Arlington (town)	13.8	10.3	3.5	36.2	532	964
Taunton	15.1	11.8	3.3	33.6	546	966
Watertown (town)	14.6	9.3	5.3	19.4	506	981
Revere	14.9	9.9	5.0	38.9	494	961
Belmont (town)	12.8	9.0	3.8	32.1	332	968
Beverly	16.3	10.7	5.6	28.8	404	971
Melrose	12.8	10.9	1.9	12.3	321	988
15,000 to 25,000						
Northampton	11.5	11.3	.2	28.0	278	972
Gloucester	15.8	12.4	3.4	44.7	363	955
Weymouth (town)	18.4	11.4	7.0	29.5	427	970
Framingham (town)	16.0	10.3	5.7	35.0	358	965
Leominster	15.3	10.8	4.5	38.1	328	962
North Adams	15.7	12.7	3.0	34.5	336	966
Attleboro	14.3	12.3	2.0	41.3	302	959
Methuen (town)	12.4	11.2	1.2	33.1	263	967
Peabody	13.1	10.1	3.0	45.6	272	954
Gardner	15.5	9.4	6.1	47.9	298	952
Woburn	15.0	10.6	4.4	30.3	288	970
Westfield	14.4	9.6	4.8	55.4	256	945
Milton (town)	11.9	10.0	1.9	9.0	221	991
West Springfield (town)	14.4	11.4	3.0	32.5	238	967
Southbridge (town)	16.0	9.4	6.6	33.5	260	967
Winthrop (town)	14.1	12.5	1.6	16.9	232	983
Braintree (town)	17.3	9.7	7.6	28.3	275	972
Wakefield (town)	14.8	8.9	5.9	29.2	233	971
Greenfield (town)	15.6	12.6	3.0	40.8	235	959
Dedham (town)	15.2	9.5	5.7	29.7	229	970
Milford (town)	14.8	9.8	5.0	30.8	220	969
Norwood (town)	14.4	9.2	5.2	31.7	214	968
Marlborough	12.6	12.4	.2	41.9	183	958
Wellesley (town)	14.0	8.1	5.9	18.9	208	981
Winchester (town)	12.5	9.9	2.6	47.9	179	952

¹ Allocated.² Exclusive of stillbirths.³ Decrease.

Table 28

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER
OF THE STATE OUTSIDE OF BOSTON: 1924 to 1940.

YEARS.	MASSACHUSETTS.		BOSTON.		REMAINDER OF STATE OUTSIDE BOSTON.	
	Live births.	DEATHS UNDER 1 YEAR. Per 1,000 live births.	Live births.	DEATHS UNDER 1 YEAR. Per 1,000 live births.	Live births.	DEATHS UNDER 1 YEAR. Per 1,000 live births.
1924	91,463	6,191 67.7	19,776	1,468 74.2	71,687	4,723 65.9
1925	86,014	6,294 73.1	18,636	1,585 85.1	67,378	4,709 69.9
1926	83,502	6,130 73.4	18,731	1,572 83.9	64,771	4,558 70.4
1927	82,273	5,320 64.7	17,079	1,459 85.4	65,194	3,861 59.2
1928	79,054	5,118 64.7	18,781	1,445 76.9	60,273	3,673 60.9
1929	74,122	4,592 62.0	17,942	1,236 68.9	56,180	3,356 59.7
1930	73,690	4,440 60.3	18,057	1,257 69.6	55,633	3,183 57.2
1931	69,385	3,803 54.8	17,137	1,039 60.6	52,248	2,764 52.9
1932	68,518	3,635 53.1	17,271	1,025 59.3	51,247	2,610 50.9
1933	63,457	3,294 51.9	16,249	958 58.9	47,208	2,436 51.6
1934	63,767	3,136 49.2	15,825	871 55.0	47,942	2,265 47.2
1935	62,416 ¹	3,014 48.3	12,371 ¹	607 49.1	50,045	2,407 48.1
1936	61,184 ¹	2,854 46.6	12,117 ¹	615 50.8	49,067	2,239 45.6
1937	61,272 ¹	2,684 43.8	12,101 ¹	587 48.5	49,171	2,097 42.6
1938	62,382 ¹	2,439 39.1	11,943 ¹	522 43.7	50,439	1,917 38.0
1939	62,575 ¹	2,338 37.4	11,965 ¹	449 37.5	50,610	1,889 37.3
1940	65,369 ¹	2,450 37.5	12,429 ¹	527 42.4	52,940	1,923 36.3

¹ Allocated.

Table 29

YEARS.	SURVIVORS AT END OF FIRST YEAR OF LIFE: 1915 to 1940.		YEARS.	SURVIVORS AT END OF FIRST YEAR OF LIFE: 1915 to 1940.	
	Per 1,000 popu- lation.	Per 1,000 live births.		Per 1,000 popu- lation.	Per 1,000 live births.
1915	22.7	898	1928	17.1	935
1916	22.3	900	1929	15.9	938
1917	22.5	903	1930	16.3	940
1918	21.7	887	1931	15.5	945
1919	20.9	911	1932	11.9	946
1920	21.7	909	1933	13.9	948
1921	21.9	924	1934	14.0	951
1922	20.5	919	1935	13.7 ¹	952 ¹
1923	20.7	922	1936	13.3 ¹	953 ¹
1924	21.3	932	1937	13.3 ¹	956 ¹
1925	19.2	927	1938	13.5 ¹	961 ¹
1926	18.4	927	1939	13.5 ¹	963 ¹
1927	18.0	935	1940	14.6 ¹	963 ¹

¹ Allocated.

Table 30

Detailed Int. List No.		CAUSES.		INFANT DEATHS PER 1,000 LIVE BIRTHS, BY CAUSES: 1933 to 1940.							
		1940. ¹	1939. ¹	1938. ¹	1937. ¹	1936. ¹	1935. ¹	1934.	1933.		
All Causes		37.5	37.4	39.1	43.8	46.6	48.3	49.2	51.9		
	Developmental and wasting diseases*	18.8	18.5	20.5	21.2	23.7	21.7	23.2	24.1		
159	Premature birth*	13.1	12.5	14.4	14.7	17.1	15.0	16.0	15.8		
157	Congenital malformations*	5.3	5.7	5.8	5.8	6.0	5.8	6.5	6.9		
158	Congenital debility, etc.*	.4	.3	.3	.7	.6	.9	.7	1.4		
119	Diarrhea and enteritis*	1.9	1.3	1.9	1.7	2.3	3.1	2.7	2.2		
107	Bronchopneumonia*	4.7	4.7	4.8	6.4	6.1	7.3	7.0	7.5		
108	Lobar pneumonia*	.8	.8	1.0	1.2	1.4	1.4	1.1	1.3		
86	Convulsions	.2	.1	.1	.2	.2	.1	.2	.3		
106	Bronchitis*	.2	.2	.1	.1	.2	.2	.2	.2		
9	Whooping cough*	.3	.5	.3	1.0	.6	.7	1.1	.9		
6, 81	Meningitis	.4	.4	.3	.3	.5	.5	.2	.3		
14	Tuberculous meningitis	—	—	—	.1	.1	.1	.1	.2		
34	Syphilis	.1	.1	.1	.1	.1	.3	.2	.3		
109	Pneumonia, undefined	.2	.1	.2	.2	.1	.1	—	.2		
36	Acute anterior poliomyelitis	—	—	—	—	—	—	—	—		
	All other causes	9.9	10.7	9.8	11.3	11.3	12.7	13.2	14.4		

¹ Allocated.

Table 31

DEATHS UNDER 2 YEARS OF AGE FROM DIARRHEA AND
ENTERITIS (119)*, BY MONTHS: 1933 to 1940.

MONTHS. The Year	1940. ¹	1939. ¹	1938. ¹	1937. ¹	1936. ¹	1935. ¹	1934.	1933.
	127	90	122	124	153	219	194	161
January	5	6	6	6	24	6	7	12
February	6	6	1	9	17	17	10	13
March	5	12	7	11	18	14	20	17
April	8	11	12	11	9	22	12	11
May	9	5	11	9	7	26	15	14
June	10	4	11	14	12	20	16	10
July	9	13	11	13	15	15	18	12
August	8	6	16	16	10	28	38	11
September	13	7	15	16	14	21	23	24
October	25	12	10	10	12	15	23	13
November	12	4	9	4	7	23	6	12
December	17	4	13	5	8	12	6	12

MONTHS. The Year	PER CENT DISTRIBUTION.							
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
January	4.0	6.7	4.9	4.9	15.7	2.7	3.6	7.5
February	4.7	6.7	.8	7.3	11.1	7.8	5.1	8.0
March	4.0	13.3	5.7	8.8	11.8	6.4	10.3	10.6
April	6.3	12.2	9.9	8.8	5.9	10.1	6.2	6.8
May	7.1	5.6	9.0	7.3	4.6	11.9	7.7	8.7
June	7.8	4.4	9.0	11.3	7.8	9.1	8.2	6.2
July	7.1	14.4	9.0	10.5	9.8	6.8	9.3	7.5
August	6.3	6.7	13.1	12.9	6.5	12.8	19.6	6.8
September	10.2	7.8	12.3	12.9	9.2	9.6	11.9	14.9
October	19.7	13.3	8.2	8.0	7.8	6.8	11.9	8.0
November	9.4	4.4	7.4	3.2	4.6	10.5	3.1	7.5
December	13.4	4.4	10.7	4.1	5.2	5.5	3.1	7.5

¹ Allocated.

Table 32

DEATHS¹ FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS
OF THE FIRST YEAR OF LIFE, FOR THE STATE: 1940.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total deaths under 1 year of age.														
			Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.	
	The State ²	T	2,450	829	222	124	200	1,375	108	93	79	1,655	157	130	243	155	110
		M	1,395	480	133	70	108	791	62	47	43	943	99	73	143	79	58
		F	1,055	349	89	54	92	584	46	46	36	712	58	57	100	76	52
6	Cerebrospinal (meningococcus) meningitis	M	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1
9	Whooping cough	M	13	-	-	-	-	-	-	-	-	-	-	1	3	3	6
		F	6	-	-	-	-	-	-	1	-	1	-	2	1	1	1
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
11	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Tetanus	M	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	5	-	-	-	-	-	-	-	-	-	-	-	3	1	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
14	Tuberculosis of the meninges and central nervous system	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
15-22	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	M	2	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
30	Syphilis	M	3	-	-	-	-	-	1	-	-	1	1	1	-	-	-
		F	3	-	-	-	1	1	-	-	-	1	2	-	-	-	-
33	Influenza	M	10	-	-	-	-	-	-	-	-	1	1	1	4	2	2
		F	6	-	-	-	-	-	-	-	-	1	1	1	1	3	3
35	Measles	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
64	Diseases of thymus gland	M	7	-	1	-	1	2	-	-	-	2	2	-	2	1	-
		F	7	-	-	1	2	3	-	1	4	-	-	2	-	-	1
81	Meningitis (not due to meningococcus)	M	11	-	-	-	-	-	1	-	-	1	-	2	3	2	3
		F	8	-	-	-	1	1	-	-	-	1	-	3	2	2	2
86	Convulsions	M	7	-	-	-	-	-	-	-	-	-	1	3	2	-	1
		F	3	-	-	-	1	1	-	-	-	1	-	1	1	-	-
106	Bronchitis	M	8	-	-	-	-	-	-	-	1	1	1	3	2	1	-
		F	4	-	-	-	-	-	-	-	-	1	-	-	2	1	-
107	Bronchopneumonia	M	165	2	-	-	3	5	8	9	4	26	27	24	38	33	17
		F	145	1	-	1	12	14	10	6	9	39	14	17	36	24	15
108, 109	Pneumonia	M	43	-	-	-	2	2	2	1	1	6	7	4	15	6	5
		F	25	-	-	-	1	1	-	1	1	3	2	1	8	6	5
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-
119	Diarrhea and enteritis	M	75	-	-	-	1	1	3	4	9	17	12	8	23	10	5
		F	46	1	-	-	-	-	1	6	5	13	8	3	8	10	4
122b	Intestinal obstruction	M	4	-	-	-	-	-	-	-	1	1	1	-	1	-	1
		F	3	-	-	-	1	2	-	-	-	2	-	-	-	1	-
157	Congenital malformation	M	173	34	17	9	24	84	13	10	15	122	15	11	15	8	2
		F	172	45	12	5	22	84	13	9	119	11	10	14	12	6	6
158, 161c	Congenital debility, icterus, sclerema	M	55	12	3	6	15	36	4	1	2	43	3	2	5	-	2
		F	48	9	6	8	9	32	1	3	1	37	1	3	4	3	-
159	Premature birth	M	504	324	65	34	32	455	20	11	7	493	8	1	1	-	1
		F	353	211	46	24	26	307	14	9	6	336	11	2	3	1	-
160	Injuries at birth	M	121	47	26	14	23	110	5	3	-	118	1	-	2	-	-
		F	86	40	17	9	14	80	2	1	1	84	-	-	-	-	2
161a, b	Other diseases of early infancy	M	98	58	20	6	6	90	3	3	-	96	1	1	-	-	-
		F	56	36	8	5	2	51	2	1	-	54	1	1	-	-	-
165-198	External causes	M	31	2	-	-	-	2	1	1	-	4	2	6	9	5	5
		F	27	4	-	-	-	4	-	1	2	7	1	5	6	6	2
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	1	-	-	-	1	-	-	-	1	1	1	-	-	1
	All other causes	M	56	1	1	1	-	3	1	3	3	10	13	6	13	7	7
		F	35	1	-	-	-	1	2	3	1	7	4	5	8	4	7

¹ Exclusive of stillbirths.² Allocated.

Table 33

DEATHS¹ FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS
OF THE FIRST YEAR OF LIFE, FOR BOSTON: 1940.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON. ²	T	527	169	40	26	45	280	22	37	30	369	42	26	38	30	22
		M	301	92	28	18	25	163	12	18	18	211	21	16	26	15	12
		F	226	77	12	8	20	117	10	19	12	158	21	10	12	15	10
6	Cerebrospinal (meningococcus) meningitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	5	-	-	-	-	-	-	-	-	-	-	-	2	1	2
		F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
10	Diphtheria	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	M	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
30	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
35	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Diseases of thymus gland	M	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81	Meningitis (not due to meningococcus)	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1
		F	4	-	-	-	1	1	-	-	-	1	-	-	1	2	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	26	-	-	-	1	1	3	3	-	7	2	6	6	3	2
		F	33	1	-	1	2	4	2	2	4	12	6	2	3	7	3
108, 109	Pneumonia	M	13	-	-	-	1	1	-	1	1	3	1	2	2	2	3
		F	5	-	-	-	-	-	-	-	1	1	-	-	2	1	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
119	Diarrhea and enteritis	M	20	-	-	-	1	1	1	-	6	8	3	-	7	1	1
		F	8	-	-	-	-	-	-	3	-	3	1	-	1	1	2
122b	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	19	1	1	2	2	6	1	3	3	13	1	1	1	3	-
		F	34	11	1	1	6	19	2	5	3	29	2	2	1	-	-
158, 161c	Congenital debility, icterus, sclerema	M	6	2	-	1	2	5	-	-	1	6	-	-	-	-	-
		F	4	1	1	-	-	2	-	-	-	2	-	1	1	-	-
159	Premature birth	M	116	60	17	8	7	92	5	6	5	108	6	1	1	-	-
		F	82	46	6	5	5	62	4	5	2	73	8	-	1	-	-
160	Injuries at birth	M	35	12	6	5	8	31	1	2	-	34	-	-	1	-	-
		F	19	7	3	1	5	16	1	1	1	19	-	-	-	-	-
161a, b	Other diseases of early infancy	M	27	17	4	1	2	24	1	1	-	26	1	-	-	-	-
		F	11	8	1	-	1	10	-	1	-	11	-	-	-	-	-
165-198	External causes	M	9	-	-	-	-	-	-	-	-	-	2	3	2	-	-
		F	4	2	-	-	-	2	-	-	1	3	-	-	-	1	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	19	-	-	1	-	1	-	1	2	4	5	3	2	2	3
		F	12	1	-	-	-	1	1	2	-	4	4	2	1	1	-

¹ Exclusive of stillbirths.² Allocated.

Table 34

DEATHS¹ FROM LOBAR PNEUMONIA, BY MONTHS,
IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS IN 1940: 1940.

MUNICIPALITIES.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	925	109	135	109	120	62	51	45	23	37	57	72	105
Adams	1	-	1	-	-	-	-	-	-	-	-	-	-
Amesbury	1	-	-	-	-	-	-	-	-	-	-	1	-
Andover	2	1	-	1	-	-	-	-	-	-	-	-	-
Arlington	3	-	1	1	-	-	1	-	-	-	-	-	2
Athol	3	-	-	-	-	1	-	-	-	-	-	1	-
ATTLEBORO	3	-	1	-	-	-	-	-	-	-	1	-	1
Belmont	2	-	-	-	-	-	-	-	-	-	-	-	-
BEVERLY	2	-	-	1	-	1	-	-	-	-	-	-	-
BOSTON	255	21	31	40	29	17	15	18	6	13	18	21	26
Braintree	4	-	-	-	-	1	1	-	-	-	-	-	-
BROCKTON	17	3	5	2	2	1	1	-	-	1	1	-	1
Brookline	12	-	3	3	2	1	-	1	-	1	-	-	2
CAMBRIDGE	19	2	3	2	2	2	-	2	-	-	1	2	3
CHELSEA	15	2	1	2	3	2	1	-	-	-	1	-	3
CHICOPEE	5	1	-	-	-	-	1	-	-	1	-	-	2
Clinton	1	-	1	-	-	-	-	-	-	-	-	-	-
Danvers	6	1	1	1	2	-	-	-	-	-	-	1	-
Dedham	2	-	-	1	-	1	-	-	-	-	-	-	-
Easthampton	-	-	-	-	-	-	-	-	-	-	-	-	-
EVERETT	11	1	1	1	-	2	1	1	3	-	-	1	-
Fairhaven	1	-	-	-	-	-	-	1	-	-	-	-	-
FALL RIVER	16	3	3	2	2	-	2	-	-	-	2	1	1
FITCHBURG	11	2	3	1	-	1	-	-	-	2	1	-	1
Framingham	2	1	-	-	-	-	-	-	-	-	-	-	1
GARDNER	5	1	-	-	-	1	-	-	-	1	-	1	1
GLOUCESTER	3	-	-	-	-	1	-	-	1	1	-	-	-
Greenfield	3	2	-	-	1	-	-	-	-	1	-	-	-
Haverhill	3	-	2	-	-	-	-	-	-	-	-	1	-
HOLYOKE	9	2	-	1	2	-	1	-	-	1	1	1	-
LAWRENCE	16	-	3	3	-	-	1	1	-	-	1	1	3
LEOMINSTER	5	1	-	-	-	-	-	-	-	-	1	3	-
Lexington	1	-	-	1	-	-	-	-	-	-	-	-	-
LOWELL	24	2	1	2	2	5	-	-	-	1	5	2	4
LYNN	27	4	4	2	5	-	-	1	1	1	2	1	4
MALDEN	11	-	-	2	4	-	1	1	-	1	-	2	-
Marblehead	3	1	-	-	-	1	-	1	-	-	-	-	-
MARLBOROUGH	2	-	1	1	-	-	-	-	-	-	-	-	-
MEDFORD	10	-	2	1	1	-	-	1	1	-	-	2	2
MELROSE	3	-	-	1	-	-	-	-	-	-	-	1	1
Methuen	4	-	-	1	-	-	-	1	1	-	1	-	-
Milford	3	2	-	-	1	-	-	-	-	-	-	-	-
Milton	4	1	-	-	1	1	1	-	-	-	-	-	-
Natick	1	-	-	-	-	-	1	-	-	-	-	-	-
Needham	1	-	1	-	-	-	-	-	-	-	-	-	-
NEW BEDFORD	12	1	1	1	2	1	2	2	-	-	1	-	1
NEWBURYPORT	1	-	-	-	-	-	-	-	-	-	-	-	-
NEWTON	12	3	4	-	2	-	1	-	-	1	1	-	-
NORTH ADAMS	-	-	-	-	-	-	-	-	-	-	-	-	-
North Attleborough	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTHAMPTON	2	1	-	-	-	-	-	-	-	-	1	-	-
Northbridge	4	2	-	-	-	-	-	-	-	-	-	-	2
Norwood	1	-	-	1	-	-	-	-	-	-	-	-	-
PEABODY	2	-	-	1	-	-	1	-	-	-	-	-	-
PITTSFIELD	7	1	-	3	-	3	-	-	-	-	-	-	-
Plymouth	-	-	-	-	-	-	-	-	-	-	-	-	-
QUINCY	25	2	3	4	1	1	2	1	2	-	1	4	4
Reading	1	1	-	-	-	-	-	-	-	-	-	-	-
REVERE	5	1	-	-	-	-	-	1	-	-	-	2	1
SALEM	7	1	-	2	2	-	-	-	-	-	-	2	-
Saugus	4	1	1	-	-	1	-	-	-	-	-	-	-
SOMEKVILLE	17	1	2	1	1	2	2	2	1	-	-	-	5
Southbridge	6	-	3	1	1	-	-	-	-	-	1	-	-
SPRINGFIELD	24	8	2	4	1	3	1	2	1	-	-	2	-
Stoneham	2	-	1	-	-	-	-	-	-	1	-	-	-
Swampscott	1	-	-	-	1	-	-	-	-	-	-	-	-
TAUNTON	10	1	2	1	2	1	-	1	-	-	1	1	-
Wakefield	1	-	-	-	1	-	-	-	-	-	-	-	-
WALTHAM	10	1	3	-	1	-	-	-	1	1	1	1	2
Watertown	13	-	5	1	2	1	-	-	1	1	-	-	2
Webster	-	-	-	-	-	-	-	-	-	-	-	-	-
Wellesley	1	1	-	-	-	-	-	-	-	-	-	-	-
West Springfield	5	-	-	1	1	-	1	-	-	-	1	-	1
WESTFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
Weymouth	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchester	-	-	-	-	-	-	-	-	-	-	-	-	-
Winthrop	2	-	-	1	1	-	-	-	-	-	-	-	-
Woburn	6	1	1	-	-	1	1	1	1	-	-	-	-
WORCESTER	56	5	12	3	10	3	5	2	1	3	2	3	7

¹ Allocated

Table 35

DEATHS¹ FROM BRONCHOPNEUMONIA, BY MONTHS,
IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS IN 1940: 1910.

MUNICIPALITIES.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	1,696	194	204	162	164	152	100	95	76	120	125	126	198
Adams	2	2	-	-	-	-	-	-	-	-	-	-	-
Amesbury	3	-	1	1	-	1	-	1	-	-	-	2	1
Andover	5	2	1	-	-	-	-	1	-	-	-	-	1
Arlington	10	1	3	1	-	2	-	-	-	1	2	-	-
Athol	3	-	-	-	-	-	-	-	-	-	1	1	1
ATTLEBORO	7	-	2	-	3	-	-	-	-	1	-	-	1
Belmont	5	1	-	-	1	1	-	-	1	-	-	1	-
BEVERLY	8	-	-	1	-	-	-	1	1	-	2	1	2
Boston	378	37	42	41	45	37	25	16	16	23	24	31	41
Braintree	4	-	-	-	-	-	1	-	-	1	1	-	-
BROCKTON	23	2	1	2	1	1	2	1	1	2	2	2	6
Brookline	24	5	-	2	-	2	3	2	1	2	3	3	2
CAMBRIDGE	57	4	11	6	4	3	5	2	2	6	6	2	6
CHELSEA	19	5	1	1	-	2	2	2	1	2	2	-	1
CHICOPEE	11	3	1	1	1	2	1	-	-	-	-	-	2
Clinton	7	-	-	-	2	-	1	-	-	-	2	1	1
Danvers	-	-	-	-	-	-	-	-	-	-	-	-	-
Dedham	3	-	-	1	1	-	-	-	-	-	-	-	1
Easthampton	1	1	-	-	-	-	-	-	-	-	-	-	-
EVERETT	15	1	3	1	1	-	-	2	3	-	1	2	1
Fairhaven	3	-	-	-	1	1	-	-	-	-	-	1	-
FALL RIVER	43	2	4	5	3	4	1	7	2	3	3	-	9
FITCHBURG	20	-	1	1	2	-	1	-	2	1	5	5	2
Frammingham	11	1	-	1	1	-	-	-	2	2	1	-	2
GARDNER	5	-	-	-	1	1	-	-	-	1	2	-	-
GLOUCESTER	6	-	1	2	-	-	1	-	-	-	1	-	1
Greenfield	10	-	1	-	2	-	-	1	-	3	1	1	1
HAVERHILL	25	2	3	-	4	-	-	2	-	5	2	5	2
HOLYOKE	13	1	1	4	1	1	-	1	-	3	-	-	1
LAWRENCE	28	4	3	6	3	1	2	2	1	1	2	2	1
LEOMINSTER	8	3	3	-	1	-	-	-	-	1	-	-	-
Lexington	5	-	-	3	-	-	-	-	1	-	-	1	-
LOWELL	68	14	10	2	3	5	6	3	3	2	7	5	8
LYNN	41	2	2	6	3	-	5	2	2	3	1	3	12
MALDEN	22	2	3	2	1	1	-	1	1	-	1	3	7
Marblehead	3	-	-	1	-	-	-	-	1	-	-	1	-
MARLBOROUGH	6	-	1	-	1	1	1	-	-	-	-	-	2
MEDFORD	20	1	2	2	1	4	1	1	-	3	2	1	2
MELROSE	2	-	-	-	-	-	1	-	-	1	-	-	-
Methuen	11	2	1	1	1	1	-	1	-	1	1	-	2
Milford	8	1	2	1	-	-	-	1	2	-	-	-	1
Milton	11	2	1	2	-	-	1	-	1	1	1	-	2
Natick	4	-	-	-	1	1	-	1	-	-	-	-	1
Needham	3	1	-	-	1	-	-	-	-	-	-	-	1
NEW BEDFORD	61	13	8	3	7	4	2	2	2	5	7	4	4
NEWBURYPORT	13	3	1	1	2	-	1	-	1	-	-	1	3
NEWTON	27	2	4	4	4	3	-	-	1	4	3	1	1
NORTH ADAMS	8	-	1	1	-	-	-	1	-	1	-	-	2
North Attleborough	2	-	1	-	1	-	-	-	-	-	-	-	-
NORTHAMPTON	6	-	1	1	-	1	-	-	1	1	-	1	-
Northbridge	3	-	-	-	-	-	1	1	-	-	-	-	-
Norwood	5	3	1	-	-	-	-	-	-	-	-	-	-
PEABODY	5	1	1	1	-	-	-	-	-	1	-	1	-
PITTSFIELD	14	1	1	-	2	1	5	2	1	-	-	-	1
Plymouth	6	1	-	1	1	-	-	1	-	-	1	-	1
QUINCY	28	3	4	2	2	1	2	4	-	3	1	2	4
Reading	2	-	-	-	-	-	-	-	-	1	-	-	1
REVERE	10	2	2	1	-	-	-	-	2	1	-	-	-
SALEM	22	3	2	2	2	3	2	2	2	1	3	-	-
Saugus	4	-	1	1	1	-	-	-	-	-	-	-	1
SOMERVILLE	23	3	2	4	2	2	-	-	2	1	2	1	4
Southbridge	3	1	-	-	-	-	-	-	-	-	-	2	-
SPRINGFIELD	52	10	8	6	5	7	5	-	2	2	3	2	2
Stoneham	2	1	-	-	-	-	-	1	-	-	-	-	-
Swampscott	4	2	-	-	-	-	-	-	-	-	-	-	2
TACUNTON	12	2	-	2	1	2	-	-	-	2	-	1	2
Wakefield	2	-	-	-	-	-	1	-	-	1	-	-	-
WALTHAM	21	1	4	4	3	1	-	-	-	1	2	-	5
Watertown	14	2	3	2	1	1	1	1	1	1	-	1	-
Webster	2	-	-	-	-	-	-	-	-	1	-	-	1
Wellesley	1	-	1	1	-	-	1	1	-	1	-	-	-
West Springfield	1	-	1	1	-	1	-	-	-	-	2	1	-
WESTFIELD	7	-	1	2	1	1	-	-	1	-	-	1	-
Weymouth	6	2	1	-	-	1	-	1	-	1	-	-	-
Winchester	5	-	1	1	-	-	1	-	-	-	1	-	1
Winthrop	4	-	-	-	1	-	-	2	-	-	-	1	-
WOBURN	3	-	-	-	-	-	-	1	-	-	1	1	-
WORCESTER	71	13	14	3	10	4	3	2	6	5	5	2	4

¹ Allocated.

MATERNAL MORTALITY.

Table 36

YEARS.	DEATHS AND DEATH RATES PER 100,000 POPULATION FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT ¹ : 1916 TO 1940.								
	DEATHS.			DEATH RATES —					
	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144, 146-150.	PER 100,000 POPULATION.			PER 100,000 FEMALE POPULATION.		
				Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.	All others.
1916	525	159	366	13.9	4.2	9.7	27.3	8.3	19.0
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8
1925	501	140	361	12.1	3.4	8.7	24.1	6.7	17.4
1926	501	150	351	11.9	3.6	8.3	23.9	7.2	16.7
1927	486	141	345	11.4	3.3	8.1	22.9	6.6	16.3
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12.3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5.2	14.0	4.1	9.9
1935 ¹	325	104	221	7.5	2.4	5.1	14.3	4.6	9.7
1936 ¹	270	80	190	6.1	1.8	4.3	11.7	3.5	8.2
1937 ¹	252	67	185	5.7	1.5	4.2	10.8	2.9	7.9
1938 ¹	232	61	171	5.2	1.4	3.8	9.9	2.6	7.3
1939 ¹	210	65	145	4.7	1.4	3.3	8.8	2.7	6.1
1940 ¹	181	72	109	4.2	1.7	2.5	8.2	3.3	4.9

¹ Allocated.

MATERNAL MORTALITY.

Table 37

DEATH RATES PER 10,000 CONFINEMENTS AND PER 10,000 BIRTHS¹ FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT (140-150)*: 1916 TO 1940.

YEARS.	PER 10,000 CONFINEMENTS. ¹			PER 10,000 BIRTHS. ²			PER 10,000 LIVE BIRTHS.			PER 10,000 CONFINEMENTS, 140-150.	
	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144, 146-150.	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144, 146-150.	Total. 140-150.	Puerperal septicemia. 140, 145.	All Others. 141-144, 146-150.	Three-year averages.	Five-year averages.
1916	55	17	39	54	16	38	56	17	39	67	69
1917	63	20	43	62	19	43	64	20	44		
1918	82	16	66	81	16	65	84	17	67		
1919	69	18	51	68	18	50	71	19	52	68	58
1920	74	21	53	73	20	53	76	21	55		
1921	61	19	42	60	18	42	63	19	44		
1922	62	18	44	61	17	44	64	18	46	58	59
1923	54	14	40	54	14	40	56	14	41		
1924	58	17	41	57	17	40	59	17	42		
1925	57	16	41	56	16	40	58	16	42	58	54
1926	59	18	41	58	17	41	60	18	42		
1927	58	17	41	57	17	40	59	17	42		
1928	56	15	41	56	15	41	58	16	42	59	54
1929	62	20	42	59	19	40	61	20	41		
1930	58	19	39	57	18	39	59	19	40		
1931	57	17	40	57	17	40	59	17	42	57	48
1932	53	14	39	52	14	38	54	14	40		
1933	60	16	44	59	16	43	61	16	45		
1934	49	14	35	48	14	34	50	15	35	48	37
1935 ³	51	16	35	50	16	34	52	17	35		
1936 ³	45	13	32	43	13	30	44	13	31		
1937 ³	40	11	29	40	11	29	41	11	30	37	23
1938 ³	37	10	27	36	9	27	37	10	27		
1939 ³	33	10	23	33	10	23	33	10	23		
1940 ³	27	11	16	27	11	16	28	11	17		

¹ Inclusive of stillbirths and making proper deductions for plural births.² Inclusive of stillbirths.³ Allocated.

Table 38

DEATHS DUE TO VIOLENCE AND OTHER
AND MONTHS, AND BY

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	All deaths in- vestigated.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	9,379	-	-	-	-	-	-	-	-	-	-	-	-
		M	6,089	569	477	503	466	505	480	501	475	493	519	500	601
		F	3,290	315	276	322	253	254	247	253	269	263	282	253	303
	All Causes (exclusive of stillbirths).	T	9,260	-	-	-	-	-	-	-	-	-	-	-	-
		M	6,027	562	470	502	461	503	477	495	468	486	511	494	598
		F	3,233	312	271	313	249	252	242	246	261	260	280	248	299
	VIOLENCE.	T	3,161	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,130	189	142	144	163	192	181	198	207	173	170	170	201
		F	1,031	110	72	91	73	69	93	89	93	98	90	65	88
	Suicide.	T	593	-	-	-	-	-	-	-	-	-	-	-	-
		M	444	29	22	40	45	44	38	38	45	36	39	36	32
		F	149	12	11	13	11	12	15	14	13	15	15	7	11
163	Suicide by solid or liquid poisons or by poisonous gases	T	232	-	-	-	-	-	-	-	-	-	-	-	-
		M	154	10	10	18	17	8	12	10	20	14	10	16	9
		F	78	6	9	8	5	5	6	7	5	11	7	4	5
163a	Arsenic and compounds	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	2	1	-	-	-	-	-	-
		F	3	-	2	-	-	-	-	-	-	-	-	-	-
163b	Barbituric acid and derivatives	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	1	-	-	-	-	1	-	-	1	-
		F	12	1	2	2	1	2	-	-	-	2	1	1	-
163c	Cresol compounds	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	1	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
163d	Mercury and compounds	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163e	Nux vomica and strychnine	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163f	Carbolic acid and phenol	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163g	Other solid or liquid poisons	T	30	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	1	1	-	1	1	4	1	2	2	2	3	2
		F	10	1	1	1	-	-	2	-	1	1	1	1	1
163h	Illuminating gas	T	119	-	-	-	-	-	-	-	-	-	-	-	-
		M	75	7	7	9	9	3	3	5	12	5	3	6	6
		F	44	3	3	2	4	3	3	6	3	8	3	2	4
163m	Motor-vehicle exhaust gas	T	47	-	-	-	-	-	-	-	-	-	-	-	-
		M	44	2	2	7	5	2	4	4	5	3	4	6	-
		F	3	-	1	-	-	-	-	-	-	-	2	-	-
163o	Other carbon monoxide gas	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163r	Other poisonous gases	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	-	-	1
		F	5	-	-	3	-	-	1	-	1	-	-	-	-
164	Suicide by other means	T	361	-	-	-	-	-	-	-	-	-	-	-	-
		M	290	19	12	22	28	36	26	28	25	22	29	20	23
		F	71	6	2	5	6	7	9	7	8	4	8	3	6
164a	Hanging or strangulation	T	130	-	-	-	-	-	-	-	-	-	-	-	-
		M	105	8	6	13	8	8	9	10	7	5	14	4	13
		F	25	2	-	-	1	3	2	2	5	-	3	2	5
164b	Drowning	T	55	-	-	-	-	-	-	-	-	-	-	-	-
		M	39	-	1	1	5	10	6	3	3	5	1	2	2
		F	16	3	-	2	2	-	2	4	1	-	1	-	1
164c	Firearms and explosives	T	109	-	-	-	-	-	-	-	-	-	-	-	-
		M	102	8	4	3	12	12	7	12	9	9	8	10	8
		F	7	-	-	-	-	-	1	1	1	1	2	1	-
164d	Cutting or piercing instruments.	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	1	-	3	2	1	2	1	3	2	4	-	-
		F	5	-	-	1	-	1	1	-	1	-	1	-	-
164e	Jumping from high places	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	1	1	1	2	1	1	1	-	-	4	-
		F	12	-	2	2	2	3	-	-	-	1	-	-	-
164f	Crushing	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	-	1	-	2	1	-	2	1	1	-	-
		F	4	1	-	-	-	-	-	-	-	2	1	-	-
164g	Other or unspecified means	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	1	-	-	1	-	-
		F	2	-	-	-	1	1	-	-	-	-	-	-	-
	Homicide.	T	69	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	3	3	3	4	4	4	4	6	2	4	3	3
		F	26	2	-	2	2	3	1	2	4	4	2	1	3
165	Infanticide (homicide of infants under 1 year of age)	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	-	1	-	1

1 Not including 1,219 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1940.

Detailed Int. List No.	AGE PERIODS.													Unknown.
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	
	91 75	109 74	87 57	87 35	76 23	126 37	249 99	396 166	787 275	1,205 429	1,366 674	1,104 765	406 381	-
	29 18	09 74	87 57	87 35	76 23	126 37	249 99	396 166	787 275	1,205 429	1,366 674	1,104 765	406 581	-
	2 4	27 19	61 40	68 24	62 8	111 19	194 50	230 67	295 79	346 100	333 146	267 246	134 229	-
	-	-	-	-	2	8	42	57	90	108	86	40	11	-
163	-	-	-	-	-	2	15	28	35	34	20	15	-	-
163a	-	-	-	-	-	1	11	21	17	15	7	6	-	-
163b	-	-	-	-	-	-	-	1	1	1	-	-	-	-
163c	-	-	-	-	-	1	3	7	1	-	2	1	-	-
163d	-	-	-	-	-	-	-	1	-	1	-	-	-	-
163e	-	-	-	-	-	-	-	1	-	-	-	-	1	-
163f	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163g	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163h	-	-	-	-	-	1	2	4	5	4	3	-	1	-
163m	-	-	-	-	-	3	6	7	11	14	22	9	3	-
163o	-	-	-	-	-	1	6	6	11	11	5	4	-	-
163z	-	-	-	-	-	-	10	8	12	9	4	-	1	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164a	-	-	-	-	-	2	3	35	58	78	54	31	5	-
164b	-	-	-	-	2	1	8	14	19	30	20	10	1	-
164c	-	-	-	-	-	-	1	3	8	12	6	8	1	-
164d	-	-	-	-	-	2	11	12	24	25	19	8	1	-
164e	-	-	-	-	-	-	1	1	1	1	1	1	1	-
164f	-	-	-	-	-	1	1	3	1	1	3	2	1	-
164g	-	-	-	-	-	-	1	1	2	2	1	2	-	-
165	1 2 1 2	1 1 - 1	- - - 1	1 - - -	1 - - -	2 1 - -	5 4 - -	10 3 - -	6 7 - -	9 4 - -	5 1 - -	3 2 - -	- - - -	- - - -

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1940.

Detailed Int. List No.	AGE PERIODS.												
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.
166	-	-	-	1	-	2	2	4	3	3	-	1	-
167	-	-	-	-	1	-	2	2	3	-	-	-	-
168	-	-	-	-	-	1	1	1	2	2	1	2	-
169	1	26	61	67	60	101	147	163	199	229	242	224	123
170	2	18	40	24	7	16	31	36	37	62	125	229	229
170a	-	-	1	1	3	1	8	5	9	10	7	3	1
170b	-	-	-	-	-	-	1	-	-	-	1	-	-
170c	-	-	13	30	20	39	62	46	48	84	81	57	23
170d	-	2	12	8	3	10	12	15	15	19	19	23	8
171	-	-	-	-	-	1	3	1	-	-	-	-	-
171a	-	-	1	2	1	2	1	1	1	1	3	3	1
171b	-	-	1	-	-	-	-	-	-	1	1	3	1
172	-	-	-	2	1	2	1	1	1	-	2	-	-
173	-	-	-	-	-	-	6	4	1	-	1	1	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	1	2	1	1	-	-
176	-	-	-	-	-	1	10	2	1	2	1	1	-
177	-	-	-	1	-	-	-	-	1	1	-	-	-
178	-	-	1	1	-	3	2	4	12	5	3	4	4
179	-	-	1	1	-	-	2	1	2	3	5	4	3
180	1	6	7	1	-	-	2	4	10	4	1	2	1
181	1	1	1	-	-	-	3	2	3	3	2	3	1
182	-	11	11	4	1	1	6	7	6	11	11	14	4
183	19	-	-	-	-	2	3	4	4	8	12	8	5
184	9	1	-	-	-	-	-	1	-	-	-	2	-
185	-	11	2	22	20	33	24	18	26	20	14	5	1
186	-	-	-	-	2	3	1	-	3	1	3	2	-
187	-	-	1	-	3	8	3	1	1	-	-	-	1

Detailed Int. List No.	Table 38 CAUSE OF DEATH	Sex.	DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY													
			All deaths in- vestigated.	MONTHS.												
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
185	Accidental injury by cutting or pierc- ing instruments	T M F	5 3 2	-	-	-	-	-	-	-	1	1	-	-	1	-
186	Accidental injury by fall or crushing	T M F	985 493 492	-	53	38	37	38	42	45	44	45	37	37	32	45
186a	Fall	T M F	984 492 492	-	62	37	48	38	35	42	34	39	41	45	31	40
186b	Crushing	T M F	1 1 1	-	62	37	48	38	35	42	34	39	41	45	31	40
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	T M F	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	T M F	5 4 1	-	-	-	-	-	1	1	1	1	-	-	-	-
189	Hunger or thirst	T M F	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	T M F	11 11 11	-	-	-	-	-	-	-	-	-	-	-	-	-
191	Excessive heat	T M F	7 4 3	-	2	5	1	-	-	-	-	1	-	-	-	-
192	Lightning	T M F	- - -	-	-	-	-	-	-	-	3 3	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	T M F	11 11 11	-	-	-	-	-	1	1	3	1	2	1	1	1
194	Poisoning by venomous animals (not occurring in the course of agricul- tural and forestry operations)	T M F	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-
195	Other accidents	T M F	147 101 46	-	12	10	6	6	13	6	11	9	8	5	10	5
195a	Sequelae of preventive immuniza- tion, inoculation or vaccination	T M F	- - -	2	4	1	4	2	4	5	7	9	3	2	3	3
195b	Other accidents due to medical or surgical intervention	T M F	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-
195c	Lack of care of the newborn	T M F	2 1 1	-	-	-	-	-	-	-	1	-	-	-	-	-
195d	Obstruction, suffocation, or punc- ture by ingested objects	T M F	24 14 10	-	2	3	1	1	-	1	1	2	2	-	1	-
195e	Other and unspecified accidents	T M F	121 86 35	-	-	-	-	-	-	-	3	1	2	2	1	-
196	Deaths of military personnel during operations of war	T M F	- - -	-	2	4	1	3	2	4	2	6	6	1	1	3
197	Deaths of civilians due to operations of war	T M F	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	T M F	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-
	Causes not due to violence	T M F	6,099 3,897 2,202	-	373	328	358	298	311	296	297	261	313	341	324	397
	Stillbirths	T M F	119 62 57	-	7	7	1	5	2	3	6	7	7	8	6	3
				3	5	9	4	2	5	7	8	3	2	5	4	

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1940.

Detailed Int. List No.	AGE PERIODS.													80 years and over.	Unknown.
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.			
185	-	-	-	-	1	-	-	-	-	-	1	-	-	-	
186	-	-	10	5	8	10	7	37	49	65	96	126	81	-	
186a	-	2	2	1	-	1	5	9	7	19	72	172	201	-	
186b	-	2	10	5	8	10	7	37	49	64	96	126	81	-	
186b	-	-	2	1	-	1	5	9	7	19	72	172	201	-	
187	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
188	-	-	-	1	-	1	-	1	1	-	1	-	-	-	
189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
190	-	-	-	-	-	-	-	2	3	1	2	2	1	-	
191	-	-	-	-	-	-	-	-	1	-	1	2	-	-	
192	-	-	-	-	-	-	-	-	-	-	-	3	-	-	
193	-	-	-	-	2	1	3	-	3	2	-	-	-	-	
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
195	1	5	4	1	1	2	10	25	15	16	16	3	2	-	
195a	2	3	3	8	-	-	1	-	-	5	6	8	10	-	
195b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
195c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
195d	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
195d	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
195e	-	4	1	-	-	-	-	3	3	1	2	-	-	-	
195e	-	2	3	2	-	-	1	-	-	1	1	-	-	-	
195e	-	1	3	1	1	2	10	22	12	15	14	3	2	-	
196	1	1	3	6	-	-	-	-	-	4	5	8	10	-	
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
62	-	82	26	19	14	15	55	166	492	859	1,033	837	272	-	
57	-	55	17	11	15	18	49	99	196	329	528	519	352	-	

Line No.	Table 39 CAUSE OF DEATH.	DEATHS (INCLUSIVE OF STILLBIRTHS)				
		THE STATE.		COUNTY.		
		Number.	Per Cent. Distribution.	Barnstable.	Berkshire.	Bristol.
1	All Causes.	10,598	100.0	118	237	820
2	Violence.	3,161	29.8	48	103	211
3	Suicide.	593	5.6	6	23	41
4	Poisons (163a-163g)	59	.6	1	-	6
5	Asphyxia by poisonous gas (163h-163x)	173	1.7	1	7	14
6	Hanging (164a)	130	1.2	2	6	4
7	Drowning (164b)	55	.5	1	4	1
8	Firearms (164c)	109	1.0	1	5	11
9	Cutting or piercing instruments (164d)	24	.2	-	1	4
10	Other means	43	.4	-	-	1
11	Homicide.	69	.6	2	1	5
12	Infanticide (165)	4	.1	-	-	-
13	Firearms (166)	24	.2	1	-	1
14	Cutting (167)	12	.1	1	-	1
15	Other means (168)	29	.3	-	1	3
16	Accident or Negligence.	2,499	23.6	40	79	165
17	Public travel (railroads, vehicles, etc.) (169-173)	736	7.0	16	37	40
18	Machinery (175a, 175d, 176)	22	.2	-	1	1
19	Asphyxia, other than drowning (178, 182)	108	1.0	-	5	4
20	Poisons (179)	53	.5	-	-	4
21	Burns and scalds (180, 181)	174	1.6	6	1	11
22	Drowning (183)	213	2.0	15	11	14
23	Firearms and other weapons (184)	18	.2	1	3	2
24	Falls, blows and falling bodies (186, 195e)	1,106	10.4	2	21	82
25	Weather agencies (190-192)	18	.2	-	-	1
26	Other accidental causes	51	.5	-	-	6
27	CAUSES NOT DUE TO VIOLENCE.	6,099	57.6	64	134	587
28	Natural causes	5,913	55.8	63	131	577
29	Alcoholism	168	1.6	-	2	9
30	Unknown or ill-defined causes	18	.2	1	1	1
31	Cremations	1,219	11.5	6	-	18
32	STILLBIRTHS.	119	1.1	-	-	4
33	Autopsies.					
34	Number	1,012	-	2	7	91

¹ Less than one-tenth of one per cent.

Line No.	Table 40 COUNTIES.	DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1931 TO 1940.										
		10 YEARS, 1931 TO 1940.			1940.		1939.		1938.		1937.	
		Views.	AUTOPSIES.		Views.	Au- top- sies.	Views.	Au- top- sies.	Views.	Au- top- sies.	Views.	Au- top- sies.
			Num- ber.	Per cent.								
1	The State.	94,281	8,294	8.8	10,598	1,012	10,353	894	10,238	1,002	10,069	1,024
2	Barnstable	921	19	2.1	118	2	95	2	100	1	92	2
3	Berkshire	2,091	53	2.5	237	7	225	6	215	6	241	6
4	Bristol	7,631	719	9.4	820	91	796	72	786	61	779	98
5	Dukes	110	7	6.4	14	2	7	—	15	—	9	—
6	Essex	9,116	370	4.1	1,058	34	1,063	25	962	46	967	41
7	Franklin	885	18	2.0	98	2	103	2	83	2	93	1
8	Hampden	9,392	243	2.6	1,116	42	1,073	20	1,038	21	1,044	26
9	Hampshire	1,585	46	2.9	167	16	182	5	152	7	157	1
10	Middlesex	19,732	818	4.1	2,228	78	2,104	74	2,114	93	2,041	102
11	Nantucket	106	13	12.3	10	—	8	—	11	1	13	1
12	Norfolk	6,786	175	2.6	773	33	688	12	684	25	638	11
13	Plymouth	3,443	99	2.9	370	13	316	18	366	8	352	10
14	Suffolk	22,242	4,720	21.2	2,359	566	2,523	574	2,532	650	2,573	614
15	Worcester	10,241	994	9.7	1,230	126	1,170	84	1,180	81	1,070	111

MEDICAL EXAMINERS.

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1940.

TIES.

Line No.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	14	1,058	98	1,116	167	2,228	10	773	370	2,359	1,230
2	10	325	43	260	58	565	2	216	146	732	442
3	2	63	4	52	15	109	1	40	26	134	77
4	-	3	-	4	1	8	-	2	-	27	7
5	-	26	1	19	3	35	-	13	7	28	19
6	-	12	1	6	4	29	1	12	8	23	22
7	-	4	-	9	-	9	-	1	3	13	10
8	1	14	2	11	7	20	-	8	4	13	12
9	1	-	-	-	-	4	-	2	2	6	4
10	-	4	-	3	-	4	-	2	2	24	3
11	1	3	1	5	1	6	-	6	4	23	11
12	-	-	-	-	-	1	-	-	-	2	1
13	-	2	-	2	-	2	-	1	1	10	4
14	-	-	-	1	1	1	-	1	3	3	-
15	1	1	1	2	-	2	-	4	-	8	6
16	7	259	38	203	42	450	1	170	116	575	354
17	2	80	21	59	9	150	1	57	38	137	89
18	-	1	1	1	-	3	-	1	2	5	6
19	1	8	2	13	-	23	-	6	3	31	12
20	-	7	2	1	-	10	-	3	3	20	3
21	1	12	2	18	5	27	-	15	10	39	27
22	2	30	-	10	5	30	-	16	13	43	24
23	-	3	-	2	-	1	-	1	2	-	3
24	-	117	10	90	22	195	-	64	44	278	181
25	-	1	-	3	1	5	-	1	-	4	2
26	1	-	-	6	-	6	-	6	1	18	7
27	4	698	49	579	95	1,326	7	512	221	1,052	771
28	4	688	47	566	93	1,304	5	508	217	943	767
29	-	7	1	11	-	18	1	4	4	108	3
30	-	3	1	2	2	4	1	-	-	1	1
31	-	32	6	249	13	315	1	4	-	560	15
32	-	3	-	28	1	22	-	41	3	15	2
33	-	-	-	-	-	-	-	-	-	-	-
34	2	34	2	42	16	78	-	33	13	566	126

DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1931 TO 1940.

Line No.	1936.		1935.		1934.		1933.		1932.		1931.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	9,788	907	9,098	797	9,145	787	8,587	688	8,377	605	8,028	578
2	108	1	75	5	70	2	103	-	72	2	88	2
3	233	8	200	6	227	6	171	2	184	3	158	3
4	804	73	708	62	754	71	733	72	757	66	694	53
5	11	1	12	1	9	-	12	2	13	1	8	-
6	873	43	909	51	886	40	802	39	806	20	790	31
7	97	1	92	1	84	3	74	2	80	3	81	1
8	1,011	21	913	32	864	38	793	15	785	17	755	11
9	168	4	158	4	179	4	152	1	130	1	140	3
10	2,019	94	1,864	76	1,951	96	1,816	83	1,859	66	1,736	56
11	14	-	7	2	12	6	8	1	10	2	13	-
12	683	12	734	11	694	28	665	19	660	13	567	11
13	330	6	332	6	367	5	327	10	332	9	351	14
14	2,434	531	2,103	442	2,004	357	1,933	330	1,871	320	1,910	336
15	1,003	112	991	98	1,044	131	998	112	818	82	737	57

PART II. A.

BIRTH STATISTICS

Introduction	208-211
Birth registration	208
Importance of birth records	208, 209
Records impounded	209
Allocation	209, 210
Live births	210
Birth rates	210
Changes in birth rate	210
Stillbirths	210
Birth rates, highest	210
Sex proportion at birth	210
Nativity of parents	211
Plural births	211
Natural increase	211
Statistical tables	212-229

INTRODUCTION.

Birth Registration.—Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. Probably no State claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the town of birth. Parents, within forty days, are required to give notice to the registration official of children born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local clerks of the city or town in which the birth occurred with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1841. During this time 5,656,978 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are generally beginning more and more to realize the importance of birth records, so complete registration should soon be an accomplished fact.

Importance of Birth Records.—Records of birth are becoming more important every day. Government and defense agencies as well as many other civil bureaus are demanding proof of citizenship through birth certificates. As Massachusetts is one of the few states that have records previous to 1912 there is a great demand at all times. This great demand for birth records will continue as they are also required for Old Age Assistance and Social Security and as proof of citizenship for defense purposes.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an

* Midwives are not recognized in Massachusetts. The courts have held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are required by statute to be forwarded annually to the Division of Vital Statistics but many of the clerks co-operate with the Division by making periodic returns during the year.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections are accepted unless by a deposition made by the parents, supported by written evidence at the time of birth, or by deposition of the attending physician at the time of birth, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are required to exercise considerable care by requesting written evidence made soon after the time of birth before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimized through the subsequent marriage of its parents; in these cases the record may be amended, so that the child will appear on the record as the legitimate offspring of its parents.

As a means of eliminating errors from physicians' returns of births, many local registrars are sending a supplemental report of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

Adoptions.—Chapter 97, Acts of 1938 amended the statute relating to adoptions and provides that legally adopted children may have their birth records amended so as to appear as the natural children of the adoptive parents. Illegitimate children who have had their names legally changed may have their birth records amended to agree with the name decreed by court.

Certain Records Impounded.—Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court.

Allocation.—Births are charged to the place of the event and also are allocated to the place of residence of the parents. This insures as near a true rate as possible

and has a marked effect on municipalities which are large hospital centers. These cities and towns in the past have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births.—In the Commonwealth in 1940 there were 66,192 live births, registered, an increase of 2,885, or 4.6 per cent as compared with the number registered in 1939. There was an increase in 1940 of 3,455 or 7.2 per cent in the number of infants born to native parents; a decrease of 541, or 10.8 per cent to foreign-born parents; and also a decrease of 28 or .3 per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1939. The allocated births numbered 65,369 for 1940.

Birth Rate.—In proportion to the total population, the total births registered were equivalent to a rate of 15.3 per 1,000 population, and is an increase of 1.1 per 1,000 over that of 1939. This rate is also 1.1 per 1,000 above the average for the five years 1935 to 1939. The allocated births for 1940 raised the birth rate to 15.1.

Changes in Birth Rate.—The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, and a steady decline since 1924, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, the infant mortality rate for 1940 being the second lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths.—The Legislature has enacted legislation (Chap. 100, Acts of 1936) defining stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than five months, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle—." In the past there has been no statute defining a stillbirth, consequently many returns have been made which, under this definition, would not have been returned. As the statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made, there should be fewer returns of stillbirths.

Stillbirths allocated in 1940 number 1,774. The rate per 1,000 live births allocated was 28.2 in 1939; 27.7 in 1938; 28.5 in 1937; and 29.7 in 1936. The rate for 1940 is 27.1.

Birth Rates, Highest.—The six municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1940 are: Norwood, 30.3; Milford, 28.6; Weymouth, 28.0; Framingham, 26.5; Winthrop, 26.2; and Attleboro 25.5.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The communities showing the highest rates are: Weymouth, 18.4; Everett, 17.6; Braintree, 17.3; Cambridge, 17.2; Somerville, 17.2; and Waltham, 16.9. Cambridge which showed the highest registered rate (22.6) of any place in the State of over 100,000 population has the same rate as Somerville (17.2) through the allocation of births.

Sex Proportion at Birth.—It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Registered births of males in 1940 numbered 34,032 and those of females 32,160, corresponding to a ratio of 1,058 male births to 1,000 female births. Allocated births numbered 33,634 males and 31,735 females in 1940, with a ratio of 1,060 male to female births.

Nativity of Parents.—The number of registered births where both parents were native (51,317) exceeded the number of births where both parents were foreign-born (4,471) by 46,846, or 1,047.8 per cent in 1940. Children of mixed parents (one parent native and one parent foreign-born) numbered 10,404 in 1940 as compared with 10,432 in 1939. Allocated births numbered 50,616 children born of native parents, 4,439 of foreign parents and 10,314 of mixed parentage.

The proportion of children born of native parents declined from 1890 until 1910, since then, the proportion has steadily increased. In 1940 the proportion was 77.5 for registered births and 77.4 per cent for allocated births.

The proportion of children born of parents one of whom was native and the other foreign-born was 15.7 for the registered and 15.8 for the allocated births in 1940 as compared with 16.5 in 1939 for the registered births and 16.6 for the allocated births.

Plural Births.—In 1940 there were 636 cases of plural births (allocated), 625 cases of twins and 11 cases of triplets, or 9.6 pairs of twins per 1,000 live births (allocated), and two-tenths of one case of triplets.

Natural Increase.—The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1940 was 3.4 per 1,000 population for registered births and averaged 2.6 for the five years 1935 to 1939. The rate of increase was the same for allocated births.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 24.4 per cent in 1939; 26.5 per cent in 1938; 19.0 in 1937; 18.9 in 1936; and 25.3 in 1935. The excess of registered births over registered deaths in 1940 was 14,912, or 29.1 per cent, while the increase of allocated births over allocated deaths was 14,671, or 28.9 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 41

LIVE BIRTHS,² BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1940.

COUNTIES AND MUNICIPALITIES. ¹	Total number.	SEX.			PARENT NATIVITY.				Population (U. S. Census April 1, 1940.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
The State.	66,192	34,032	32,160	-	51,317	4,471	10,404	-	4,316,721	15.3
COUNTIES.										
Barnstable	511	246	265	-	429	12	70	-	37,295	13.7
Berkshire	1,994	1,008	986	-	1,714	70	210	-	122,273	16.3
Bristol	5,633	2,924	2,709	-	4,433	286	914	-	364,637	15.4
Dukes	94	53	41	-	79	-	15	-	5,669	16.6
Essex	6,938	3,557	3,381	-	5,447	369	1,122	-	496,313	14.0
Franklin	655	343	312	-	595	11	49	-	49,453	13.2
Hampden	4,893	2,446	2,447	-	3,953	239	701	-	332,107	14.7
Hampshire	966	493	473	-	849	17	100	-	72,461	13.3
Middlesex	13,687	7,058	6,629	-	10,294	1,077	2,316	-	971,390	14.1
Nantucket	47	25	22	-	38	2	7	-	3,401	13.8
Norfolk	2,974	1,517	1,457	-	2,304	179	491	-	325,180	9.1
Plymouth	2,311	1,177	1,134	-	1,966	58	287	-	168,824	13.7
Suffolk	17,845	9,256	8,589	-	13,161	1,759	2,925	-	863,248	20.7
Worcester	7,644	3,929	3,715	-	6,055	392	1,197	-	504,470	15.2
MUNICIPALITIES.										
Abington	2	2	-	-	2	-	-	-	5,708	.4
Acton	3	1	2	-	3	-	-	-	2,701	1.1
Acushnet	250	132	118	-	188	16	46	-	4,145	60.3
Adams	215	97	118	-	188	4	23	-	12,608	17.1
Agawam	16	6	10	-	13	2	1	-	7,842	2.0
Alford	1	1	-	-	1	-	-	-	201	5.0
Amesbury	171	93	78	-	136	4	31	-	10,862	15.7
Amherst	11	6	5	-	10	-	1	-	6,410	1.7
Andover	23	11	12	-	16	2	5	-	11,122	2.1
Arlington	255	145	110	-	181	31	43	-	40,013	6.4
Ashburnham	11	5	6	-	10	1	-	-	2,255	4.9
Ashby	-	-	-	-	-	-	-	-	1,026	-
Ashfield	1	-	1	-	1	-	-	-	2,872	1.1
Ashland	1	1	-	-	1	-	-	-	2,479	.4
Athol	137	78	59	-	111	4	22	-	11,180	12.3
ATTLEBORO	562	285	277	-	470	22	70	-	22,071	25.5
Auburn	19	8	11	-	15	1	3	-	6,629	2.9
Avon	4	1	3	-	4	-	-	-	2,335	1.7
Ayer	91	46	45	-	80	2	9	-	3,572	25.5
Barnstable	331	159	172	-	291	7	33	-	8,333	39.7
Barre	9	6	3	-	8	-	1	-	3,528	2.6
Becket	6	3	3	-	6	-	-	-	689	8.7
Bedford	3	2	1	-	2	-	1	-	3,807	.8
Belchertown	3	2	1	-	2	-	1	-	3,503	.9
Bellingham	23	11	12	-	18	-	5	-	2,979	7.7
Belmont	11	8	3	-	4	4	3	-	26,867	.4
Berkley	5	1	4	-	5	-	-	-	1,130	4.4
Berlin	-	-	-	-	-	-	-	-	1,037	-
Bernardston	4	4	-	-	4	-	-	-	954	4.2
BEVERLY	534	281	253	-	434	21	79	-	25,539	20.9
Billerica	27	11	16	-	19	3	5	-	7,933	3.4
Blackstone	43	23	20	-	31	1	11	-	4,566	9.4
Blandford	-	-	-	-	-	-	-	-	479	-
Bolton	1	1	-	-	1	-	-	-	775	1.3
Boston	16,589	8,578	8,011	-	12,214	1,642	2,733	-	770,816	21.5
Bourne	12	4	8	-	10	-	2	-	3,315	3.6
Boxborough	-	-	-	-	-	-	-	-	376	-
Boxford	-	-	-	-	-	-	-	-	718	-
Boylston	1	1	-	-	-	1	-	-	1,388	.7
Braintree	9	5	4	-	7	1	1	-	16,378	.5
Brewster	4	3	1	-	4	-	-	-	827	4.8
Bridgewater	31	18	13	-	25	1	5	-	8,902	3.5
Brimfield	2	2	-	-	2	-	-	-	1,012	2.0
BROCKTON	1,494	751	743	-	1,289	40	165	-	62,343	24.0
Brookfield	7	-	7	-	7	-	-	-	1,393	5.0
Brookline	208	103	105	-	141	31	36	-	49,786	4.2
Buckland	8	5	3	-	7	-	1	-	1,527	5.2
Burlington	5	3	2	-	4	1	-	-	2,275	2.2
CAMBRIDGE	2,508	1,300	1,208	-	1,833	242	433	-	110,879	22.6
Canton	19	10	9	-	12	2	5	-	6,381	3.0
Carlisle	-	-	-	-	-	-	-	-	747	-
Carver	11	6	5	-	5	1	5	-	1,469	7.5
Charlemont	3	1	2	-	3	-	-	-	789	3.8
Charlton	26	9	17	-	22	1	3	-	2,557	10.2
Chatham	6	2	4	-	4	-	2	-	2,136	2.8
Chelmsford	16	3	13	-	12	1	3	-	8,077	2.0
CHELSEA	580	305	275	-	399	76	105	-	41,259	14.1
Cheshire	10	4	6	-	7	1	2	-	1,708	5.9
Chester	2	1	1	-	2	-	-	-	1,284	1.6
Chesterfield	-	-	-	-	-	-	-	-	422	-
CHICOPEE	220	113	107	-	163	15	42	-	41,664	5.3

¹ Cities are printed in small capitals.² Including nonresidents.

Table 41

LIVE BIRTHS,² BY SEX AND PARENT NATIVITY, IN EACH COUNTY
AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1940.

Municipalities. ¹	Total number.	SEX.			PARENT NATIVITY.				Popula- tion (U. S. Census April 1, 1940.)	Birth rate per 1,000 popula- tion.
		Male.	Fe- male.	Un- known.	Na- tive.	For- eign.	Mixed.	Un- known.		
Chilmark	—	—	—	—	—	—	—	—	226	—
Clarksburg	10	5	5	—	9	—	1	—	1,317	7.6
Clinton	237	114	123	—	198	10	29	—	12,440	19.1
Cohasset	94	45	49	—	84	1	9	—	3,111	30.2
Colrain	13	7	6	—	12	—	1	—	1,497	8.7
Concord	230	121	109	—	183	10	37	—	7,972	28.9
Conway	3	1	2	—	3	—	—	—	944	3.2
Cummington	1	1	—	—	1	—	—	—	608	1.6
Dalton	—	—	—	—	—	—	—	—	4,206	—
Danvers	103	51	52	—	86	1	16	—	14,179	7.3
Dartmouth	41	17	24	—	28	4	9	—	9,011	4.5
Dedham	29	14	15	—	16	4	9	—	15,508	1.9
Deerfield	7	4	3	—	4	—	3	—	2,684	2.6
Dennis	5	4	1	—	5	—	—	—	2,015	2.5
Dighton	133	60	73	—	107	4	22	—	2,983	44.6
Douglas	13	8	5	—	7	2	4	—	2,617	5.0
Dover	—	—	—	—	—	—	—	—	1,374	—
Dracut	54	26	28	—	42	2	10	—	7,339	7.4
Dudley	25	11	14	—	17	4	4	—	4,616	5.4
Dunstable	5	2	3	—	3	1	1	—	447	11.2
Duxbury	7	3	4	—	6	—	1	—	2,359	3.0
East Bridgewater	12	10	2	—	8	2	2	—	3,832	3.1
East Brookfield	4	—	4	—	3	—	1	—	1,016	3.9
East Longmeadow	5	1	4	—	4	1	—	—	3,403	1.5
Eastham	2	1	1	—	1	—	1	—	586	3.4
Easthampton	25	10	15	—	15	1	9	—	10,316	2.4
Easton	27	15	12	—	25	—	2	—	5,135	5.3
Edgartown	4	3	1	—	4	—	—	—	1,370	2.9
Egremont	1	1	—	—	1	—	—	—	463	2.2
Erving	4	1	3	—	4	—	—	—	1,328	3.0
Essex	2	1	1	—	2	—	—	—	1,384	1.4
EVERETT	695	357	338	—	474	69	152	—	46,784	14.9
Fairhaven	68	34	34	—	48	4	16	—	10,938	6.2
FALL RIVER	2,197	1,156	1,041	—	1,764	93	340	—	115,428	19.0
Falmouth	50	24	26	—	31	4	15	—	6,878	7.3
FITCHBURG	768	370	398	—	563	43	162	—	41,824	18.4
Florida	3	1	2	—	3	—	—	—	421	7.1
Foxborough	9	5	4	—	8	1	—	—	6,303	1.4
Frammingham	615	312	303	—	495	27	93	—	23,214	26.5
Franklin	42	26	16	—	28	3	11	—	7,303	5.8
Freestown	16	7	9	—	13	1	2	—	1,584	10.1
GARDNER	475	259	216	—	366	25	84	—	20,206	23.5
Gay Head	—	—	—	—	—	—	—	—	127	—
Georgetown	10	2	8	—	10	—	—	—	1,803	5.5
Gill	2	1	1	—	2	—	—	—	631	2.1
GLOUCESTER	386	200	186	—	312	23	51	—	24,046	16.1
Goshen	—	—	—	—	—	—	—	—	237	—
Gosnold	—	—	—	—	—	—	—	—	136	—
Grafton	17	8	9	—	13	1	3	—	7,457	2.3
Granby	2	—	2	—	1	1	—	—	1,085	1.8
Granville	2	—	2	—	2	—	—	—	668	3.0
Great Barrington	153	69	84	—	137	5	11	—	5,824	26.3
Greenfield	302	175	127	—	276	7	19	—	15,672	19.3
Groton	48	22	26	—	37	3	8	—	2,550	18.8
Groveland	10	3	7	—	9	1	—	—	2,122	4.7
Hadley	14	6	8	—	13	—	1	—	2,576	5.4
Halifax	4	2	2	—	4	—	—	—	867	4.6
Hamilton	1	—	1	—	1	—	—	—	2,037	.5
Hampden	—	—	—	—	—	—	—	—	1,023	—
Hancock	3	1	2	—	3	—	—	—	332	9.0
Hanover	3	2	1	—	2	—	1	—	2,875	1.0
Hanson	5	2	3	—	3	—	2	—	2,570	1.9
Hardwick	4	2	2	—	4	—	—	—	2,154	1.9
Harvard	2	1	1	—	2	—	—	—	1,790	1.1
Harwich	23	11	12	—	15	1	7	—	2,535	9.1
Hatfield	3	2	1	—	1	1	1	—	2,216	1.4
HAVERHILL	681	353	328	—	586	19	76	—	46,752	14.6
Hawley	4	—	4	—	4	—	—	—	257	15.6
Heath	5	3	2	—	3	1	1	—	359	13.9
Hingham	6	5	1	—	6	—	—	—	8,003	.7
Hinsdale	4	2	2	—	3	—	1	—	1,235	3.2
Holbrook	7	5	2	—	6	—	1	—	3,330	2.1
Holden	103	58	45	—	94	3	6	—	3,924	26.2
Holland	2	—	2	—	2	—	—	—	247	8.1
Holliston	9	7	2	—	7	1	1	—	3,000	3.0
HOLYOKE	1,079	538	541	—	834	51	194	—	53,750	20.1
Hopedale	3	3	—	—	3	—	—	—	3,113	1.0
Hopkinton	2	1	1	—	2	—	—	—	2,697	.7

¹ Cities are printed in small capitals.² Including nonresidents.

Table 41

LIVE BIRTHS,² BY SEX AND PARENT NATIVITY, IN EACH COUNTY
AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1940.

Municipalities. ¹	Total number.	SEX.			PARENT NATIVITY.				Popula- tion (U. S. Census April 1, 1940.)	Birth rate per 1,000 popula- tion.
		Male.	Fe- male.	Un- known.	Na- tive.	For- eign.	Mixed.	Un- known.		
Hubbardston	2	—	2	—	2	—	—	—	1,022	2.0
Hudson	12	4	8	—	9	2	1	—	8,042	1.5
Hull	4	4	—	—	3	—	1	—	2,167	1.8
Huntington	2	—	2	—	2	—	—	—	1,340	1.5
Ipswich	141	73	68	—	114	1	26	—	6,348	22.2
Kingston	7	2	5	—	5	—	2	—	2,783	2.5
Lakeville	8	3	5	—	7	—	1	—	1,780	4.5
Lancaster	2	1	1	—	2	—	—	—	2,963	.7
Lanesborough	4	1	3	—	3	—	1	—	1,321	3.0
LAWRENCE	1,441	716	725	—	1,053	96	292	—	84,323	17.1
Lee	9	4	5	—	7	2	—	—	4,222	2.1
Leicester	14	6	8	—	12	1	1	—	4,851	2.9
Lenox	6	1	5	—	6	—	—	—	2,884	2.1
LEOMINSTER	321	157	164	—	228	30	63	—	22,226	14.4
Leverett	3	1	2	—	3	—	—	—	688	4.4
Lexington	20	6	14	—	10	2	8	—	13,187	1.5
Leyden	—	—	—	—	—	—	—	—	260	—
Lincoln	1	—	1	—	—	1	—	—	1,783	.6
Littleton	2	2	—	—	1	—	1	—	1,651	1.2
Longmeadow	1	1	—	—	1	—	—	—	5,790	.2
LOWELL	1,856	978	878	—	1,532	59	265	—	101,389	18.3
Ludlow	295	158	137	—	238	15	42	—	8,181	36.1
Lunenburg	4	2	2	—	2	—	2	—	2,195	1.8
LYNN	1,623	867	756	—	1,209	130	284	—	98,123	16.5
Lynnfield	2	2	—	—	2	—	—	—	2,287	.9
MALDEN	944	474	470	—	708	72	164	—	58,010	16.3
Manchester	—	—	—	—	—	—	—	—	2,472	—
Mansfield	33	17	16	—	26	2	5	—	6,530	5.1
Marblehead	70	33	37	—	63	—	7	—	10,856	6.4
Marion	10	5	5	—	7	—	3	—	2,030	4.9
MARLBOROUGH	328	162	166	—	265	17	46	—	15,154	21.6
Marshfield	6	4	2	—	1	—	5	—	2,419	2.5
Mashpee	4	1	3	—	4	—	—	—	434	9.2
Mattapoisett	12	6	6	—	11	—	1	—	1,608	7.5
Maynard	13	4	9	—	9	1	3	—	6,812	1.9
Medfield	1	—	1	—	1	—	—	—	4,384	.2
MEDFORD	858	436	422	—	648	68	142	—	63,083	13.6
Medway	14	9	5	—	12	1	1	—	3,297	4.2
MELROSE	534	267	267	—	431	24	79	—	25,333	21.1
Mendon	2	2	—	—	2	—	—	—	1,315	1.5
Merrimac	8	5	3	—	7	—	1	—	2,320	3.4
Methuen	311	165	146	—	229	17	65	—	21,880	14.2
Middleborough	197	102	95	—	180	2	15	—	9,032	21.8
Middlefield	—	—	—	—	—	—	—	—	201	—
Middleton	8	6	2	—	5	1	2	—	2,348	3.4
Milford	440	215	225	—	346	23	71	—	15,388	28.6
Millbury	35	18	17	—	32	2	1	—	6,983	5.0
Millis	3	2	1	—	1	1	1	—	2,278	1.3
Millville	7	3	4	—	6	1	—	—	1,722	4.1
Milton	86	43	43	—	74	4	8	—	18,708	4.6
Monroe	—	—	—	—	—	—	—	—	207	—
Monson	7	4	3	—	5	—	2	—	5,597	1.3
Montague	239	115	124	—	218	2	19	—	7,582	31.5
Monterey	—	—	—	—	—	—	—	—	320	—
Montgomery	—	—	—	—	—	—	—	—	178	—
Mount Washington	—	—	—	—	—	—	—	—	57	—
Nahant	1	—	1	—	1	—	—	—	1,835	.5
Nantucket	47	25	22	—	38	2	7	—	3,401	13.8
Natick	249	132	117	—	192	16	41	—	13,851	18.0
Needham	83	41	42	—	59	4	20	—	12,445	6.7
New Ashford	1	—	1	—	1	—	—	—	87	11.5
NEW BEDFORD	1,617	833	784	—	1,199	111	307	—	110,341	14.7
New Braintree	—	—	—	—	—	—	—	—	439	—
New Marlborough	5	2	3	—	5	—	—	—	956	5.2
New Salem	1	—	1	—	1	—	—	—	337	.8
Newbury	4	1	3	—	3	—	1	—	1,599	2.5
NEWBURYPORT	305	144	161	—	276	1	28	—	13,916	21.9
NEWTON	815	416	399	—	631	49	135	—	69,873	11.7
Norfolk	5	2	3	—	3	1	1	—	2,294	2.2
NORTH ADAMS	388	192	196	—	333	8	47	—	22,213	17.5
North Andover	18	7	11	—	12	1	5	—	7,524	2.4
North Attleborough	39	22	17	—	26	2	11	—	10,359	3.8
North Brookfield	19	11	8	—	16	1	2	—	3,304	5.8
North Reading	8	2	6	—	4	—	4	—	2,886	2.8
NORTHAMPTON	572	300	272	—	511	7	54	—	24,794	23.1
Northborough	3	1	2	—	2	—	1	—	2,382	1.3
Northbridge	233	129	104	—	175	15	43	—	10,242	22.7
Northfield	3	2	1	—	3	—	—	—	1,975	1.5

¹ Cities are printed in small capitals.² Including nonresidents.

Table 41

LIVE BIRTHS,² BY SEX AND PARENT NATIVITY, IN EACH COUNTY
AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1940.

Municipalities. ¹	Total num- ber.	SEX.			PARENT NATIVITY.				Popula- tion (U. S. Census April 1, 1940.)	Birth rate per 1,000 popu- lation.
		Male.	Fe- male.	Un- known.	Na- tive.	For- eign.	Mixed.	Un- known.		
Norton	12	8	4	-	11	-	1	-	3,107	3.9
Norwell	3	1	2	-	3	-	-	-	1,871	1.6
Norwood	466	237	229	-	369	28	69	-	15,383	30.3
Oak Bluffs	84	46	38	-	72	-	12	-	1,584	53.0
Oakham	1	-	1	-	1	-	-	-	423	2.4
Orange	35	17	18	-	29	1	5	-	5,611	6.2
Orleans	3	2	1	-	3	-	-	-	1,451	2.1
Otis	5	2	3	-	5	-	-	-	364	13.7
Oxford	24	11	13	-	19	1	4	-	4,623	5.2
Palmer	155	68	87	-	137	2	16	-	9,149	16.9
Paxton	1	1	-	-	1	-	-	-	791	1.3
PEABODY	113	48	65	-	84	9	20	-	21,711	5.2
Pelham	2	1	1	-	2	-	-	-	563	3.5
Pembroke	2	-	2	-	-	-	2	-	1,718	1.2
Pepperell	33	12	21	-	30	1	2	-	3,114	10.6
Peru	-	-	-	-	-	-	-	-	142	-
Petersham	-	-	-	-	-	-	-	-	923	-
Phillipston	4	1	3	-	3	-	1	-	481	8.3
PITTSFIELD	1,138	602	536	-	968	48	122	-	49,684	22.9
Plainfield	-	-	-	-	-	-	-	-	264	-
Plainville	2	1	1	-	2	-	-	-	1,302	1.5
Plymouth	262	138	124	-	216	9	37	-	13,100	20.0
Plympton	2	-	2	-	1	-	1	-	532	3.8
Princeton	3	2	1	-	3	-	-	-	713	4.2
Provincetown	53	26	27	-	44	-	9	-	3,668	14.4
QUINCY	1,092	561	531	-	837	66	189	-	75,810	14.4
Randolph	14	7	7	-	7	2	5	-	7,634	1.8
Raynham	7	2	5	-	6	1	-	-	2,141	3.3
Reading	35	21	14	-	23	4	8	-	10,866	3.2
Rehoboth	13	9	4	-	12	-	1	-	2,736	4.8
REVERE	237	134	103	-	190	15	32	-	34,405	6.9
Richmond	1	-	1	-	1	-	-	-	624	1.6
Rochester	4	1	3	-	4	-	-	-	1,269	3.2
Rockland	22	10	12	-	16	-	6	-	8,087	2.7
Rockport	16	6	10	-	14	1	1	-	3,556	4.5
Rowe	4	-	4	-	4	-	-	-	233	17.2
Rowley	1	1	-	-	1	-	-	-	1,533	.7
Royalston	6	3	3	-	4	-	2	-	795	7.5
Russell	8	5	3	-	7	1	-	-	1,212	6.4
Rutland	2	1	1	-	2	-	-	-	2,181	.9
SALEM	801	406	395	-	650	35	116	-	41,213	19.4
Salisbury	10	5	5	-	10	-	-	-	2,376	4.2
Sandisfield	3	2	1	-	3	-	-	-	421	7.1
Sandwich	-	-	-	-	-	-	-	-	1,360	-
Saugus	26	10	16	-	20	3	3	-	14,825	1.8
Savoy	2	1	1	-	2	-	-	-	300	6.7
Scituate	8	5	3	-	5	-	3	-	4,130	1.9
Seekonk	20	14	6	-	16	1	3	-	4,912	4.1
Sharon	4	3	1	-	3	-	1	-	3,757	1.1
Sheffield	5	4	1	-	4	-	1	-	1,709	2.9
Shelburne	3	2	1	-	3	-	-	-	1,636	1.8
Sherborn	1	-	1	-	1	-	-	-	1,022	1.0
Shirley	13	4	9	-	9	1	3	-	2,608	5.0
Shrewsbury	11	7	4	-	6	1	4	-	7,586	1.5
Shutesbury	1	1	-	-	1	-	-	-	191	5.2
Somerset	47	25	22	-	36	4	7	-	5,873	8.0
SOMERVILLE	1,262	653	609	-	828	177	257	-	102,177	12.4
South Hadley	3	2	1	-	2	-	1	-	6,856	.4
Southampton	1	-	2	-	2	-	-	-	950	2.1
Southborough	1	1	-	-	-	-	1	-	2,231	.4
Southbridge	287	147	140	-	219	5	63	-	16,825	17.1
Southwick	2	1	1	-	1	-	1	-	1,579	1.3
Spencer	64	28	36	-	59	-	5	-	6,641	9.6
SPRINGFIELD	2,676	1,323	1,353	-	2,169	137	370	-	149,554	17.9
Sterling	2	1	1	-	2	-	-	-	1,713	1.2
Stockbridge	2	2	-	-	1	-	1	-	1,815	1.1
Stoneham	305	157	148	-	242	16	47	-	10,765	28.3
Stoughton	68	36	32	-	45	6	17	-	8,632	7.9
Stow	1	1	-	-	-	-	1	-	1,243	.8
Sturbridge	11	4	7	-	9	-	2	-	2,227	4.9
Sudbury	4	-	4	-	2	2	-	-	1,754	2.3
Sunderland	2	1	1	-	2	-	-	-	1,085	1.8
Sutton	16	9	7	-	14	-	2	-	2,749	5.8
Swampscott	110	64	46	-	94	3	13	-	10,761	10.2
Swansea	14	7	7	-	12	-	2	-	4,684	3.0
TAUNTON	509	265	244	-	420	21	68	-	37,395	13.6
Templeton	24	13	11	-	17	-	7	-	4,601	5.2
Tewksbury	7	2	5	-	3	1	3	-	6,261	1.1

¹ Cities are printed in small capitals.² Including nonresidents.

Table 41

LIVE BIRTHS,² BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1940.

Municipalities. ¹	Total number.	SEX.			PARENT NATIVITY.				Population (U. S. Census April 1, 1940.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
State Infirmary	97	52	45	—	90	7	—	—	—	—
Tisbury	5	3	2	—	2	—	3	—	1,966	2.5
Tolland	—	—	—	—	—	—	—	—	129	—
Topsfield	2	1	1	—	2	—	—	—	1,150	1.7
Townsend	6	4	2	—	5	—	1	—	2,065	2.9
Truro	4	1	3	—	4	—	—	—	585	6.8
Tyngsborough	5	3	2	—	5	—	—	—	1,634	3.1
Tyringham	—	—	—	—	—	—	—	—	213	—
Upton	10	3	7	—	8	—	2	—	2,249	4.4
Uxbridge	31	14	17	—	22	4	5	—	6,417	4.8
Wakefield	69	38	31	—	38	11	20	—	16,223	4.3
Wales	2	1	1	—	2	—	—	—	367	5.4
Walpole	12	4	8	—	9	1	2	—	7,443	1.6
WALTHAM	890	452	438	—	594	110	186	—	40,020	22.2
Ware	325	163	162	—	287	7	31	—	7,557	43.0
Wareham	128	66	62	—	101	2	25	—	6,364	20.1
Warren	9	2	7	—	7	1	1	—	3,531	2.5
Warwick	3	2	1	—	3	—	—	—	444	6.8
Washington	1	1	—	—	1	—	—	—	267	3.7
Watertown	29	14	15	—	15	6	8	—	35,427	.8
Wayland	9	5	4	—	7	1	1	—	3,505	2.6
Webster	263	146	117	—	235	3	25	—	13,186	19.9
Wellesley	4	4	—	—	2	—	2	—	15,127	.3
Wellfleet	7	4	3	—	7	—	—	—	890	7.9
Wendell	3	—	3	—	3	—	—	—	391	7.7
Wenham	—	—	—	—	—	—	—	—	1,220	—
West Boylston	1	—	1	—	1	—	—	—	1,822	.5
West Bridgewater	11	4	7	—	10	1	—	—	3,247	3.4
West Brookfield	—	—	—	—	—	—	—	—	1,387	—
West Newbury	6	2	4	—	6	—	—	—	1,515	4.0
West Springfield	29	14	15	—	19	3	7	—	17,135	1.7
West Stockbridge	5	3	2	—	4	1	—	—	1,062	4.7
West Tisbury	1	1	—	—	1	—	—	—	260	3.8
Westborough	7	6	1	—	5	1	1	—	6,463	1.1
WESTFIELD	389	209	180	—	351	12	26	—	18,793	20.7
Westford	16	10	6	—	11	3	2	—	3,830	4.2
Westhampton	1	—	1	—	—	—	1	—	403	2.5
Westminster	—	—	—	—	—	—	—	—	2,126	—
Weston	—	—	—	—	—	—	—	—	3,590	—
Westport	23	15	8	—	21	—	2	—	4,134	5.6
Westwood	2	2	—	—	1	—	1	—	3,376	.6
Weymouth	668	336	332	—	550	22	96	—	23,868	28.0
Whately	2	—	2	—	2	—	—	—	979	2.0
Whitman	50	25	25	—	46	—	4	—	7,759	6.4
Wilbraham	1	1	—	—	1	—	—	—	3,041	.3
Williamsburg	—	—	—	—	—	—	—	—	1,684	—
Williamstown	13	7	6	—	12	1	—	—	4,294	3.0
Wilmington	22	12	10	—	17	1	4	—	4,645	4.7
Winchendon	155	85	70	—	137	2	16	—	6,575	23.6
Winchester	343	188	155	—	289	15	39	—	15,081	22.7
Windsor	—	—	—	—	—	—	—	—	314	—
Winthrop	439	239	200	—	358	26	55	—	16,768	26.2
WOBBURN	322	179	143	—	263	13	46	—	19,751	16.3
WORCESTER	3,724	1,934	1,790	—	2,981	204	539	—	193,694	19.2
Worthington	—	—	—	—	—	—	—	—	471	—
Wrentham	6	4	2	—	5	—	1	—	4,674	1.3
Yarmouth	7	4	3	—	6	—	1	—	2,286	3.1

¹ Cities are printed in small capitals.² Including nonresidents.

Table 42

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY
AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1940.

COUNTIES AND MUNICIPALITIES. ¹	Total number.	SEX.			PARENT NATIVITY.				Population (U. S. Census April 1, 1940.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
The State.	65,369	33,634	31,735	—	50,616	4,439	10,314	—	4,316,721	15.1
COUNTIES.										
Barnstable	614	302	312	—	516	16	82	—	37,295	16.5
Berkshire	1,914	984	930	—	1,638	70	206	—	122,273	15.7
Bristol	5,404	2,775	2,629	—	4,256	270	878	—	364,637	14.8
Dukes	96	54	42	—	80	—	16	—	5,669	16.9
Essex	7,193	3,709	3,484	—	5,650	389	1,154	—	496,313	14.5
Franklin	732	382	350	—	662	15	55	—	49,453	14.8
Hampden	4,556	2,271	2,285	—	3,673	227	656	—	332,107	13.7
Hampshire	943	490	453	—	819	17	107	—	72,161	13.0
Middlesex	15,006	7,740	7,266	—	11,252	1,213	2,541	—	971,390	15.4
Nantucket	52	28	24	—	41	2	9	—	3,401	15.3
Norfolk	4,812	2,492	2,320	—	3,792	260	760	—	325,180	14.8
Plymouth	2,500	1,282	1,218	—	2,134	62	304	—	168,824	14.8
Suffolk	13,792	7,137	6,655	—	9,944	1,510	2,338	—	863,248	16.0
Worcester	7,755	3,988	3,767	—	6,159	388	1,208	—	504,470	15.4
MUNICIPALITIES.										
Abington	67	33	34	—	63	—	4	—	5,708	11.7
Acton	38	24	14	—	30	1	7	—	2,701	14.1
Acushnet	62	30	32	—	49	5	8	—	4,145	15.0
Adams	195	86	109	—	169	4	22	—	12,608	15.5
Agawam	101	46	55	—	83	5	13	—	7,842	12.9
Alford	4	2	2	—	4	—	—	—	201	19.9
Amesbury	170	90	80	—	132	3	35	—	10,862	15.7
Amherst	111	56	55	—	105	—	6	—	6,410	17.3
Andover	128	66	62	—	105	4	19	—	11,122	11.5
Arlington	552	297	255	—	428	39	85	—	40,013	13.8
Ashburnham	43	25	18	—	38	2	3	—	2,255	19.1
Ashby	20	9	11	—	16	1	3	—	1,026	19.5
Ashfield	16	9	7	—	16	—	—	—	872	18.3
Ashland	35	15	20	—	28	—	7	—	2,479	14.1
Athol	183	100	83	—	148	6	29	—	11,180	16.4
ATTLEBORO	315	155	160	—	266	12	37	—	22,071	14.3
Auburn	111	56	55	—	96	1	14	—	6,629	16.7
Avon	32	11	21	—	27	1	4	—	2,335	13.7
Ayer	56	33	23	—	48	1	7	—	3,572	15.7
Barnstable	155	76	79	—	132	5	18	—	8,333	18.6
Barre	60	37	23	—	47	4	9	—	3,528	17.0
Becket	11	4	7	—	11	—	—	—	689	16.0
Bedford	43	26	17	—	32	5	6	—	3,807	11.3
Belchertown	27	14	13	—	22	—	5	—	3,503	7.7
Bellingham	45	23	22	—	36	—	9	—	2,979	15.1
Belmont	343	160	183	—	272	24	47	—	26,867	12.8
Berkley	13	3	10	—	12	—	1	—	1,130	11.5
Berlin	9	2	7	—	7	—	2	—	1,037	8.5
Bernardston	18	11	7	—	18	—	—	—	954	18.9
BEVERLY	416	232	184	—	336	22	58	—	25,537	16.3
Billerica	113	57	56	—	87	7	19	—	7,933	14.2
Blackstone	64	33	31	—	47	1	16	—	4,566	14.0
Blandford	12	7	5	—	11	—	1	—	479	25.1
Bolton	12	2	10	—	10	—	2	—	775	15.5
BOSTON	12,429	6,400	6,029	—	8,925	1,388	2,116	—	770,816	16.1
Bourne	58	29	29	—	52	—	6	—	3,315	18.0
Boxborough	4	—	4	—	4	—	—	—	376	10.6
Boxford	11	4	7	—	11	—	—	—	778	14.1
Boylston	19	11	8	—	14	1	4	—	1,388	13.7
Braintree	283	149	134	—	223	10	50	—	16,378	17.3
Brewster	9	6	3	—	9	—	—	—	827	10.9
Bridgewater	79	40	39	—	66	4	9	—	8,902	8.9
Brimfield	12	6	6	—	12	—	—	—	1,012	11.9
BROCKTON	909	459	450	—	767	33	109	—	62,343	14.6
Brookfield	29	14	15	—	26	1	2	—	1,393	20.8
Brookline	592	310	282	—	451	47	94	—	49,786	11.9
Buckland	19	15	4	—	18	—	1	—	1,527	12.4
Burlington	43	22	21	—	36	2	5	—	2,275	18.9
CAMBRIDGE	1,906	967	939	—	1,354	205	347	—	110,879	17.2
Canton	100	52	48	—	75	4	21	—	6,381	15.7
Carlisle	12	5	7	—	11	—	1	—	747	16.1
Carver	33	19	14	—	25	1	7	—	1,469	22.5
Charlemont	10	5	5	—	10	—	—	—	789	12.7
Charlton	45	18	27	—	40	1	4	—	2,557	17.6
Chatham	34	14	20	—	31	—	3	—	2,136	15.9
Chelmsford	125	58	67	—	105	1	19	—	8,077	15.5
CHELSEA	613	328	285	—	402	85	126	—	41,259	14.9
Cheshire	25	9	16	—	19	1	5	—	1,708	14.6
Chester	15	8	7	—	15	—	—	—	1,284	11.7
Chesterfield	—	—	—	—	—	—	—	—	422	—
CHICOPEE	611	310	301	—	488	29	94	—	41,664	14.7

¹ Cities are printed in small capitals.

Table 42

**ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY
AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1910.**

Municipalities. ¹	Total num- ber.	SEX.			PARENT NATIVITY.				Popula- tion (U. S. Census April 1, 1940.)	Birth rate per 1,000 popu- lation.
		Male.	Fe- male.	Un- known.	Na- tive.	For- eign.	Mixed.	Un- known.		
Chilmark	2	2	—	—	2	—	—	—	226	8.8
Clarksburg	21	10	11	—	19	—	2	—	1,317	15.9
Clinton	166	77	89	—	135	7	24	—	12,440	13.3
Cohasset	51	22	29	—	43	—	8	—	3,111	16.4
Colrain	25	15	10	—	24	—	1	—	1,497	16.7
Concord	105	51	54	—	87	7	11	—	7,972	13.2
Conway	13	7	6	—	13	—	—	—	944	13.8
Cummington	7	5	2	—	7	—	—	—	608	11.5
Dalton	76	45	31	—	73	—	3	—	4,206	18.1
Danvers	182	97	85	—	154	2	26	—	14,179	12.8
Dartmouth	140	70	70	—	118	8	14	—	9,011	15.5
Dedham	236	120	116	—	179	19	38	—	15,508	15.2
Deerfield	41	22	19	—	35	2	4	—	2,684	15.3
Dennis	26	15	11	—	26	—	—	—	2,015	12.9
Dighton	53	31	22	—	44	1	8	—	2,983	17.8
Douglas	52	30	22	—	41	2	9	—	2,617	19.9
Dover	30	15	15	—	27	1	2	—	1,374	21.8
Dracut	102	54	48	—	85	2	15	—	7,339	13.9
Dudley	73	39	34	—	60	4	9	—	4,616	15.8
Dunstable	7	4	3	—	5	1	1	—	447	15.7
Duxbury	31	18	13	—	28	—	3	—	2,359	13.1
East Bridgewater	53	32	21	—	47	1	5	—	3,832	13.8
East Brookfield	13	4	9	—	12	—	1	—	1,016	12.8
East Longmeadow	41	16	25	—	34	2	5	—	3,403	12.0
Eastham	9	3	6	—	6	—	3	—	582	15.5
Easthampton	129	69	60	—	107	4	18	—	10,316	12.5
Easton	76	42	34	—	70	1	5	—	5,135	14.8
Edgartown	25	13	12	—	21	—	4	—	1,370	18.2
Egremont	4	3	1	—	4	—	—	—	463	8.6
Erving	19	6	13	—	19	—	—	—	1,328	14.3
Essex	27	13	14	—	20	—	7	—	1,384	19.5
EVERETT	824	422	402	—	579	78	167	—	46,784	17.6
Fairhaven	151	77	74	—	112	7	32	—	10,938	13.8
FALL RIVER	1,806	940	866	—	1,450	76	280	—	115,428	15.6
Falmouth	110	56	54	—	79	8	23	—	6,878	16.0
FITCHBURG	667	324	343	—	479	35	153	—	41,824	15.9
Florida	4	2	2	—	4	—	—	—	421	9.5
Foxborough	62	37	25	—	51	3	8	—	6,303	9.8
Framingham	371	189	182	—	289	19	63	—	23,214	16.0
Franklin	127	68	59	—	99	6	22	—	7,303	17.4
Freetown	36	15	21	—	30	1	5	—	1,584	22.7
GARDNER	313	164	149	—	225	22	66	—	20,206	15.5
Gay Head	—	—	—	—	—	—	—	—	127	—
Georgetown	27	10	17	—	24	—	3	—	1,803	15.0
Gill	9	6	3	—	9	—	—	—	531	9.7
GLOUCESTER	380	194	186	—	308	24	48	—	24,046	15.8
Goshen	1	1	—	—	1	—	—	—	237	4.2
Gosnold	2	2	—	—	2	—	—	—	136	14.7
Grafton	92	53	39	—	77	4	11	—	7,457	12.3
Granby	15	5	10	—	10	1	4	—	1,085	13.8
Granville	13	8	5	—	12	—	1	—	668	19.5
Great Barrington	79	38	41	—	71	1	7	—	5,824	13.6
Greenfield	215	138	107	—	220	5	20	—	15,672	15.6
Groton	51	19	32	—	38	5	8	—	2,550	20.0
Groveland	25	10	15	—	24	1	—	—	2,122	11.8
Hadley	52	28	24	—	49	1	2	—	2,576	20.2
Halifax	13	7	6	—	11	1	1	—	867	15.0
Hamilton	29	13	16	—	24	2	3	—	2,037	14.2
Hampden	15	6	9	—	14	—	1	—	1,023	14.7
Hancock	5	2	3	—	5	—	—	—	332	15.1
Hanover	46	26	20	—	39	—	7	—	2,875	16.0
Hanson	36	17	19	—	30	—	6	—	2,570	14.0
Hardwick	34	17	17	—	33	—	1	—	2,154	15.8
Harvard	15	7	8	—	14	—	1	—	1,790	8.4
Harwich	39	17	22	—	29	2	8	—	2,535	15.4
Hatfield	29	15	14	—	25	2	2	—	2,216	13.1
HAVERHILL	655	345	310	—	557	22	76	—	46,752	14.0
Hawley	6	—	6	—	6	—	—	—	257	23.3
Heath	6	4	2	—	4	1	1	—	359	16.7
Hingham	107	59	48	—	95	2	10	—	8,003	13.4
Hinsdale	26	16	10	—	23	1	2	—	1,235	21.1
Holbrook	49	22	27	—	42	2	5	—	3,330	14.7
Holden	63	40	23	—	58	—	5	—	3,924	16.1
Holland	4	2	2	—	4	—	—	—	247	16.2
Holliston	45	27	18	—	36	2	7	—	3,000	15.0
HOLYOKE	723	361	362	—	549	39	135	—	53,750	13.5
Hopedale	29	16	13	—	18	2	9	—	3,113	9.3
Hopkinton	41	22	19	—	35	1	5	—	2,697	15.2

¹ Cities are printed in small capitals.

Table 42

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1940.

MUNICIPALITIES. ¹	Total number.	SEX.			PARENT NATIVITY.				Population (U. S. Census April 1, 1940.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Hubbardston . . .	19	9	10	--	15	1	3	--	1,022	18.6
Hudson . . .	131	70	61	--	102	8	21	--	8,012	16.3
Hull . . .	46	29	17	--	39	--	7	--	2,167	21.2
Huntington . . .	17	9	8	--	16	--	1	--	1,340	12.7
Ipswich . . .	113	63	50	--	88	--	25	--	6,348	17.8
Kingston . . .	39	18	21	--	35	--	4	--	2,783	14.0
Lakeville . . .	21	11	10	--	19	--	2	--	1,780	11.8
Lancaster . . .	35	16	19	--	29	--	6	--	2,963	11.8
Lanesborough . . .	28	14	14	--	27	--	1	--	1,321	21.2
LAWRENCE . . .	1,268	621	647	--	903	92	273	--	84,323	15.0
Lee . . .	70	33	37	--	66	2	2	--	4,222	16.6
Leicester . . .	76	39	37	--	64	3	9	--	4,851	15.7
Lenox . . .	39	22	17	--	33	2	4	--	2,884	13.5
LEOMINSTER . . .	341	160	181	--	241	34	66	--	22,226	15.3
Leverett . . .	9	3	6	--	8	--	1	--	688	13.1
Lexington . . .	187	98	89	--	141	11	35	--	13,187	14.2
Leyden . . .	2	2	--	--	2	--	--	--	260	7.7
Lincoln . . .	26	11	15	--	22	2	2	--	1,783	14.6
Littleton . . .	15	9	6	--	11	1	3	--	1,651	9.1
Longmeadow . . .	67	26	41	--	61	3	3	--	5,790	11.6
LOWELL . . .	1,473	766	707	--	1,213	50	210	--	101,389	14.5
Ludlow . . .	100	62	38	--	81	5	14	--	8,181	12.2
Lunenburg . . .	29	20	9	--	26	--	3	--	2,195	13.2
LYNN . . .	1,444	761	683	--	1,086	119	239	--	98,123	14.7
Lynnfield . . .	41	22	19	--	34	--	7	--	2,287	17.9
MALDEN . . .	896	460	436	--	660	80	156	--	58,010	15.4
Manchester . . .	38	22	16	--	26	1	11	--	2,472	15.4
Mansfield . . .	97	51	46	--	82	4	11	--	6,530	14.9
Marblehead . . .	170	82	88	--	150	1	19	--	10,856	15.7
Marion . . .	34	19	15	--	25	2	7	--	2,030	16.7
MARLBOROUGH . . .	191	98	93	--	156	13	22	--	15,154	12.6
Marshfield . . .	34	19	15	--	27	--	7	--	2,419	14.1
Mashpee . . .	12	4	8	--	10	--	2	--	434	27.6
Mattapoisett . . .	33	14	19	--	31	--	2	--	1,608	20.5
Maynard . . .	100	47	53	--	73	4	23	--	6,812	14.7
Medfield . . .	26	14	12	--	22	--	4	--	4,384	5.9
MEDFORD . . .	1,012	516	496	--	775	71	166	--	63,033	16.0
Medway . . .	60	29	31	--	53	3	4	--	3,297	18.2
MELROSE . . .	325	161	164	--	269	8	48	--	25,333	12.8
Mendon . . .	23	11	12	--	19	--	4	--	1,315	17.5
Merrimac . . .	35	22	13	--	32	2	1	--	2,320	15.1
Methuen . . .	272	145	127	--	204	15	53	--	21,880	12.4
Middleborough . . .	153	73	80	--	135	2	16	--	9,032	16.9
Middlefield . . .	2	2	--	--	2	--	--	--	201	10.0
Middleton . . .	25	13	12	--	23	1	1	--	2,348	10.6
Milford . . .	227	114	113	--	168	19	40	--	15,388	14.8
Millbury . . .	129	61	68	--	115	4	10	--	6,983	18.5
Millis . . .	41	21	20	--	30	5	6	--	2,278	18.0
Millville . . .	20	13	7	--	15	2	3	--	1,722	11.6
Milton . . .	223	111	112	--	190	9	24	--	18,708	11.9
Monroe . . .	3	3	--	--	2	1	--	--	207	14.5
Monson . . .	64	32	32	--	58	--	6	--	5,597	11.4
Montague . . .	105	51	54	--	88	3	14	--	7,582	13.8
Monterey . . .	4	2	2	--	4	--	--	--	320	12.5
Montgomery . . .	1	--	1	--	--	--	1	--	178	5.6
Mount Washington . . .	1	--	1	--	1	--	--	--	57	17.5
Nahant . . .	34	19	15	--	27	2	5	--	1,835	18.5
Nantucket . . .	52	28	24	--	41	2	9	--	3,401	15.3
Natick . . .	244	132	112	--	195	13	36	--	13,531	17.6
Needham . . .	160	90	70	--	122	9	29	--	12,445	12.9
New Ashford . . .	1	--	1	--	1	--	--	--	87	11.5
NEW BEDFORD . . .	1,490	761	729	--	1,074	110	306	--	110,341	13.5
New Braintree . . .	7	4	3	--	6	--	1	--	439	15.9
New Marlborough . . .	12	5	7	--	11	--	1	--	956	12.6
New Salem . . .	1	--	1	--	--	--	--	--	357	2.8
Newbury . . .	30	13	17	--	27	--	3	--	1,599	18.8
NEWBURYPORT . . .	199	96	103	--	182	1	16	--	13,916	11.2
NEWTON . . .	1,004	537	467	--	780	60	164	--	69,873	11.4
Norfolk . . .	19	10	9	--	15	1	3	--	2,294	8.3
NORTH ADAMS . . .	348	176	172	--	296	8	44	--	22,213	15.7
North Andover . . .	94	54	40	--	71	6	17	--	7,524	12.5
North Attleborough . . .	164	88	76	--	125	4	35	--	10,359	15.8
North Brookfield . . .	46	19	27	--	39	2	5	--	3,504	13.9
North Reading . . .	48	25	23	--	33	3	12	--	2,886	16.6
NORTHAMPTON . . .	286	153	133	--	244	4	38	--	24,794	11.5
Northborough . . .	48	22	26	--	46	--	2	--	2,382	20.2
Northbridge . . .	172	94	78	--	125	17	30	--	10,242	16.8
Northfield . . .	22	11	11	--	19	2	1	--	1,975	11.1

¹Cities are printed in small capitals.

Table 42

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY
AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1940.

Municipalities. ¹	Total number.	SEX.			PARENT NATIVITY.				Population (U. S. Census April 1, 1940.)	Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Norton	58	29	29	—	50	3	5	—	3,107	18.7
Norwell	29	20	9	—	26	—	3	—	1,871	15.5
Norwood	221	113	108	—	164	17	40	—	15,383	14.4
Oak Bluffs	35	19	16	—	27	—	8	—	1,584	22.1
Oakham	8	2	6	—	7	—	1	—	423	18.9
Orange	89	42	47	—	77	1	11	—	5,611	15.9
Orleans	27	16	12	—	24	1	3	—	1,451	18.6
Otis	12	3	9	—	11	—	1	—	364	33.0
Oxford	77	33	44	—	67	1	9	—	4,623	16.7
Palmer	116	46	70	—	100	2	14	—	9,149	12.7
Paxton	13	6	7	—	9	1	3	—	791	16.4
PEABODY	285	140	145	—	215	20	50	—	21,711	13.1
Pelham	11	5	6	—	11	—	—	—	568	19.4
Pembroke	16	5	11	—	10	1	5	—	1,718	9.3
Pepperell	39	16	23	—	36	1	2	—	3,114	12.5
Peru	2	2	—	—	2	—	—	—	142	14.1
Petersham	9	7	2	—	9	—	—	—	923	9.8
Phillipston	10	2	8	—	9	—	1	—	481	20.8
PITTSFIELD	796	423	373	—	652	42	102	—	49,684	16.0
Plainfield	3	—	3	—	3	—	—	—	264	11.4
Plainville	15	8	7	—	14	—	1	—	1,302	11.5
Plymouth	199	106	93	—	161	8	30	—	13,100	15.2
Plympton	3	—	3	—	2	—	1	—	532	5.6
Princeton	12	7	5	—	12	—	—	—	713	16.8
Provincetown	65	31	34	—	56	—	9	—	3,668	17.7
QUINCY	1,208	624	584	—	941	68	199	—	75,810	15.9
Randolph	131	70	61	—	107	3	21	—	7,634	17.2
Raynham	45	16	29	—	36	4	5	—	2,141	21.0
Reading	163	86	77	—	132	11	20	—	10,866	15.0
Rehoboth	59	30	29	—	49	2	8	—	2,736	21.6
REVERE	514	280	234	—	411	33	70	—	34,405	14.9
Richmond	13	7	6	—	10	1	2	—	624	20.8
Rochester	18	7	11	—	17	—	1	—	1,269	14.2
Rockland	111	62	49	—	97	2	12	—	8,087	13.7
Rockport	41	20	21	—	38	1	2	—	3,556	11.5
Rowe	6	1	5	—	6	—	—	—	233	25.8
Rowley	25	13	12	—	23	—	2	—	1,533	16.3
Royalston	14	8	6	—	10	—	4	—	795	17.6
Russell	24	9	15	—	21	1	2	—	1,242	19.3
Rutland	22	12	10	—	18	1	3	—	2,181	10.1
SALEM	603	305	298	—	483	29	91	—	41,218	14.6
Salisbury	40	16	24	—	37	—	3	—	2,376	16.8
Sandisfield	7	5	2	—	5	—	2	—	421	16.6
Sandwich	10	5	5	—	10	—	—	—	1,360	7.4
Saugus	224	121	103	—	173	12	39	—	14,825	15.1
Savoy	5	4	1	—	5	—	—	—	300	16.7
Scituate	72	33	39	—	62	—	10	—	4,130	17.4
Seekonk	70	35	35	—	56	3	11	—	4,912	14.3
Sharon	60	28	32	—	49	1	10	—	3,737	16.1
Sheffield	29	13	16	—	26	1	2	—	1,709	17.0
Shelburne	27	10	17	—	27	—	—	—	1,636	16.5
Sherborn	20	9	11	—	17	1	2	—	1,022	19.6
Shirley	40	17	23	—	34	1	5	—	2,608	15.3
Shrewsbury	134	69	65	—	115	3	16	—	7,586	17.7
Shutesbury	3	1	2	—	3	—	—	—	191	15.7
Somerset	91	43	48	—	71	5	15	—	5,873	15.5
SOMERVILLE	1,755	906	849	—	1,164	242	349	—	102,177	17.2
South Hadley	66	35	31	—	52	2	12	—	6,856	9.6
Southampton	14	6	8	—	14	—	—	—	950	14.7
Southborough	39	18	21	—	32	—	7	—	2,231	17.5
Southbridge	269	135	134	—	205	5	59	—	16,825	16.0
Southwick	26	14	12	—	22	1	3	—	1,579	16.5
Spencer	126	54	72	—	116	—	10	—	6,641	19.0
SPRINGFIELD	2,040	1,016	1,024	—	1,618	123	299	—	149,554	13.6
Sterling	30	14	16	—	23	3	4	—	1,713	17.5
Stockbridge	19	11	8	—	15	2	2	—	1,815	10.5
Stoneham	153	70	83	—	133	6	14	—	10,765	14.2
Stoughton	139	79	60	—	110	8	21	—	8,632	16.1
Stow	16	9	7	—	13	—	3	—	1,243	12.9
Sturbridge	39	18	21	—	31	—	8	—	2,227	17.5
Sudbury	27	15	12	—	20	3	4	—	1,754	15.4
Sunderland	10	5	5	—	10	—	—	—	1,085	9.2
Sutton	56	32	24	—	47	—	9	—	2,749	20.4
Swampscott	113	61	52	—	90	7	16	—	10,761	10.5
Swansea	63	36	27	—	54	2	7	—	4,684	13.5
TAUNTON	565	293	272	—	468	21	76	—	37,395	15.1
Templeton	77	45	32	—	68	1	8	—	4,601	16.7
Tewksbury	42	22	20	—	34	2	6	—	6,261	6.7

¹ Cities are printed in small capitals.

Table 42

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY
AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1940.

MUNICIPALITIES. ¹	Total num- ber.	SEX.			PARENT NATIVITY.				Popula- tion (U. S. Census April 1, 1940.)	Birth rate per 1,000 popu- lation.
		Male.	Fe- male.	Un- known.	Na- tive.	For- eign.	Mixed.	Un- known.		
State Infirmary	-	-	-	-	-	-	-	-	-	-
Tisbury	27	15	12	-	24	-	3	-	1,966	13.7
Tolland	-	-	-	-	-	-	-	-	129	-
Topsfield	17	8	9	-	13	-	4	-	1,150	14.8
Townsend	28	17	11	-	23	1	4	-	2,065	13.6
Truro	9	6	3	-	8	-	1	-	585	15.4
Tyngsborough	32	13	19	-	31	-	1	-	1,634	19.6
Tyringham	3	2	1	-	3	-	-	-	213	14.1
Upton	29	14	15	-	26	-	3	-	2,249	12.9
Uxbridge	83	40	43	-	64	5	14	-	6,417	12.9
Wakefield	240	134	106	-	175	16	49	-	16,223	14.8
Wales	8	3	5	-	8	-	-	-	367	21.8
Walpole	129	59	70	-	99	10	20	-	7,443	17.3
WALTHAM	675	340	335	-	436	84	155	-	40,020	16.9
Ware	128	67	61	-	114	2	12	-	7,557	16.9
Wareham	155	78	77	-	129	2	24	-	6,364	24.4
Warren	50	25	25	-	44	2	4	-	3,531	14.2
Warwick	5	3	2	-	5	-	-	-	444	11.3
Washington	4	3	1	-	4	-	-	-	267	15.0
Watertown	516	264	252	-	348	75	93	-	35,427	14.6
Wayland	70	40	30	-	60	3	7	-	3,505	20.0
Webster	176	90	86	-	163	1	12	-	13,186	13.3
Wellesley	212	116	96	-	168	13	31	-	15,127	14.0
Wellfleet	12	6	6	-	12	-	-	-	890	13.5
Wendell	11	8	3	-	11	-	-	-	391	28.1
Wenham	18	9	9	-	16	-	2	-	1,220	11.8
West Boylston	30	16	11	-	27	2	1	-	1,822	16.5
West Bridgewater	46	24	22	-	44	2	-	-	3,247	14.2
West Brookfield	23	11	12	-	22	-	1	-	1,387	16.6
West Newbury	14	9	5	-	14	-	-	-	1,515	9.2
West Springfield	246	122	124	-	202	6	38	-	17,135	14.4
West Stockbridge	12	9	3	-	10	2	-	-	1,062	11.3
West Tisbury	5	3	2	-	4	-	1	-	260	19.2
Westborough	79	36	43	-	66	2	11	-	6,463	12.2
WESTFIELD	271	148	123	-	239	11	21	-	18,793	11.4
Westford	66	36	30	-	48	7	11	-	3,830	17.2
Westhampton	8	3	5	-	7	-	1	-	403	19.9
Westminster	18	10	8	-	16	-	2	-	2,126	8.5
Weston	69	42	27	-	55	8	6	-	3,530	19.2
Westport	50	30	20	-	40	1	9	-	4,134	12.1
Westwood	86	43	43	-	75	2	9	-	3,376	25.5
Weymouth	440	227	213	-	350	18	72	-	23,868	18.4
Whately	12	4	8	-	11	-	1	-	979	12.3
Whitman	117	54	63	-	104	1	12	-	7,759	15.1
Wilbraham	46	23	23	-	41	-	5	-	3,011	15.1
Williamsburg	34	16	18	-	27	1	6	-	1,684	20.2
Williamstown	58	32	26	-	53	3	2	-	4,294	13.5
Wilmington	82	42	40	-	71	3	8	-	4,515	17.7
Winchendon	148	77	71	-	133	2	13	-	6,375	22.5
Winchester	188	108	80	-	153	11	24	-	15,031	12.5
Windsor	1	1	-	-	1	-	-	-	314	3.2
Winthrop	236	129	107	-	206	4	26	-	16,768	14.1
WOBURN	237	163	131	-	231	13	50	-	14,751	15.0
WORCESTER	2,920	1,556	1,364	-	2,287	184	449	-	193,694	15.1
Worthington	3	1	2	-	3	-	-	-	471	6.4
Wrentham	35	21	14	-	30	-	5	-	4,674	7.5
Yarmouth	38	18	20	-	32	-	6	-	2,286	16.6

¹ Cities are printed in small capitals.

Table 43

ALLOCATED LIVE BIRTHS, BY MONTH OF BIRTH, IN COUNTIES AND IN CITIES
HAVING OVER 50,000 INHABITANTS: 1940.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1940. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	65,369	5,142	5,137	5,554	5,350	5,366	5,586	5,777	5,706	5,634	5,497	5,222	5,398
Average daily number of births	179	166	177	179	178	173	186	186	184	188	177	174	174
COUNTIES.													
Middlesex	15,006	1,195	1,112	1,281	1,231	1,220	1,308	1,360	1,312	1,237	1,333	1,172	1,245
Suffolk	13,792	1,051	1,102	1,200	1,138	1,130	1,188	1,192	1,218	1,222	1,092	1,091	1,168
Worcester	7,755	575	608	674	645	661	651	690	651	638	642	649	671
Essex	7,193	605	566	611	540	570	618	660	631	613	633	576	570
Bristol	5,404	433	429	443	429	438	447	454	526	502	449	419	435
Hampden	4,556	357	394	398	369	382	381	365	390	386	377	382	375
Norfolk	4,812	378	370	387	418	402	406	441	380	447	391	400	392
Plymouth	2,500	199	199	194	200	199	239	233	209	219	218	193	198
Berkshire	1,914	166	153	175	172	175	149	151	169	171	148	141	144
Hampshire	943	87	78	83	85	75	81	91	83	56	77	76	71
Franklin	732	47	61	52	60	51	59	72	67	75	71	53	64
Barnstable	614	36	48	41	53	54	49	52	55	59	58	57	52
Dukes	96	7	10	10	3	8	5	11	12	3	5	12	10
Nantucket	52	6	7	5	7	1	5	5	3	6	3	1	3
CITIES OVER 100,000													
Boston	12,429	938	980	1,085	1,018	1,021	1,061	1,073	1,104	1,125	1,001	959	1,064
Worcester	2,920	221	237	250	244	265	232	260	249	221	245	252	244
Springfield	2,040	162	175	168	164	178	177	168	175	175	173	164	161
Fall River	1,806	158	140	125	148	151	151	144	191	176	155	135	132
Cambridge	1,906	159	139	154	174	131	151	177	165	164	178	155	159
New Bedford	1,490	106	135	130	119	102	127	112	149	146	118	107	139
Somerville	1,755	144	128	143	143	138	167	150	164	159	138	153	128
Lowell	1,473	116	116	154	92	122	129	147	134	115	129	106	113
CITIES 50,000 TO 100,000													
Lynn	1,444	128	134	123	106	115	111	133	124	126	115	106	123
Lawrence	1,268	107	96	98	94	92	114	106	128	107	121	103	102
Quincy	1,209	102	99	86	105	104	98	107	95	110	93	100	110
Newton	1,004	73	63	89	87	90	93	76	94	88	76	89	86
Medford	1,012	70	66	81	76	81	84	97	83	84	117	74	99
Brockton	909	70	70	61	76	74	93	83	73	79	79	75	76
Malden	896	74	59	84	82	72	77	93	77	54	93	76	55
Holyoke	723	62	62	63	51	58	55	56	66	61	58	67	64

Table 44

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1940.

COUNTIES AND MUNICIPALITIES. ¹	PLURAL BIRTHS.								
	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Fe-males.	Total.	Males.	Fe-males.	Total.	Males.	Fe-males.
The State.	1,250	615	635	33	17	16	1,774	958	816
COUNTIES.									
Barnstable	10	5	5	—	—	—	10	7	3
Berkshire	40	23	17	3	3	—	48	30	18
Bristol	80	43	37	3	1	2	177	90	87
Dukes	2	2	—	—	—	—	2	2	—
Essex	100	49	51	6	1	5	205	118	87
Franklin	12	8	4	—	—	—	24	12	12
Hampden	88	39	49	—	—	—	134	67	67
Hampshire	10	8	2	—	—	—	28	12	16
Middlesex	320	154	166	6	4	2	380	202	178
Nantucket	2	1	1	—	—	—	1	—	1
Norfolk	92	44	48	—	—	—	113	72	41
Plymouth	42	21	21	6	3	3	76	39	37
Suffolk	292	142	150	3	2	1	355	190	165
Worcester	160	76	84	6	3	3	221	117	104
MUNICIPALITIES.									
Abington	—	—	—	—	—	—	3	3	—
Acton	—	—	—	—	—	—	3	2	1
Acushnet	—	—	—	—	—	—	1	—	1
Adams	2	2	—	—	—	—	5	3	2
Agawam	2	1	1	—	—	—	4	3	1
Alford	—	—	—	—	—	—	—	—	—
Amesbury	8	3	5	—	—	—	4	3	1
Amherst	4	3	1	—	—	—	4	1	3
Andover	2	—	2	—	—	—	7	7	—
Arlington	16	5	11	—	—	—	14	3	11
Ashburnham	2	1	1	—	—	—	1	1	—
Ashby	—	—	—	—	—	—	—	—	—
Ashfield	2	2	—	—	—	—	1	1	—
Ashland	—	—	—	—	—	—	—	—	—
Athol	—	—	—	—	—	—	2	1	1
ATTLEBORO	4	—	4	—	—	—	11	3	8
Auburn	—	—	—	—	—	—	3	2	1
Avon	—	—	—	—	—	—	2	2	—
Ayer	—	—	—	—	—	—	—	—	—
Barnstable	2	1	1	—	—	—	2	1	1
Barre	—	—	—	—	—	—	2	1	1
Becket	—	—	—	—	—	—	—	—	—
Bedford	—	—	—	—	—	—	1	—	1
Belchertown	—	—	—	—	—	—	1	1	—
Bellingham	—	—	—	—	—	—	1	1	—
Belmont	14	3	11	—	—	—	13	6	7
Berkley	2	—	2	—	—	—	—	—	—
Berlin	—	—	—	—	—	—	1	1	—
Bernardston	—	—	—	—	—	—	—	—	—
BEVERLY	6	1	5	—	—	—	7	3	4
Billerica	—	—	—	—	—	—	4	2	2
Blackstone	—	—	—	—	—	—	2	1	1
Blandford	—	—	—	—	—	—	—	—	—
Bolton	—	—	—	—	—	—	—	—	—
Boston	268	130	138	—	—	—	321	169	152
Bourne	2	2	—	—	—	—	1	1	—
Boxborough	2	—	2	—	—	—	—	—	—
Boxford	2	1	1	—	—	—	—	—	—
Boylston	—	—	—	—	—	—	—	—	—
Braintree	8	2	6	—	—	—	14	10	4
Brewster	—	—	—	—	—	—	—	—	—
Bridgewater	—	—	—	—	—	—	4	4	—
Brimfield	—	—	—	—	—	—	—	—	—
BROCKTON	18	7	11	3	3	—	22	12	10
Brookfield	—	—	—	—	—	—	—	—	—
Brookline	12	5	7	—	—	—	9	6	3
Buckland	—	—	—	—	—	—	1	—	1
Burlington	—	—	—	—	—	—	—	—	—
CAMBRIDGE	30	15	15	—	—	—	50	24	26
Canton	2	1	1	—	—	—	3	3	—
Carlisle	—	—	—	—	—	—	1	—	1
Carver	—	—	—	—	—	—	—	—	—
Charlemont	—	—	—	—	—	—	2	2	—
Charlton	2	—	2	—	—	—	3	1	2
Chatham	—	—	—	—	—	—	1	1	—
Chelmsford	2	—	2	—	—	—	4	2	2
CHelsea	12	7	5	—	—	—	19	13	6
Cheshire	—	—	—	—	—	—	2	2	—
Chester	—	—	—	—	—	—	2	1	1
Chesterfield	—	—	—	—	—	—	1	—	1
CHICOPEE	16	9	7	—	—	—	13	7	6

¹ Cities are printed in small capitals.² Allocated.

Table 44

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY
AND MUNICIPALITY: 1940.

MUNICIPALITIES. ¹	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.			
Chilmark	—	—	—	—	—	—	—	—	—
Clarksburg	2	1	1	—	—	—	2	2	—
Clinton	4	2	2	—	—	—	2	1	1
Cohasset	—	—	—	—	—	—	—	—	—
Colrain	—	—	—	—	—	—	2	1	1
Concord	—	—	—	—	—	—	2	1	1
Conway	—	—	—	—	—	—	—	—	—
Cummington	—	—	—	—	—	—	1	1	—
Dalton	—	—	—	3	3	—	1	1	—
Danvers	4	4	—	—	—	—	6	5	1
Dartmouth	2	—	2	—	—	—	5	3	2
Dedham	6	5	1	—	—	—	3	2	1
Deerfield	—	—	—	—	—	—	—	—	—
Dennis	2	2	—	—	—	—	—	—	—
Dighton	—	—	—	—	—	—	—	—	—
Douglas	—	—	—	—	—	—	1	—	1
Dover	—	—	—	—	—	—	—	—	—
Dracut	—	—	—	—	—	—	2	1	1
Dudley	—	—	—	—	—	—	2	1	1
Dunstable	—	—	—	—	—	—	—	—	—
Duxbury	—	—	—	—	—	—	3	2	1
East Bridgewater	—	—	—	—	—	—	—	—	—
East Brookfield	—	—	—	—	—	—	—	—	—
East Longmeadow	—	—	—	—	—	—	5	3	2
Eastham	—	—	—	—	—	—	—	—	—
Easthampton	2	1	1	—	—	—	6	4	2
Easton	—	—	—	—	—	—	3	—	3
Edgartown	—	—	—	—	—	—	—	—	—
Egremont	—	—	—	—	—	—	—	—	—
Erving	—	—	—	—	—	—	1	—	1
Essex	—	—	—	—	—	—	—	—	—
EVERETT	24	13	11	3	3	—	16	9	7
Fairhaven	4	2	2	—	—	—	2	1	1
FALL RIVER	30	18	12	—	—	—	70	40	30
Falmouth	4	—	4	—	—	—	2	2	—
FITCHBURG	20	10	10	—	—	—	19	9	10
Florida	—	—	—	—	—	—	1	1	—
Foxborough	—	—	—	—	—	—	4	1	3
Framingham	8	3	5	—	—	—	6	3	3
Franklin	4	—	4	—	—	—	1	1	—
Freetown	—	—	—	—	—	—	—	—	—
GARDNER	6	3	3	—	—	—	8	4	4
Gay Head	—	—	—	—	—	—	—	—	—
Georgetown	—	—	—	—	—	—	—	—	—
Gill	—	—	—	—	—	—	—	—	—
GLOUCESTER	4	1	3	—	—	—	14	7	7
Goshen	—	—	—	—	—	—	—	—	—
Gosnold	—	—	—	—	—	—	—	—	—
Grafton	2	1	1	—	—	—	3	3	—
Granby	—	—	—	—	—	—	—	—	—
Granville	—	—	—	—	—	—	—	—	—
Great Barrington	6	6	—	—	—	—	3	3	—
Greenfield	4	1	3	—	—	—	3	2	1
Groton	—	—	—	—	—	—	1	—	1
Groveland	—	—	—	—	—	—	2	1	1
Hadley	—	—	—	—	—	—	—	—	—
Halifax	2	2	—	—	—	—	—	—	—
Hamilton	—	—	—	—	—	—	1	—	1
Hampden	—	—	—	—	—	—	—	—	—
Hancock	—	—	—	—	—	—	—	—	—
Hanover	2	2	—	—	—	—	2	1	1
Hanson	—	—	—	—	—	—	1	—	1
Hardwick	—	—	—	—	—	—	1	—	1
Harvard	—	—	—	—	—	—	—	—	—
Harwich	—	—	—	—	—	—	—	—	—
Hatfield	—	—	—	—	—	—	—	—	—
HAVERHILL	6	4	2	—	—	—	25	11	14
Hawley	—	—	—	—	—	—	—	—	—
Heath	—	—	—	—	—	—	—	—	—
Hingham	2	2	—	—	—	—	7	1	6
Hinsdale	—	—	—	—	—	—	1	—	1
Holbrook	—	—	—	—	—	—	—	—	—
Holden	—	—	—	—	—	—	3	—	3
Holland	—	—	—	—	—	—	—	—	—
Holliston	—	—	—	—	—	—	2	1	1
HOLYOKE	18	7	11	—	—	—	14	6	8
Hopedale	—	—	—	—	—	—	—	—	—
Hopkinton	2	—	2	—	—	—	3	2	1

¹ Cities are printed in small capitals.² Allocated.

Table 44

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY
AND MUNICIPALITY: 1940.

MUNICIPALITIES. ¹	PLURAL BIRTHS.								
	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.
Hubbardston	—	—	—	—	—	—	—	—	—
Hudson	2	2	—	—	—	—	3	2	—
Hull	2	—	2	—	—	—	1	—	1
Huntington	—	—	—	—	—	—	1	—	1
Ipswich	4	—	4	—	—	—	3	1	2
Kingston	—	—	—	—	—	—	1	—	1
Lakeville	—	—	—	—	—	—	1	—	1
Lancaster	—	—	—	—	—	—	3	1	2
Lanesborough	—	—	—	—	—	—	1	—	1
LAWRENCE	16	9	7	3	1	2	38	21	17
Lee	—	—	—	—	—	—	1	—	—
Leicester	—	—	—	—	—	—	3	3	—
Lenox	2	2	—	—	—	—	—	—	—
LEOMINSTER	6	4	2	—	—	—	16	11	5
Leverett	—	—	—	—	—	—	—	—	—
Lexington	8	3	5	—	—	—	5	2	3
Leyden	—	—	—	—	—	—	—	—	—
Lincoln	—	—	—	—	—	—	—	—	—
Littleton	—	—	—	—	—	—	—	—	—
Longmeadow	—	—	—	—	—	—	2	1	1
LOWELL	20	11	9	3	1	2	38	26	12
Ludlow	2	1	1	—	—	—	—	—	—
Lunenburg	2	—	2	—	—	—	2	1	1
LYNN	26	13	13	—	—	—	28	21	7
Lynnfield	—	—	—	—	—	—	1	1	—
MALDEN	12	8	4	—	—	—	21	12	9
Manchester	—	—	—	—	—	—	1	—	1
Mansfield	2	1	1	—	—	—	1	—	1
Marblehead	4	3	1	3	—	3	1	1	—
Marion	—	—	—	—	—	—	1	—	1
MARLBOROUGH	2	—	2	—	—	—	6	2	4
Marshfield	—	—	—	—	—	—	1	1	—
Mashpee	—	—	—	—	—	—	—	—	—
Mattapoisett	—	—	—	—	—	—	1	1	—
Maynard	4	3	1	—	—	—	3	2	1
Medfield	—	—	—	—	—	—	1	—	1
MEDFORD	28	18	10	—	—	—	23	13	10
Medway	—	—	—	—	—	—	5	4	1
MELROSE	4	2	2	—	—	—	7	4	3
Mendon	2	—	2	—	—	—	1	—	1
Merrimac	—	—	—	—	—	—	—	—	—
Methuen	—	—	—	—	—	—	9	4	5
Middleborough	6	4	2	—	—	—	3	1	2
Middlefield	—	—	—	—	—	—	—	—	—
Middleton	—	—	—	—	—	—	—	—	—
Milford	—	—	—	—	—	—	3	2	1
Millbury	6	4	2	—	—	—	4	3	1
Millis	—	—	—	—	—	—	—	—	—
Millville	—	—	—	—	—	—	—	—	—
Milton	2	2	—	—	—	—	4	3	1
Monroe	—	—	—	—	—	—	1	1	—
Monson	—	—	—	—	—	—	3	2	1
Montague	4	3	1	—	—	—	4	1	3
Monterey	—	—	—	—	—	—	—	—	—
Montgomery	—	—	—	—	—	—	—	—	—
Mount Washington	—	—	—	—	—	—	—	—	—
Nahant	2	—	2	—	—	—	1	1	—
Nantucket	2	1	1	—	—	—	1	—	1
Natick	10	6	4	—	—	—	4	4	—
Needham	—	—	—	—	—	—	2	1	1
New Ashford	—	—	—	—	—	—	—	—	—
NEW BEDFORD	22	12	10	—	—	—	48	30	18
New Braintree	—	—	—	—	—	—	—	—	—
New Marlborough	—	—	—	—	—	—	—	—	—
New Salem	—	—	—	—	—	—	—	—	—
Newbury	—	—	—	—	—	—	1	—	1
NEWBURYPORT	4	4	—	—	—	—	5	1	4
NEWTON	16	6	10	—	—	—	26	12	14
Norfolk	—	—	—	—	—	—	—	—	—
NORTH ADAMS	10	5	5	—	—	—	12	6	6
North Andover	—	—	—	—	—	—	2	1	1
North Attleborough	—	—	—	—	—	—	3	1	2
North Brookfield	—	—	—	—	—	—	2	—	2
North Reading	4	2	2	—	—	—	2	2	—
NORTHAMPTON	4	4	—	—	—	—	6	3	3
Northborough	—	—	—	—	—	—	—	—	—
Northbridge	2	—	2	—	—	—	5	4	1
Northfield	—	—	—	—	—	—	1	—	1

¹ Cities are printed in small capitals.² Allocated.

Table 44

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY
AND MUNICIPALITY: 1940.

MUNICIPALITIES. ¹	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.			Total.	Males.	Fe- males.
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.			
Norton	2	1	1	—	—	—	3	3	—
Norwell	—	—	—	—	—	—	—	—	—
Norwood	2	—	2	—	—	—	7	4	3
Oak Bluffs	—	—	—	—	—	—	1	1	—
Oakham	—	—	—	—	—	—	1	1	—
Orange	—	—	—	—	—	—	4	2	2
Orleans	—	—	—	—	—	—	—	—	—
Otis	—	—	—	—	—	—	—	—	—
Oxford	4	1	3	—	—	—	3	1	2
Palmer	—	—	—	—	—	—	2	1	1
Paxton	—	—	—	—	—	—	—	—	—
PEABODY	4	2	2	—	—	—	8	4	4
Pelham	—	—	—	—	—	—	—	—	—
Pembroke	2	—	2	—	—	—	2	1	1
Pepperell	—	—	—	—	—	—	2	1	1
Peru	—	—	—	—	—	—	—	—	—
Petersham	—	—	—	—	—	—	—	—	—
Phillipston	2	—	2	—	—	—	—	—	—
PITTSFIELD	16	7	9	—	—	—	17	10	7
Plainfield	—	—	—	—	—	—	—	—	—
Plainville	—	—	—	—	—	—	1	1	—
Plymouth	2	1	1	—	—	—	6	3	3
Plympton	—	—	—	—	—	—	—	—	—
Princeton	2	1	1	—	—	—	—	—	—
Provincetown	—	—	—	—	—	—	—	—	—
QUINCY	20	8	12	—	—	—	26	12	14
Randolph	2	1	1	—	—	—	3	3	—
Raynham	—	—	—	—	—	—	2	1	1
Reading	4	2	2	—	—	—	5	2	3
Rehoboth	—	—	—	—	—	—	2	1	1
REVERE	10	5	5	3	2	1	9	6	3
Richmond	—	—	—	—	—	—	—	—	—
Rochester	—	—	—	—	—	—	—	—	—
Rockland	—	—	—	—	—	—	6	3	3
Rockport	—	—	—	—	—	—	2	2	—
Rowe	—	—	—	—	—	—	—	—	—
Rowley	—	—	—	—	—	—	—	—	—
Royalston	—	—	—	—	—	—	—	—	—
Russell	2	—	2	—	—	—	—	—	—
Rutland	—	—	—	—	—	—	1	—	1
SALEM	6	3	3	—	—	—	24	16	8
Salisbury	—	—	—	—	—	—	—	—	—
Sandisfield	—	—	—	—	—	—	—	—	—
Sandwich	—	—	—	—	—	—	3	2	1
Saugus	2	1	1	—	—	—	9	2	7
Savoy	2	—	2	—	—	—	1	—	1
Scituate	2	1	1	—	—	—	5	3	2
Seekonk	2	1	1	—	—	—	5	3	2
Sharon	—	—	—	—	—	—	—	—	—
Sheffield	—	—	—	—	—	—	—	—	—
Shelburne	—	—	—	—	—	—	1	—	1
Sherborn	2	—	2	—	—	—	—	—	—
Shirley	2	2	—	—	—	—	—	—	—
Shrewsbury	8	4	4	—	—	—	1	1	—
Shutesbury	—	—	—	—	—	—	—	—	—
Somerset	2	2	—	—	—	—	3	1	2
SOMERVILLE	46	30	16	—	—	—	53	30	23
South Hadley	—	—	—	—	—	—	3	—	3
Southampton	—	—	—	—	—	—	2	—	2
Southborough	—	—	—	—	—	—	1	1	—
Southbridge	10	3	7	—	—	—	8	7	1
Southwick	—	—	—	—	—	—	1	1	—
Spencer	4	2	2	—	—	—	3	2	1
SPRINGFIELD	34	13	21	—	—	—	70	34	36
Sterling	4	4	—	—	—	—	—	—	—
Stockbridge	—	—	—	—	—	—	—	—	—
Stoneham	—	—	—	—	—	—	9	6	3
Stoughton	2	1	1	—	—	—	3	3	—
Stow	2	2	—	—	—	—	—	—	—
Sturbridge	2	2	—	—	—	—	—	—	—
Sudbury	—	—	—	—	—	—	—	—	—
Sunderland	—	—	—	—	—	—	2	1	1
Sutton	2	2	—	—	—	—	2	1	1
Swampscott	—	—	—	—	—	—	4	3	1
Swansea	—	—	—	—	—	—	1	1	—
TAUNTON	6	4	2	3	1	2	17	9	8
Templeton	2	—	2	—	—	—	2	—	2
Tewksbury	—	—	—	—	—	—	—	—	—

¹ Cities are printed in small capitals.² Allocated.

Table 44

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY
AND MUNICIPALITY: 1940.

MUNICIPALITIES. ¹	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.
	State Infirmary	—	—	—	—	—	—	—	—
Tisbury	2	2	—	—	—	—	1	1	—
Tolland	—	—	—	—	—	—	—	—	—
Topsfield	—	—	—	—	—	—	1	1	—
Townsend	—	—	—	—	—	—	—	—	—
Truro	—	—	—	—	—	—	—	—	—
Tyngsborough	—	—	—	—	—	—	1	—	1
Tyringham	—	—	—	—	—	—	—	—	—
Upton	—	—	—	—	—	—	2	—	2
Uxbridge	2	2	—	—	—	—	2	2	—
Wakefield	12	3	9	—	—	—	2	1	1
Wales	—	—	—	—	—	—	—	—	—
Walpole	4	1	3	—	—	—	1	—	1
WALTHAM	18	8	10	—	—	—	20	11	9
Ware	—	—	—	—	—	—	2	1	1
Wareham	4	2	2	3	—	3	3	1	2
Warren	2	—	2	—	—	—	1	—	1
Warwick	—	—	—	—	—	—	—	—	—
Washington	—	—	—	—	—	—	—	—	—
Watertown	6	2	4	—	—	—	12	5	7
Wayland	4	1	3	—	—	—	—	—	—
Webster	—	—	—	—	—	—	6	3	3
Wellesley	10	7	3	—	—	—	2	1	1
Wellfleet	—	—	—	—	—	—	—	—	—
Wendell	—	—	—	—	—	—	1	1	—
Wenham	—	—	—	—	—	—	1	1	—
West Boylston	—	—	—	—	—	—	—	—	—
West Bridgewater	—	—	—	—	—	—	1	1	—
West Brookfield	2	1	1	—	—	—	3	1	2
West Newbury	—	—	—	—	—	—	—	—	—
West Springfield	8	4	4	—	—	—	4	1	3
West Stockbridge	—	—	—	—	—	—	—	—	—
West Tisbury	—	—	—	—	—	—	—	—	—
Westborough	—	—	—	—	—	—	—	—	—
WESTFIELD	6	4	2	—	—	—	12	6	6
Westford	—	—	—	—	—	—	1	—	1
Westhampton	—	—	—	—	—	—	—	—	—
Westminster	—	—	—	—	—	—	3	2	1
Weston	2	—	2	—	—	—	1	—	1
Westport	2	2	—	—	—	—	—	—	—
Westwood	—	—	—	—	—	—	2	2	—
Weymouth	16	9	7	—	—	—	19	12	7
Whately	2	2	—	—	—	—	—	—	—
Whitman	—	—	—	—	—	—	2	1	1
Wilbraham	—	—	—	—	—	—	2	1	1
Williamsburg	—	—	—	—	—	—	—	—	—
Williamstown	—	—	—	—	—	—	1	1	—
Wilmington	—	—	—	—	—	—	3	1	2
Winchendon	2	2	—	—	—	—	1	—	1
Winchester	6	1	5	—	—	—	4	2	2
Windsor	—	—	—	—	—	—	—	—	—
Winthrop	2	—	2	—	—	—	6	2	4
WOBURN	8	3	5	—	—	—	7	6	1
WORCESTER	58	27	31	6	3	3	89	44	45
Worthington	—	—	—	—	—	—	—	—	—
Wrentham	2	2	—	—	—	—	—	—	—
Yarmouth	—	—	—	—	—	—	1	—	1

¹ Cities are printed in small capitals.² Allocated.

Table 45	LIVE BIRTHS ¹ AND BIRTH RATES ¹ FOR THE STATE AND CITIES HAVING OVER 100,000 INHABITANTS IN 1940: 1916 TO 1940.								
	The State.	Boston.	Worcester.	Spring- field.	Fall River.	Cam- bridge.	New Bedford.	Somer- ville.	Lowell.
	LIVE BIRTHS								
1916 .	93,487	19,604	4,941	3,281	3,690	2,691	3,497	—	3,289
1917 .	95,731	19,950	5,276	3,614	3,807	2,764	3,664	—	3,289
1918 .	95,607	20,092	5,239	3,770	3,645	2,672	3,920	—	3,279
1919 .	87,827	18,799	4,596	3,268	3,421	2,757	3,386	—	3,064
1920 .	91,859	19,573	4,812	3,419	3,537	2,862	3,507	—	3,154
1921 .	92,207	19,397	4,838	3,392	3,710	3,048	3,649	—	3,157
1922 .	87,636	18,536	4,357	3,089	3,537	3,007	3,344	—	2,923
1923 .	89,210	19,056	4,517	3,358	3,645	3,033	3,295	—	2,902
1924 .	91,463	19,776	4,551	3,520	3,594	3,144	3,170	—	3,011
1925 .	86,014	18,636	4,340	3,385	3,324	2,932	3,009	—	2,705
1926 .	83,502	18,731	4,312	3,298	3,050	2,933	2,762	—	2,466
1927 .	82,273	19,079	4,310	3,158	2,872	2,902	2,432	—	2,404
1928 .	79,054	18,781	3,997	2,991	2,707	2,724	2,394	—	2,177
1929 .	74,122	17,942	3,759	3,040	2,255	2,597	2,033	—	1,968
1930 .	73,690	18,057	3,638	3,106	2,201	2,524	1,988	1,677	1,999
1931 .	69,385	17,137	3,611	2,939	2,083	2,477	1,861	1,428	1,812
1932 .	68,518	17,271	3,435	2,643	2,099	2,462	1,728	1,342	1,932
1933 .	63,457	16,249	3,101	2,414	1,977	2,169	1,666	1,220	1,734
1934 .	63,767	15,825	3,237	2,431	2,072	2,190	1,775	1,233	1,740
1935 .	62,416	12,371	2,811	2,086	1,790	1,857	1,501	1,630	1,468
1936 .	61,184	12,117	2,688	2,044	1,669	1,742	1,545	1,658	1,552
1937 .	61,272	12,101	2,862	1,971	1,690	1,784	1,472	1,636	1,427
1938 .	62,382	11,943	2,822	1,989	1,709	1,822	1,467	1,719	1,496
1939 .	62,575	11,965	2,784	1,930	1,699	1,832	1,400	1,656	1,493
1940 .	65,369	12,429	2,920	2,040	1,806	1,906	1,490	1,755	1,473
	BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS 1920 TO 1940.								
1920 .	23.8	26.2	26.8	26.4	29.4	26.1	28.9	—	28.0
1925 .	20.8	23.9	22.8	23.8	25.8	24.5	25.2	—	24.5
1930 .	17.3	23.1	18.6	20.7	19.1	22.2	17.7	16.1	19.9
1935 .	14.3 ¹	15.1	14.8	13.9	15.2	15.7	13.6	16.2	14.7
1940 .	15.1 ¹	16.1	15.1	13.6	15.6	17.2	13.5	17.2	14.5

¹ Allocated for the years 1935 to 1940, inclusive.

Table 46	LIVE BIRTHS BY SEX AND PARENT NATIVITY: 1916 TO 1940.								
	Popula- tion.	SEX.					PARENT NATIVITY.		
YEARS.		Total num- ber.	Males.	Fe- males.	Un- known.	Males to 1,000 fe- males.	Native.	For- eign.	Un- known.
1916 .	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525
1917 .	3,841,648	95,731	49,017	46,714	—	1,049	34,129	45,753	15,786
1918 .	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222
1919 .	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302
1920 .	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207
1921 .	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378
1922 .	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551
1923 .	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106
1924 .	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653
1925 .	4,144,205	86,014	44,082	41,930	2	1,051	40,905	28,968	16,112
1926 .	4,170,560 ¹	83,502	42,681	40,821	—	1,046	40,898	26,229	16,345
1927 .	4,191,644 ¹	82,273	42,270	40,003	—	1,057	41,722	24,294	16,214
1928 .	4,212,728 ¹	79,054	40,518	38,536	—	1,051	41,552	21,818	15,657
1929 .	4,233,812 ¹	74,122	38,125	35,994	—	1,039	39,783	19,299	15,026
1930 .	4,249,614	73,690	37,687	36,002	1	1,047	41,140	17,621	14,913
1931 .	4,275,969	69,385	35,534	33,850	1	1,050	40,384	14,946	14,051
1932 .	4,297,053	68,518	35,080	33,437	—	1,049	41,292	13,180	14,039
1933 .	4,318,137	63,457	32,462	30,995	—	1,047	39,907	10,818	12,716
1934 .	4,339,221	63,767	32,815	30,952	—	1,060	41,351	9,748	12,653
1935 .	4,350,910	62,416 ²	32,117	30,299	—	1,060	41,837	8,565	12,009
1936 .	4,382,896	61,184 ²	31,290	29,894	—	1,047	42,512	7,681	10,987
1937 .	4,404,220	61,272 ²	31,623	29,649	—	1,067	43,497	6,472	11,299
1938 .	4,425,544	62,382 ²	31,852	30,530	—	1,043	45,645	5,767	10,970
1939 .	4,446,868	62,575 ²	32,048	30,527	—	1,050	47,233	4,977	10,364
1940 .	4,316,721	65,369 ²	33,634	31,735	—	1,060	50,616	4,439	10,314

¹ Revised figures.² Allocated.

Table 47	LIVE BIRTHS: 1916 TO 1940.						STILLBIRTHS: 1916 TO 1940.					
	YEARS.	Birth rate per 1,000 population.	Excess of births over deaths. ¹	Excess of births over deaths per 1,000 population.	CASES OF PLURAL BIRTHS. ²		Total number.	Per 1,000 live births.	SEX.			
					Twins.	Trip-lets.			Males.	Fe-males.	Un-known.	Males to 1,000 females.
1916 . . .	24.8	37,121	9.9	942	13	3,300	36	}	1,916	1,334	50	1,436
1917 . . .	24.9	39,103	10.2	1,065	7	3,324			1,937	1,330	57	1,456
1918 . . .	24.5	16,765	4.3	1,054	10	3,779			2,173	1,570	36	1,384
1919 . . .	22.9	35,482	9.3	986	7	3,092	37	}	1,750	1,332	10	1,314
1920 . . .	23.8	38,227	9.9	1,006	6	3,336			1,948	1,374	14	1,418
1921 . . .	23.7	44,427	11.4	1,059	13	3,428			1,983	1,429	16	1,388
1922 . . .	22.3	36,521	9.3	916	11	3,268	35	}	1,886	1,373	9	1,374
1923 . . .	22.5	36,830	9.3	976	8	3,332			1,891	1,413	28	1,338
1924 . . .	22.8	41,997	10.4	1,003	13	3,548			1,965	1,490	93	1,319
1925 . . .	20.8	34,124	8.3	869	17	3,141	33	}	1,807	1,317	17	1,372
1926 . . .	20.0 ³	30,614	7.3 ³	898	10	2,997			1,675	1,313	9	1,276
1927 . . .	19.6 ³	32,949	7.8 ³	894	10	2,969			1,606	1,356	7	1,184
1928 . . .	18.8 ³	27,612	6.6 ³	857	9	2,821	28	}	1,605	1,207	9	1,330
1929 . . .	17.5 ³	21,951	5.2 ³	804	4	2,540			1,414	1,123	3	1,259
1930 . . .	17.3	24,187	5.7	783	15	2,597			1,442	1,148	7	1,256
1931 . . .	16.2	20,642	4.8	731	13	2,440	33	}	1,350	1,079	11	1,251
1932 . . .	15.9	18,987	4.4	735	6	2,350			1,317	1,025	8	1,285
1933 . . .	14.7	12,625	2.9	645	4	2,173			1,206	959	8	1,257
1934 . . .	14.7	13,007	3.0	635	7	1,997	28	}	1,108	889	-	1,246
1935 . . .	14.3 ⁴	12,782	2.9	612	5	1,886			1,000	885	1	1,130
1936 . . .	14.0 ⁴	9,749	2.3	634	8	1,816			980	835	1	1,174
1937 . . .	13.9 ⁴	9,533	2.2	622	2	1,744	28	}	987	757	-	1,304
1938 . . .	14.1 ⁴	13,097	3.0	621	6	1,730			922	808	-	1,141
1939 . . .	14.1 ⁴	12,283	2.8	651	6	1,765			949	816	-	1,163
1940 . . .	15.1 ⁴	14,671	3.4	625	11	1,774			958	816	-	1,174

¹ Exclusive of stillbirths.² There was one case of quadruplets in 1926.³ Revised rate.⁴ Allocated.

PART II. B.

MARRIAGE STATISTICS

	PAGE
Introduction	230, 231
Marriage registration	230
Source of data	230
Solemnization	230, 231
Accuracy	231
Purpose, marriage requirements	231
Statistical tables	232-243

INTRODUCTION.

Marriage Registration.—The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth, but many City and Town Clerks co-operate by making periodic returns throughout the year. From 1841 to 1940, inclusive, there have been 5,107,356 marriages reported, recorded and tabulated in this department.

Source of Data.— The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license is required to be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention has been filed the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

Solemnization.— A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a non-resident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usages of their societies; and a specified marriage may be performed by a non-resident clergyman commissioned by the Governor in accordance with the provisions of Chap. 102 of the Acts of 1926; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

When Massachusetts residents go into another state to be married and return to live in this Commonwealth they are required within seven days after their return to file a declaration of their marriage with the clerk of the town where either of them resided at the time of their marriage. A penalty is provided by statute for non-compliance with the law.

Since laws of various States now provide for blood tests as a requirement before marriage there have been many marriages of non-residents in Massachusetts. The number of non-residents coming into Massachusetts has greatly increased in recent years. This may be to avoid physical examination in the various States as Massachusetts has not passed a law to require premarital physical examination. Table 61 has been prepared to show the number of non-residents and the States in which the parties reside.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with a copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

STATISTICAL TABLES

Table 48 COUNTIES AND MUNICIPALITIES. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.					MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.			
	NATIVITY.					Groom and bride res- idents.	Groom a res- ident.	Bride a res- ident.	Groom and bride non- res- idents.
	TOTAL COUPLES.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.	Foreign groom and native bride.				
		Native.	Foreign.						
The State. COUNTIES.	44,836	37,424	1,523	2,509	3,380	21,365	2,518	10,968	9,985
Barnstable	387	338	7	19	23	115	41	62	169
Berkshire	1,783	1,567	38	78	100	622	70	268	823
Bristol	4,847	4,120	134	220	373	2,472	174	918	1,283
Dukes	55	50	1	2	2	21	6	11	17
Essex	4,713	3,995	178	250	340	2,270	310	1,244	889
Franklin	577	531	4	16	26	170	45	154	208
Hampden	3,761	3,324	86	121	230	1,930	208	930	693
Hampshire	766	680	18	31	37	253	35	272	206
Middlesex	8,510	6,964	301	570	675	3,303	560	2,647	2,000
Nantucket	31	26	—	4	1	15	3	3	10
Norfolk	3,128	2,575	110	191	252	1,028	219	1,025	856
Plymouth	1,695	1,505	32	69	89	710	136	448	401
Suffolk	9,444	7,401	537	662	844	5,751	436	1,717	1,540
Worcester	5,139	4,348	127	276	388	2,705	275	1,269	890
MUNICIPALITIES.									
Abington	49	45	—	3	1	8	7	23	11
Acton	20	20	—	—	—	2	3	11	4
Acushnet	31	27	1	—	2	6	3	15	7
Adams	120	105	4	5	6	79	3	27	11
Agawam	82	73	1	2	6	22	5	15	40
Alford	1	1	—	—	—	—	1	—	—
Amesbury	129	110	3	10	6	48	12	45	24
Amherst	58	53	1	2	2	19	4	17	18
Andover	80	65	5	2	8	22	10	31	17
Arlington	220	186	4	14	16	71	18	112	19
Ashburnham	34	32	—	—	2	8	1	6	19
Ashby	21	19	—	1	1	1	4	5	11
Ashfield	6	5	—	—	1	2	1	—	3
Ashland	10	7	—	1	2	1	—	4	5
Athol	127	110	1	9	7	61	7	31	28
ATTLEBORO	286	233	12	18	23	134	15	66	71
Auburn	99	88	1	3	7	19	12	23	45
Avon	23	23	—	—	—	3	3	12	5
Ayer	57	50	—	2	5	14	4	13	26
Barnstable	114	100	1	6	7	38	14	16	46
Barre	54	47	1	1	5	29	1	19	5
Becket	10	9	—	1	—	3	—	1	6
Bedford	27	23	2	1	1	4	3	8	12
Belchertown	46	43	1	—	2	10	1	9	26
Bellingham	50	46	2	1	1	9	4	18	19
Belmont	193	155	8	16	14	35	14	73	71
Berkley	10	10	—	—	—	1	2	—	7
Berlin	8	8	—	—	—	2	1	1	4
Bernardston	24	24	—	—	—	4	1	1	18
BEVERLY	177	154	1	12	10	75	20	65	17
Billerica	49	43	2	1	3	19	4	15	11
Blackstone	54	42	2	4	6	12	4	32	6
Blandford	8	8	—	—	—	2	1	—	5
Bolton	4	4	—	—	—	1	1	—	2
Boston	8,429	6,581	484	594	770	5,348	390	1,473	1,218
Bourne	27	25	—	1	1	7	2	3	15
Boxborough	2	2	—	—	—	—	1	—	1
Boxford	9	9	—	—	—	4	—	1	4
Boylston	6	4	—	1	1	2	—	—	4
Braintree	144	124	2	8	10	49	12	42	41
Brewster	4	4	—	—	—	1	—	1	2
Bridgewater	47	42	—	2	3	12	5	24	6
Brimfield	21	19	—	1	1	1	1	4	15
BROCKTON	629	553	17	23	36	371	38	137	83
Brookfield	23	23	—	—	—	5	1	8	9
Brookline	724	541	48	54	81	134	45	207	338
Buckland	20	18	—	2	—	1	3	2	14
Burlington	4	3	—	—	1	2	—	—	2
CAMBRIDGE	1,219	933	72	90	124	491	90	347	291
Canton	51	43	1	2	5	13	7	25	6
Carlisle	4	4	—	—	—	1	1	—	2
Carver	9	9	—	—	—	2	2	4	1
Charlemont	4	4	—	—	—	—	1	—	3
Charlton	16	12	1	1	2	6	1	6	3
Chatham	12	11	—	1	—	5	—	2	5
Chelmsford	66	61	—	5	—	12	6	18	30
CHELSEA	363	272	33	27	31	175	18	84	86
Cheshire	18	17	1	—	—	7	2	2	7
Chester	13	12	—	—	1	6	1	4	2
Chesterfield	1	1	—	—	—	—	1	—	—
CHICOPEE	507	461	7	14	25	255	27	182	43
Chilmark	1	1	—	—	—	1	—	—	—

¹ Cities are printed in small capitals.

Table 48	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.					MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.				
	MUNICIPALITIES. ¹	TOTAL COUPLES.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
			Native.	For- eign.						
Clarksburg	—	—	—	—	—	—	—	—	—	—
Clinton	95	90	1	2	2	38	4	43	10	—
Cohasset	27	24	—	2	1	4	4	4	15	—
Colrain	8	8	—	—	—	4	—	2	2	—
Concord	69	56	2	6	5	20	8	20	21	—
Conway	9	9	—	—	—	1	1	3	4	—
Cummington	5	3	2	—	—	3	—	1	1	—
Dalton	36	35	—	1	—	12	2	16	6	—
Danvers	88	81	1	2	4	25	8	35	20	—
Dartmouth	43	38	2	1	2	12	3	13	15	—
Dedham	144	127	1	7	9	46	8	60	30	—
Deerfield	68	61	2	2	3	6	5	20	37	—
Dennis	13	12	—	1	—	4	—	5	4	—
Dighton	33	29	1	2	1	8	5	13	7	—
Douglas	39	34	—	2	3	17	—	11	11	—
Dover	7	7	—	—	—	1	1	2	3	—
Dracut	32	29	1	1	1	7	3	10	12	—
Dudley	17	15	1	1	—	3	1	1	12	—
Dunstable	19	15	—	1	3	—	—	2	17	—
Duxbury	21	21	—	—	—	5	1	5	10	—
East Bridgewater	27	23	—	2	2	8	3	11	5	—
East Brookfield	11	10	—	1	—	1	—	3	7	—
East Longmeadow	30	27	1	—	2	10	1	11	8	—
Eastham	—	—	—	—	—	—	—	—	—	—
Easthampton	127	113	3	5	6	45	7	62	13	—
Easton	43	38	1	—	4	12	4	21	6	—
Edgartown	17	15	—	1	1	7	1	2	7	—
Egremont	26	23	1	1	1	2	—	2	22	—
Erving	11	11	—	—	—	2	—	2	7	—
Essex	11	10	—	—	1	3	2	2	4	—
EVERETT	489	384	17	40	48	207	39	123	120	—
Fairhaven	88	73	1	3	11	33	4	34	17	—
FALL RIVER	1,491	1,282	38	58	113	1,028	28	300	135	—
Falmouth	67	53	2	6	6	24	6	11	26	—
FITCHBURG	428	344	14	28	42	227	24	118	59	—
Florida	4	4	—	—	—	—	2	1	1	—
Foxborough	47	43	—	2	2	12	6	13	16	—
Framingham	183	149	7	10	17	76	10	64	33	—
Franklin	100	86	1	6	7	36	6	34	24	—
Freetown	24	23	1	—	—	3	1	8	12	—
GARDNER	185	142	3	15	25	110	12	44	19	—
Gay Head	—	—	—	—	—	—	—	—	—	—
Georgetown	21	20	—	1	—	6	1	4	10	—
Gill	2	2	—	—	—	—	—	—	2	—
GLOUCESTER	228	198	3	12	15	155	10	40	23	—
Goshen	5	5	—	—	—	1	1	1	2	—
Gosnold	—	—	—	—	—	—	—	—	—	—
Grafton	58	53	—	3	2	16	6	21	15	—
Granby	8	8	—	—	—	2	—	2	4	—
Granville	9	9	—	—	—	2	—	2	5	—
Great Barrington	110	100	2	2	6	14	3	25	68	—
Greenfield	193	178	—	5	10	92	12	46	43	—
Groton	16	13	—	2	1	3	—	3	10	—
Groveland	13	11	—	—	2	6	1	3	3	—
Hadley	44	39	1	2	2	10	1	27	6	—
Halifax	28	24	—	3	1	8	1	3	16	—
Hamilton	27	23	—	1	3	4	3	9	11	—
Hampden	9	8	—	1	—	2	1	4	2	—
Hancock	2	2	—	—	—	1	—	—	1	—
Hanover	19	16	—	2	1	—	3	8	8	—
Hanson	21	20	—	—	1	5	—	7	9	—
Hardwick	21	21	—	—	—	6	1	8	6	—
Harvard	7	7	—	—	—	1	1	4	1	—
Harwich	42	37	2	2	1	4	4	5	29	—
Hatfield	30	30	—	—	—	10	1	17	2	—
HAVERHILL	376	338	5	9	24	227	14	97	38	—
Hawley	—	—	—	—	—	—	—	—	—	—
Heath	1	1	—	—	—	—	—	—	1	—
Hingham	50	42	1	4	3	10	4	22	14	—
Hinsdale	40	35	—	3	2	4	—	4	32	—
Holbrook	27	25	—	2	—	6	3	11	7	—
Holden	29	26	—	2	1	10	2	9	8	—
Holland	—	—	—	—	—	—	—	—	—	—
Holliston	47	34	3	1	9	6	2	7	32	—
HOLYOKE	550	463	17	28	42	288	31	173	58	—
Hopedale	22	19	—	1	2	4	4	10	4	—
Hopkinton	21	20	—	1	—	9	2	9	1	—
Hubbardston	5	5	—	—	—	1	1	2	1	—

¹ Cities are printed in small capitals.

Table 48

Table 48	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.					MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.			
	MUNICIPALITIES. ¹	NATIVITY.			Foreign groom and native bride.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
		TOTAL COUPLES.	BRIDE AND GROOM BOTH—	Native groom and foreign bride.					
		Native.	For- eign.						
Hudson	80	71	2	3	4	37	7	26	10
Hull	43	33	3	2	5	10	5	9	19
Huntington	17	15	—	1	1	5	—	3	9
Ipswich	74	62	—	8	4	27	1	24	22
Kingston	47	41	1	3	2	11	5	10	21
Lakeville	7	6	—	—	1	1	—	1	5
Lancaster	23	18	—	2	3	9	1	5	8
Lanesborough	7	6	—	—	1	1	—	—	6
LAWRENCE	938	777	45	48	68	536	66	178	158
Lee	46	42	—	2	2	14	1	7	24
Leicester	37	33	—	1	3	6	4	23	4
Lenox	32	31	1	—	—	4	—	13	15
LEOMINSTER	222	186	6	13	17	117	7	80	18
Leverett	3	3	—	—	—	—	—	1	2
Lexington	68	53	1	9	5	24	5	17	22
Leyden	2	2	—	—	—	1	—	1	—
Lincoln	8	5	—	1	2	—	2	3	3
Littleton	14	12	—	1	1	4	—	2	8
Longmeadow	41	36	2	1	2	2	1	19	19
LOWELL	1,075	917	19	49	90	611	56	243	165
Ludlow	50	44	1	2	3	20	1	17	12
Lunenburg	27	25	1	1	—	5	1	6	15
LYNN	998	803	33	68	94	580	53	236	129
Lynnfield	19	17	—	—	2	5	—	4	10
MALDEN	475	379	23	40	33	193	23	125	134
Manchester	15	13	—	1	1	6	1	4	4
Mansfield	58	52	—	2	4	23	2	24	9
Marblehead	84	72	3	7	2	26	10	28	20
Marion	24	23	1	—	—	2	3	7	12
MARLBOROUGH	136	118	2	7	9	70	7	39	20
Marshfield	15	13	—	—	2	4	2	4	5
Mashpee	—	—	—	—	—	—	—	—	—
Mattapoisett	15	13	—	1	1	3	1	6	5
Maynard	70	57	4	3	6	17	10	26	17
Medfield	26	19	3	2	2	5	3	11	7
MEDFORD	480	407	11	37	25	191	17	177	95
Medway	26	25	—	—	1	7	1	11	7
MELROSE	182	155	4	10	13	55	25	72	30
Mendon	4	3	—	1	—	—	—	1	3
Merrimac	41	38	1	—	2	5	3	8	25
Methuen	176	150	7	10	9	51	13	48	64
Middleborough	105	101	1	2	1	52	8	25	20
Middlefield	3	2	—	1	—	—	1	—	2
Middleton	16	13	—	1	2	5	1	—	10
Milford	165	138	6	10	11	81	7	54	23
Millbury	59	55	1	—	3	23	5	19	12
Millis	34	25	1	2	6	3	3	9	19
Millville	18	17	—	1	—	8	—	9	1
Milton	130	109	5	6	10	31	10	69	20
Monroe	—	—	—	—	—	—	—	—	—
Monson	41	37	—	4	—	10	—	10	21
Montague	103	91	2	3	7	31	10	43	19
Monterey	5	5	—	—	—	1	—	—	4
Montgomery	1	1	—	—	—	—	1	—	—
Mount Washington	—	—	—	—	—	—	—	—	—
Nahant	20	17	1	—	2	6	2	9	3
Nantucket	31	26	—	4	1	15	3	3	10
Natick	110	90	5	5	10	37	10	45	18
Needham	97	76	6	8	7	37	5	32	23
New Ashford	—	—	—	—	—	—	—	—	—
NEW BEDFORD	1,291	1,061	41	67	122	882	56	220	133
New Braintree	1	1	—	—	—	—	—	1	—
New Marlborough	9	8	—	—	1	3	1	1	4
New Salem	4	4	—	—	—	—	—	—	4
Newbury	13	13	—	—	—	3	1	4	5
NEWBURYPORT	141	130	—	3	8	46	9	46	40
NEWTON	617	506	26	51	34	183	37	252	145
Norfolk	6	6	—	—	—	1	1	3	1
NORTH ADAMS	221	190	5	10	16	120	19	53	29
North Andover	56	44	2	5	5	15	5	24	12
North Attleborough	137	119	6	6	6	52	7	33	45
North Brookfield	34	30	1	1	2	17	1	10	6
North Reading	18	15	—	2	1	7	1	5	5
NORTHAMPTON	205	177	4	7	17	95	10	67	33
Northborough	28	25	—	1	2	6	3	8	11
Northbridge	101	70	3	10	18	48	8	29	16
Northfield	28	23	—	2	3	4	1	3	20
Norton	73	62	3	3	5	12	1	12	48

¹ Cities are printed in small capitals.

Table 48	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.					MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.				
	MUNICIPALITIES. ¹	TOTAL COUPLES.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
			Native.	For- eign.						
Norwell	17	16	—	1	—	1	1	4	11	
Norwood	132	122	1	4	5	50	9	46	27	
Oak Bluffs	22	21	—	1	—	6	3	6	7	
Oakham	—	—	—	—	—	—	—	—	—	
Orange	59	56	—	2	1	15	8	22	14	
Orleans	19	19	—	—	—	5	3	1	10	
Otis	29	29	—	—	—	1	1	1	26	
Oxford	45	43	—	2	—	14	2	14	15	
Palmer	150	141	1	1	7	41	9	44	56	
Paxton	3	3	—	—	—	—	1	2	—	
PEABODY	161	144	5	2	10	57	23	59	22	
Pelham	7	7	—	—	—	—	—	3	4	
Pembroke	10	10	—	—	—	1	2	4	3	
Pepperell	76	67	1	5	3	12	5	6	53	
Peru	—	—	—	—	—	—	—	—	—	
Petersham	13	13	—	—	—	3	1	1	8	
Phillipston	2	2	—	—	—	—	1	1	—	
PITTSFIELD	621	538	15	32	36	324	22	91	184	
Plainfield	1	1	—	—	—	—	—	—	1	
Plainville	22	20	—	1	1	4	3	7	8	
Plymouth	161	139	4	7	11	74	11	36	40	
Plympton	5	5	—	—	—	1	—	2	2	
Princeton	5	5	—	—	—	—	—	—	5	
Provincetown	51	44	1	1	5	22	7	10	12	
QUINCY	685	548	27	44	66	382	39	196	68	
Randolph	63	55	1	3	4	24	4	20	15	
Raynham	7	6	—	1	—	2	2	2	1	
Reading	90	77	3	7	3	29	6	37	18	
Rehoboth	47	40	—	4	3	3	4	5	35	
REVERE	508	425	18	29	36	165	15	117	211	
Richmond	12	10	—	1	1	2	—	1	9	
Rochester	3	3	—	—	—	1	—	1	1	
Rockland	82	75	—	3	4	30	8	27	17	
Rockport	28	25	1	1	1	9	3	5	11	
Rowe	—	—	—	—	—	—	—	—	—	
Rowley	11	9	—	1	1	4	2	3	2	
Royalston	4	4	—	—	—	1	—	3	—	
Russell	17	16	—	1	—	3	—	3	11	
Rutland	16	14	—	—	2	7	3	3	3	
SALEM	459	384	4	30	41	225	24	136	74	
Salisbury	34	29	—	1	4	4	—	1	29	
Sandisfield	177	155	5	8	9	2	1	—	174	
Sandwich	8	8	—	—	—	—	1	3	4	
Saugus	131	114	3	8	6	57	4	46	24	
Savoy	—	—	—	—	—	—	—	—	—	
Scituate	39	33	1	2	3	9	3	10	17	
Seekonk	640	552	13	30	45	23	13	21	583	
Sharon	60	46	4	5	5	8	2	8	42	
Sheffield	42	36	—	4	2	2	1	4	35	
Shelburne	20	19	—	—	1	5	2	4	9	
Sherborn	10	9	1	—	—	—	2	1	7	
Shirley	20	18	—	—	2	4	3	11	2	
Shrewsbury	62	45	1	9	7	13	4	19	26	
Shutesbury	1	1	—	—	—	—	—	—	1	
Somerset	45	36	2	3	4	11	2	25	7	
SOMERVILLE	786	611	39	59	77	355	45	243	143	
South Hadley	104	82	5	11	6	18	2	26	58	
Southampton	5	5	—	—	—	1	—	—	4	
Southborough	20	16	—	2	2	6	—	10	4	
Southbridge	202	167	5	12	18	102	7	45	48	
Southwick	31	30	—	—	1	3	2	—	26	
Spencer	74	71	—	2	1	31	3	27	13	
SPRINGFIELD	1,682	1,458	52	56	116	1,099	90	315	178	
Sterling	10	9	—	—	1	2	1	4	3	
Stockbridge	23	20	1	1	1	7	4	3	9	
Stoneham	82	71	2	5	4	24	4	33	21	
Stoughton	54	46	2	3	3	24	3	20	7	
Stow	4	4	—	—	—	1	—	3	—	
Sturbridge	16	16	—	—	—	3	—	3	10	
Sudbury	11	11	—	—	—	1	—	4	6	
Sunderland	6	6	—	—	—	1	—	2	3	
Sutton	20	15	—	1	4	5	3	5	7	
Swampscott	107	93	5	5	4	25	8	39	35	
Swansea	72	64	2	3	3	20	3	22	27	
TAUNTON	399	346	10	18	25	199	18	80	102	
Templeton	44	37	2	3	2	15	4	13	12	
Tewksbury	33	27	—	3	3	10	2	14	7	
Tisbury	14	12	1	—	1	7	2	2	3	

Cities are printed in small capitals

Table 48

MUNICIPALITIES. ¹	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.				MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1940.			
	NATIVITY.				Groom and bride residents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- residents.
	TOTAL COUPLES.	BRIDE AND GROOM BOTH—	Native groom and foreign bride.	Foreign groom and native bride.				
		Native.	For- eign.					
Tolland	1	1	-	-	-	-	1	-
Topsfield	9	9	-	-	-	-	1	8
Townsend	23	20	-	2	1	1	1	19
Truro	14	11	-	1	2	3	1	9
Tyngsborough	114	101	3	5	5	13	2	99
Tyringham	3	3	-	-	1	1	-	1
Upton	13	10	1	1	4	1	3	5
Uxbridge	76	69	2	5	30	5	18	23
Wakefield	152	137	1	5	65	8	51	28
Wales	15	14	-	-	2	1	1	11
Walpole	82	64	3	7	25	7	33	17
WALTHAM	358	282	16	35	25	172	115	55
Ware	81	77	1	2	1	34	2	33
Wareham	104	92	2	3	7	47	9	20
Warren	25	22	-	-	3	13	2	9
Warwick	1	1	-	-	-	-	-	1
Washington	-	-	-	-	-	-	-	-
Watertown	242	198	7	13	24	71	21	96
Wayland	31	23	3	2	3	10	2	3
Webster	240	220	4	4	12	59	18	75
Wellesley	99	91	-	4	4	24	11	33
Wellfleet	7	6	1	-	-	3	-	-
Wendell	1	1	-	-	-	-	-	1
Wenham	9	8	-	1	-	2	-	3
West Boylston	19	17	1	-	1	4	2	5
West Bridgewater	27	23	1	1	2	5	1	15
West Brookfield	7	6	-	1	-	2	-	4
West Newbury	14	12	-	1	1	1	-	6
West Springfield	154	147	1	1	5	41	15	56
West Stockbridge	132	109	2	7	14	2	-	2
West Tisbury	1	1	-	-	-	-	-	1
Westborough	32	26	1	2	3	14	2	8
WESTFIELD	328	300	3	8	17	114	18	63
Westford	30	24	1	3	2	5	4	13
Westhampton	3	3	-	-	-	-	-	1
Westminster	14	13	1	-	-	3	3	3
Weston	25	18	-	-	7	3	4	11
Westport	29	29	-	-	-	8	1	4
Westwood	16	13	-	2	1	1	2	8
Weymouth	216	192	2	11	11	80	15	82
Whately	3	3	-	-	-	1	-	2
Whitman	91	84	-	5	2	29	13	23
Wilbraham	21	19	-	1	1	7	2	6
Williamsburg	13	13	-	-	-	-	3	3
Williamstown	54	51	1	-	2	15	6	13
Wilmington	54	45	4	1	4	29	4	11
Winchendon	96	84	1	4	7	36	7	23
Winchester	130	116	1	8	5	19	16	62
Windsor	3	3	-	-	-	1	-	1
Winthrop	144	123	2	12	7	63	13	43
WOBBURN	138	114	4	6	14	68	5	54
WORCESTER	2,020	1,684	65	113	158	1,439	83	326
Worthington	3	3	-	-	-	-	1	-
Wrentham	36	29	-	5	2	9	2	9
Yarmouth	9	8	-	-	1	1	1	4

¹ Cities are printed in small capitals.

MARRIAGES, BY SEX, AGE, AND MARITAL CONDITION: 1940.

Table 49	MARRIAGES, BY SEX, AGE, AND MARITAL CONDITION: 1940.								
	Both sexes.	MALES.				FEMALES.			
		Total.	Single.	Widowed.	Divorced.	Total.	Single.	Widowed.	Divorced.
AGE AT MARRIAGE.									
The State									
13 Years and Over	89,672	44,836	40,036	2,325	2,475	44,836	40,218	1,703	2,915
Under 20 years . . .	7,558	1,010	1,010	-	-	6,548	6,534	3	11
20 to 29 years . . .	59,864	30,314	29,805	111	398	29,550	28,373	147	1,030
30 to 39 years . . .	15,014	9,043	7,574	385	1,084	5,971	4,377	417	1,177
40 to 49 years . . .	4,438	2,639	1,294	648	697	1,799	709	555	535
50 to 59 years . . .	1,908	1,202	279	683	240	706	186	382	138
60 to 69 years . . .	738	502	64	391	47	236	36	179	21
79 to 79 years . . .	140	116	10	98	8	24	3	18	3
80 years and over . .	12	10	-	9	1	2	-	2	-

Line No.	Table 50 MONTHS.	MARRIAGES, BY MONTHS IN COUNTIES										
		THE STATE.		COUNTIES.								
		Total number.	Average daily number.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.
1	The Year	44,836	123	387	1,783	4,847	55	4,713	577	3,761	766	8,510
2	January	1,951	63	12	59	226	3	216	24	161	31	355
3	February	1,863	64	12	70	207	3	159	28	141	37	331
4	March	1,954	63	16	77	205	5	191	25	128	19	389
5	April	2,953	98	16	99	352	3	317	27	234	53	538
6	May	2,704	87	23	116	286	3	290	35	272	55	473
7	June	6,211	207	45	200	628	4	661	69	453	104	1,264
8	July	3,591	116	40	171	467	7	379	49	324	67	651
9	August	5,490	177	59	232	558	7	604	82	492	108	1,017
10	September	5,852	195	62	246	641	9	600	80	491	101	1,123
11	October	5,485	177	46	259	510	4	596	79	499	84	1,051
12	November	4,503	150	31	154	547	5	455	47	434	76	852
13	December	2,279	74	25	100	220	2	245	32	132	31	466

Line No.	Table 51 COUNTIES AND SEX.	MARRIAGES IN EACH COUNTY.								
		All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
1	The State.	44,836	-	-	-	6	50	264	690	15,825
2	Brides	44,836	-	9	52	334	810	2,359	2,984	19,250
3	Barnstable:									
4	Grooms	387	-	-	-	-	-	2	7	140
5	Brides	387	-	-	-	1	4	7	26	160
6	Berkshire:									
7	Grooms	1,783	-	-	-	-	-	10	30	630
8	Brides	1,783	-	2	-	28	24	140	137	699
9	Bristol:									
10	Grooms	4,847	-	-	-	1	8	32	79	1,988
11	Brides	4,847	-	1	14	49	119	347	411	2,112
12	Dukes:									
13	Grooms	55	-	-	-	-	-	2	-	19
14	Brides	55	-	-	-	1	3	1	4	21
15	Essex:									
16	Grooms	4,713	-	-	-	-	7	27	74	1,749
17	Brides	4,713	-	1	7	29	82	241	292	2,108
18	Franklin:									
19	Grooms	577	-	-	-	-	5	12	5	249
20	Brides	577	-	-	-	1	6	51	41	273
21	Hampden:									
22	Grooms	3,761	-	-	-	-	2	21	56	1,458
23	Brides	3,761	-	-	4	32	76	188	284	1,729
24	Hampshire:									
25	Grooms	766	-	-	-	-	2	1	13	295
26	Brides	766	-	-	-	3	20	52	59	367
27	Middlesex:									
28	Grooms	8,510	-	-	-	1	4	45	141	2,816
29	Brides	8,510	-	4	7	48	130	375	490	3,538
30	Nantucket:									
31	Grooms	31	-	-	-	-	-	-	-	14
32	Brides	31	-	-	-	-	-	5	1	14
33	Norfolk:									
34	Grooms	3,128	-	-	-	-	-	9	36	987
35	Brides	3,128	-	-	1	11	34	123	173	1,351
36	Plymouth:									
37	Grooms	1,695	-	-	-	1	4	21	28	618
38	Brides	1,695	-	-	2	21	48	105	134	687
39	Suffolk:									
40	Grooms	9,444	-	-	-	3	10	45	125	2,892
41	Brides	9,444	-	1	8	52	135	384	525	3,908
42	Worcester:									
43	Grooms	5,139	-	-	-	-	8	37	96	1,970
44	Brides	5,139	-	-	7	50	117	324	407	2,283

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1940.

Line No.	COUNTIES — Con.					CITIES HAVING OVER 100,000 INHABITANTS.							
	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lowell.
1	31	3,128	1,695	9,444	5,139	8,429	2,020	1,682	1,491	1,219	1,291	786	1,075
2	2	135	69	442	216	404	83	80	74	44	56	44	45
3	1	139	74	465	196	431	80	73	78	48	48	24	47
4	2	141	71	472	213	413	89	68	62	44	50	48	62
5	1	176	111	673	353	613	129	102	117	83	92	54	70
6	1	176	109	518	348	469	124	128	97	66	75	36	77
7	5	529	216	1,291	742	1,161	315	202	171	220	187	111	132
8	7	237	124	665	403	581	162	149	140	85	149	55	74
9	3	362	217	1,130	619	999	226	209	168	168	143	105	117
10	4	414	226	1,209	646	1,074	266	194	217	135	174	112	148
11	4	339	217	1,172	625	1,017	244	217	157	138	112	96	137
12	2	316	169	845	570	754	230	192	146	103	156	65	122
13	1	164	92	562	208	513	72	68	64	83	49	36	44

Line No.	BY SEX AND AGE: 1940.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	14,489	6,229	2,814	1,579	1,060	717	485	298	204	93	23	10
2	10,300	4,128	1,843	1,111	688	447	259	144	92	21	3	2
3	102	66	23	14	12	10	3	5	2	1	-	-
4	79	34	19	12	11	7	1	1	2	-	-	-
5	526	222	132	89	57	38	19	14	12	2	1	1
6	352	156	99	63	36	22	14	8	3	-	-	-
7	1,431	552	266	165	132	67	50	33	30	10	3	-
8	951	376	185	115	62	48	24	16	13	4	-	-
9	18	8	2	2	1	-	1	1	-	1	-	-
10	17	3	1	-	3	-	-	1	-	-	-	-
11	1,525	607	263	156	99	78	53	31	25	15	3	1
12	1,053	423	168	104	83	64	31	12	14	1	-	-
13	172	58	28	16	10	6	5	6	4	1	-	-
14	103	40	18	13	7	5	2	2	-	-	-	-
15	1,194	479	232	121	68	49	37	25	7	10	2	-
16	793	303	126	107	55	27	23	8	3	1	2	-
17	267	82	40	25	12	11	9	7	1	1	-	-
18	151	52	21	16	9	8	6	1	1	-	-	-
19	2,786	1,301	559	310	202	143	91	56	33	14	7	1
20	2,153	868	360	233	120	82	49	31	14	5	1	2
21	12	3	1	-	-	1	-	-	-	-	-	-
22	7	3	-	1	-	-	-	-	-	-	-	-
23	1,084	499	195	121	85	40	34	13	17	4	1	3
24	799	311	144	71	56	30	11	6	6	1	-	-
25	514	226	85	60	42	33	31	14	9	4	3	2
26	347	141	84	49	29	21	11	11	3	2	-	-
27	3,196	1,473	696	359	254	158	105	63	43	19	1	2
28	2,428	1,000	423	223	145	90	60	39	20	3	-	-
29	1,662	653	292	141	86	83	47	30	21	11	2	-
30	1,067	418	195	104	72	43	27	8	13	4	-	-

Table 52

AGE OF GROOMS.	MARRIAGES, BY SEX AND AGE: 1940.																
	AGE OF BRIDES.																
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over		
All Ages.	44,836	6,548	19,250	10,300	4,128	1,843	1,111	688	447	259	144	92	21	3	2		
Under 20 . . .	1,010	734	257	17	2	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 . . .	15,825	4,431	9,842	1,404	124	15	6	1	2	-	-	-	-	-	-	-	-
25 to 29 . . .	14,489	1,131	7,137	5,197	885	113	18	7	-	1	-	-	-	-	-	-	-
30 to 34 . . .	6,229	186	1,528	2,496	1,589	339	74	17	-	-	-	-	-	-	-	-	-
35 to 39 . . .	2,814	41	312	801	872	553	183	41	8	3	-	-	-	-	-	-	-
40 to 44 . . .	1,579	15	99	248	401	397	289	89	29	11	1	-	-	-	-	-	-
45 to 49 . . .	1,060	6	48	92	157	249	246	195	52	11	4	-	-	-	-	-	-
50 to 54 . . .	717	4	17	30	61	103	157	167	132	33	10	3	-	-	-	-	-
55 to 59 . . .	485	-	6	13	23	48	83	98	107	83	16	8	-	-	-	-	-
60 to 64 . . .	298	-	2	1	10	17	33	42	62	61	52	15	2	-	1	-	-
65 to 69 . . .	204	-	1	1	3	5	20	22	36	35	40	36	5	-	-	-	-
70 to 74 . . .	93	-	1	-	1	3	1	8	16	13	18	21	10	1	-	-	-
75 to 79 . . .	23	-	-	-	-	1	-	1	1	7	3	4	3	2	1	-	-
80 and over . .	10	-	-	-	-	-	1	-	2	1	-	5	1	-	-	-	-

Table 53

AGE OF GROOMS (BACHELORS).	FIRST MARRIAGES, BY SEX AND AGE: 1940.																
	AGE OF BRIDES (MAIDS).																
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over		
All Ages.	37,649	6,416	18,340	8,831	2,744	867	272	106	42	24	5	2	-	-	-	-	-
Under 20 . . .	997	734	251	11	1	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 . . .	15,466	4,400	9,681	1,295	81	7	1	1	-	-	-	-	-	-	-	-	-
25 to 29 . . .	13,399	1,084	6,827	4,778	650	54	5	-	1	-	-	-	-	-	-	-	-
30 to 34 . . .	4,962	158	1,286	2,079	1,205	203	27	4	-	-	-	-	-	-	-	-	-
35 to 39 . . .	1,725	29	217	526	559	316	70	8	-	-	-	-	-	-	-	-	-
40 to 44 . . .	656	7	52	106	199	183	85	17	6	1	-	-	-	-	-	-	-
45 to 49 . . .	262	2	15	31	42	74	47	40	10	1	-	-	-	-	-	-	-
50 to 54 . . .	103	2	10	3	4	21	24	21	14	4	-	-	-	-	-	-	-
55 to 59 . . .	41	-	1	2	3	6	5	9	7	8	-	-	-	-	-	-	-
60 to 64 . . .	26	-	-	-	-	2	7	5	4	4	-	-	-	-	-	-	-
65 to 69 . . .	8	-	-	-	-	-	1	1	1	2	1	2	-	-	-	-	-
70 to 74 . . .	3	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
75 to 79 . . .	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
80 and over . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 54

AGE OF GROOMS (BACHELORS).	FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1940.																
	AGE OF BRIDES (WIDOWS). ¹																
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over		
All Ages.	2,387	13	312	638	596	345	230	138	51	33	20	10	1	-	-	-	-
Under 20 . . .	13	-	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 . . .	291	8	126	104	39	7	5	-	2	-	-	-	-	-	-	-	-
25 to 29 . . .	649	5	124	269	181	52	11	7	-	-	-	-	-	-	-	-	-
30 to 34 . . .	555	-	39	169	211	93	33	10	-	-	-	-	-	-	-	-	-
35 to 39 . . .	332	-	10	60	92	93	51	20	5	1	-	-	-	-	-	-	-
40 to 44 . . .	229	-	5	21	49	60	59	21	9	5	-	-	-	-	-	-	-
45 to 49 . . .	147	-	2	6	17	21	42	44	9	3	3	-	-	-	-	-	-
50 to 54 . . .	102	-	-	2	4	13	21	27	20	10	5	-	-	-	-	-	-
55 to 59 . . .	33	-	-	1	2	4	5	7	3	6	4	1	-	-	-	-	-
60 to 64 . . .	20	-	-	-	-	1	2	1	2	5	5	4	-	-	-	-	-
65 to 69 . . .	10	-	-	-	-	1	1	1	1	-	1	4	1	-	-	-	-
70 to 74 . . .	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
75 to 79 . . .	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
80 and over . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ Includes divorced.

Table 55

REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1940.

AGE OF GROOMS. (WIDOWERS). ¹	AGE OF BRIDES (MAIDS).														
	All	Un-	20	25	30	35	40	45	50	55	60	65	70	75	80
	ages.	der	to	to	to	to	to	to	to	to	to	to	to	to	and
		20.	24.	29.	34.	39.	44.	49.	54.	59.	64.	69.	74.	79.	over
All Ages.	2,569	118	545	657	483	283	212	119	80	40	20	9	3	-	-
Under 20 . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 . . .	57	23	28	4	2	-	-	-	-	-	-	-	-	-	-
25 to 29 . . .	367	42	169	118	35	2	1	-	-	-	-	-	-	-	-
30 to 34 . . .	537	27	191	201	101	15	1	1	-	-	-	-	-	-	-
35 to 39 . . .	471	12	78	167	129	62	19	3	1	-	-	-	-	-	-
40 to 44 . . .	376	8	37	96	100	69	49	14	3	-	-	-	-	-	-
45 to 49 . . .	293	4	28	41	62	72	53	24	7	2	-	-	-	-	-
50 to 54 . . .	190	2	7	22	34	27	40	35	19	3	1	-	-	-	-
55 to 59 . . .	131	-	3	6	13	24	30	16	20	15	4	-	-	-	-
60 to 64 . . .	68	-	2	1	5	7	9	16	11	10	6	1	-	-	-
65 to 69 . . .	46	-	1	1	2	3	9	6	7	7	7	3	-	-	-
70 to 74 . . .	27	-	1	-	-	2	1	4	11	1	2	2	3	-	-
75 to 79 . . .	2	-	-	-	-	-	-	-	1	1	-	1	-	-	-
80 and over . .	4	-	-	-	-	-	-	-	1	1	-	2	-	-	-

¹ Includes divorced.

Table 56

REMARRIAGES OF BOTH PARTIES, BY AGE: 1940.

AGE OF GROOMS. (WIDOWERS). ¹	AGE OF BRIDES (WIDOWS). ¹														
	All	Un-	20	25	30	35	40	45	50	55	60	65	70	75	80
	ages.	der	to	to	to	to	to	to	to	to	to	to	to	to	and
		20.	24.	29.	34.	39.	44.	49.	54.	59.	64.	69.	74.	79.	over
All Ages.	2,231	1	53	174	305	348	397	325	274	162	99	71	17	3	2
Under 20 . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 . . .	11	-	7	1	2	1	-	-	-	-	-	-	-	-	-
25 to 29 . . .	74	-	17	32	19	5	1	-	-	-	-	-	-	-	-
30 to 34 . . .	175	1	12	47	72	28	13	2	-	-	-	-	-	-	-
35 to 39 . . .	286	-	7	48	92	82	43	10	2	2	-	-	-	-	-
40 to 44 . . .	318	-	5	25	53	85	96	37	11	5	1	-	-	-	-
45 to 49 . . .	358	-	3	14	36	82	104	87	26	5	1	-	-	-	-
50 to 54 . . .	322	-	-	3	19	42	72	84	79	16	4	3	-	-	-
55 to 59 . . .	280	-	2	4	5	14	43	66	77	54	8	7	-	-	-
60 to 64 . . .	184	-	-	-	5	7	15	20	45	42	37	10	2	-	1
65 to 69 . . .	140	-	-	-	1	1	9	14	27	26	31	27	4	-	-
70 to 74 . . .	59	-	-	-	1	-	-	4	5	8	15	18	7	1	-
75 to 79 . . .	18	-	-	-	-	1	-	1	4	2	3	3	2	1	-
80 and over . .	6	-	-	-	-	-	1	-	1	-	-	3	1	-	-

¹ Includes divorced.

Table 57

FIRST MARRIAGES AND REMARRIAGES, 1940.

GROOMS.	BRIDES.					
	Total	First	Second	Third	Fourth	Fifth
	number	marriage.	marriage.	marriage.	marriage.	marriage.
Total number . . .	44,836	40,218	4,288	306	23	1
First marriage . . .	40,036	37,649	2,292	93	2	-
Second marriage . . .	4,496	2,468	1,843	165	19	1
Third marriage . . .	283	96	143	43	1	-
Fourth marriage . . .	19	4	10	4	1	-
Fifth marriage . . .	2	1	-	1	-	-

Table 58

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS
MARRIED: 1916 TO 1940.

YEARS.	Total Number.	RATES — PERSONS MARRIED PER 1,000 POPULATION.		NATIVITY — PERCENTAGES.			
		Annual.	Five-year averages.	BRIDE AND GROOM — BOTH —		Native groom and foreign bride.	Foreign groom and native bride.
				Native.	Foreign.		
1916	34,386	18.2		47.0	33.3	9.3	10.3
1917	37,945	19.8		50.8	28.6	9.8	10.8
1918	29,163	14.9	18.1	52.3	26.6	9.8	11.3
1919	34,329	17.9		54.8	23.9	9.9	11.6
1920	38,048	19.7		56.8	21.7	9.8	11.7
1921	33,590	17.3		55.5	24.0	9.1	11.4
1922	32,683	16.6		57.3	21.5	9.3	11.9
1923	35,200	17.7	16.5	57.2	20.7	9.8	12.3
1924	32,080	16.0		57.4	20.0	9.6	13.0
1925	31,238	15.1		58.0	19.0	9.7	13.3
1926	30,584	14.5		59.2	17.6	9.8	13.4
1927	30,408	14.2		60.7	16.6	9.2	13.5
1928	29,082	13.4	13.8	62.3	14.7	9.2	13.8
1929	30,568	14.0		63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3		67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0	12.5	71.4	8.5	8.1	12.0
1934	30,241	13.9		74.0	7.3	7.7	11.0
1935	30,019	13.8		75.4	6.1	8.3	10.2
1936	31,985	13.7		76.7	6.3	7.3	9.7
1937	33,652	15.3		79.1	5.0	6.8	9.1
1938	31,904	14.4	16.3	80.4	4.7	5.8	9.1
1939	38,784	17.4		82.3	3.9	5.8	8.0
1940	44,836	20.8		83.5	3.4	5.6	7.5

Table 59

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES
HAVING OVER 100,000 INHABITANTS IN 1940: 1916 TO 1940.

YEARS.	The State.	CITIES HAVING OVER 100,000 INHABITANTS IN 1940.							
		Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Somerville.	Lowell
1916	34,386	8,552	1,687	1,062	1,113	1,163	1,207	—	1,166
1917	37,945	9,191	1,836	1,265	1,243	1,297	1,451	—	1,280
1918	29,163	7,396	1,325	1,081	1,111	973	1,102	—	1,091
1919	34,329	8,122	1,569	1,257	1,132	1,296	1,248	—	1,206
1920	38,048	8,545	1,811	1,403	1,271	1,372	1,565	—	1,238
1921	33,590	8,241	1,466	1,136	1,051	1,221	1,211	—	996
1922	32,683	7,816	1,414	1,104	1,070	1,350	1,176	—	895
1923	35,200	8,243	1,505	1,181	1,164	1,340	1,255	—	1,004
1924	32,080	7,688	1,375	1,148	1,093	1,114	978	—	880
1925	31,238	7,263	1,420	1,080	1,015	1,052	1,028	—	843
1926	30,584	7,151	1,287	1,024	1,062	1,027	912	—	795
1927	30,408	6,944	1,240	904	963	1,106	842	—	771
1928	29,082	6,691	1,195	1,012	986	848	659	—	737
1929	30,568	6,828	1,378	1,044	1,039	925	860	—	767
1930	27,431	6,238	1,122	983	1,008	831	698	666	648
1931	26,296	5,863	1,027	787	948	937	660	638	625
1932	22,817	5,193	840	659	769	769	528	492	582
1933	25,949	5,366	989	769	823	961	740	539	678
1934	30,241	6,288	1,318	991	958	1,085	912	621	739
1935	30,019	6,114	1,317	986	886	944	814	580	748
1936	31,985	6,415	1,447	997	977	1,060	984	628	850
1937	33,652	6,682	1,547	1,169	941	1,112	980	633	825
1938	31,904	6,299	1,390	1,161	887	1,017	842	630	795
1939	38,784	7,359	1,740	1,340	1,004	1,292	1,151	705	980
1940	44,836	8,429	2,020	1,682	1,491	1,219	1,291	786	1,075
MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS 1915 TO 1940.									
1915	17.0	21.8	17.3	16.1	18.0	20.4	19.2	—	18.1
1920	19.8	22.8	20.1	21.7	22.8	25.8	21.9	—	23.2
1925	15.1	18.6	14.9	15.2	17.0	16.3	17.2	—	15.3
1930	12.9	16.0	11.5	13.1	17.7	14.4	12.4	12.8	12.9
1935	13.8	15.0	13.8	13.2	15.0	16.1	14.8	11.5	14.9
1940	20.8	21.9	20.9	24.9	22.0	25.8	23.4	15.4	21.2

Table 60

MARRIAGES OF NON-RESIDENTS CLASSIFIED BY RESIDENCE
OF GROOM AND BRIDE IN EACH STATE: 1940.

STATES.				
	Groom and bride residents.	Groom a resident.	Bride a resident.	Total marriages of non-residents.
<i>Total</i>	2,853	5,906	4,045	7,098
Alabama	1	8	9	16
Arizona	-	1	-	1
Arkansas	1	6	3	8
California	4	42	28	66
Colorado	-	4	4	8
Connecticut	633	1,115	771	1,253
Delaware	-	6	1	7
District of Columbia	4	45	12	53
Florida	8	37	26	55
Georgia	1	18	7	24
Idaho	1	2	2	3
Illinois	5	66	24	85
Indiana	-	21	12	33
Iowa	4	17	8	21
Kansas	-	1	1	2
Kentucky	1	7	2	8
Louisiana	-	7	4	11
Maine	84	251	194	361
Maryland	2	50	8	56
Michigan	1	43	15	57
Minnesota	3	10	11	18
Mississippi	-	6	2	8
Missouri	3	19	14	30
Montana	-	5	1	6
Nebraska	-	5	4	9
Nevada	-	1	2	3
New Hampshire	461	775	617	931
New Jersey	40	203	85	248
New Mexico	-	1	-	1
New York	537	1,150	791	1,404
North Carolina	-	13	9	22
North Dakota	1	3	2	4
Ohio	11	80	29	98
Oklahoma	1	6	3	8
Oregon	-	-	3	3
Pennsylvania	32	130	85	183
Rhode Island	944	1,458	1,084	1,598
South Carolina	-	3	1	4
South Dakota	-	1	-	1
Tennessee	-	13	1	14
Texas	6	22	12	28
Utah	1	1	2	2
Vermont	48	125	93	170
Virginia	4	40	11	47
Washington	3	12	4	13
West Virginia	-	11	2	13
Wisconsin	2	15	5	18
Wyoming	-	1	-	1
OTHER COUNTRIES	6	50	41	85

PART II. C.

DIVORCE STATISTICS

	PAGE
Introduction	244, 245
Causes for divorce	244
Source of data	244
Applications for divorce	244
Contested cases	244
Number of divorces	244
Divorce rates	244, 245
Party to which granted	245
Divorces classified by causes	245
Annulment classified as divorce	245
Duration of marriages	245
Statistical tables	246-264

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws, are as follows:—

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1916 to 1940 the highest proportion of applications being granted in 1937 and 1939 (89.9 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 85.3 per cent of all applications were granted, .5 per cent were refused, and 14.2 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1916 to 1940, only 22.1 per cent were contested. In 1940, of the 4,966 applications for divorce, only 1,345, or 27.1 per cent, were contested, and of the 4,502 divorces granted, 1,071 or 23.8 per cent, were contested. The proportion of contested cases is the same (23.8) for divorces granted to both husband and wife.

Number of Divorces. — Divorces granted in 1940 numbered 4,502 an increase of 77, or 1.7 per cent more than the number granted in 1939, and 81 more than the average number granted for the five year period 1935 to 1939.

Divorce Rates. — The number of divorces granted per 100,000 population was 104.3 as compared with 99.5 in 1939, 103.9 in 1938, 106.4 in 1937, and 98.4 in 1936.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 65, page 261, for the census years 1910 to 1935. In this table the number of divorces shown for the census years 1910 to 1935 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over two-thirds (74.2 per cent) of the total number of divorces in the period 1916 to 1940 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 70.1 per cent in 1918, and 78 in 1940, as compared with 74.2 per cent for the entire period of 1916 to 1940.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have more than doubled in the twenty-five-year period 1916 to 1940, while the number of divorces granted for adultery has decreased slightly.

The most common ground on which divorce was granted by the courts was cruel and abusive treatment, which accounted for 43.5 per cent of all the divorces granted in the period 1916 to 1940, for 16.5 per cent of all those granted to the husband in this period, and for 89.9 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five-year period 1916 to 1940, are shown in Table 67, page 262.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments." In 1,254 cases, or 1.4 per cent of the total number of divorces granted during the period 1916 to 1940, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 10.2 years in 1928 and 11.1 years in 1918. The average number of years the libellants were married in 1940 was 10.8.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1940, 54.1 per cent made application for divorce before they had been married ten years, as compared with 55.4 in 1939, 55.5 in 1938, 53.1 in 1937, 54.2 in 1936, and 55.2 for the twenty-five year period 1916 to 1940.

Table 61

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
The State.	4,966¹	1,577	2,869	159	191	136	5	29	114
Husband	1,217	612	464	103	36	—	2	—	38
Wife	3,749	965	2,405	56	155	136	3	29	76
Granted	4,502	1,488	2,531	137	179	133	5	29	93
Husband	989	547	326	84	30	—	2	—	27
Wife	3,513	941	2,205	53	149	133	3	29	66
Refused	2	2	—	—	—	—	—	—	3
Husband	2	2	—	—	—	—	—	—	2
Wife	—	—	—	—	—	—	—	—	1
Dismissed	462	87	338	22	12	3	—	—	18
Husband	226	63	138	19	6	—	—	—	9
Wife	236	24	200	3	6	3	—	—	9
Contested	1,345	255	967	56	36	24	3	4	20
Husband	400	129	216	38	15	—	2	—	8
Wife	945	126	751	18	21	24	1	4	12
Not contested	3,621	1,322	1,902	103	155	112	2	25	94
Husband	817	483	248	65	21	—	—	—	30
Wife	2,804	839	1,654	38	134	112	2	25	64
DURATION OF MARRIAGE.									
Less than 6 months	47	—	42	1	1	2	1	—	21
Husband	7	—	6	1	—	—	—	—	9
Wife	40	—	36	—	1	2	1	—	12
6 to 11 months	75	—	68	1	2	4	—	—	11
Husband	8	—	5	1	2	—	—	—	4
Wife	67	—	63	—	—	4	—	—	7
1 to 4 years	1,223	143	931	48	38	51	1	11	47
Husband	263	67	151	33	12	—	—	—	13
Wife	960	76	780	15	26	51	1	11	34
5 to 9 years	1,344	401	808	44	56	27	2	6	16
Husband	316	157	128	25	5	—	1	—	6
Wife	1,028	244	680	19	51	27	1	6	10
10 to 19 years	1,549	642	738	54	71	33	1	10	15
Husband	393	227	115	37	13	—	1	—	4
Wife	1,156	415	623	17	58	33	—	10	11
20 to 29 years	589	301	240	11	21	14	—	2	4
Husband	184	123	51	6	4	—	—	—	2
Wife	405	178	189	5	17	14	—	2	2
30 years and over	139	90	42	—	2	5	—	—	—
Husband	46	38	8	—	—	—	—	—	—
Wife	93	52	34	—	2	5	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	10.8	14.3	9.0	9.5	11.1	9.5	7.0	9.2	4.5

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees nisi had been entered or not)	6,929
Number of libels for divorce pending January 1, 1940, in which decrees nisi had been entered at that date	1,959
Number of libels for divorce filed during the year 1940	6,145
Number of libels for divorce in which decrees nisi were entered during the year 1940	4,455
Number of cases in which nisi decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940	4,516
Number of cases finally determined in 1940	5,837
Number of petitions for annulment in 1940	121

¹ Seventeen libels were received from the Superior Court; five thousand, eight hundred and twenty from the Probate Court. Six libels transferred. Five libels discontinued. Eight decrees revoked. One petition for affirmation of marriage. Eight hundred and fifty-one libels and seven petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 61a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	72 ¹	23	45	3	1	—	—	—	1
Husband	22	11	10	1	—	—	—	—	1
Wife	50	12	35	2	1	—	—	—	—
Granted	67	23	40	3	1	—	—	—	1
Husband	21	11	9	1	—	—	—	—	1
Wife	46	12	31	2	1	—	—	—	—
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	5	—	5	—	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—	—
Wife	4	—	4	—	—	—	—	—	—
Contested	33	5	26	2	—	—	—	—	—
Husband	10	3	6	1	—	—	—	—	—
Wife	23	2	20	1	—	—	—	—	—
Not contested	39	18	19	1	1	—	—	—	1
Husband	12	8	4	—	—	—	—	—	1
Wife	27	10	15	1	1	—	—	—	—
DURATION OF MARRIAGE.									
Less than 6 months	2	—	2	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—	—
6 to 11 months	2	—	2	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—	—
1 to 4 years	14	1	13	—	—	—	—	—	1
Husband	4	1	3	—	—	—	—	—	1
Wife	10	—	10	—	—	—	—	—	—
5 to 9 years	20	9	9	2	—	—	—	—	—
Husband	9	6	2	1	—	—	—	—	—
Wife	11	3	7	1	—	—	—	—	—
10 to 19 years	21	6	13	1	1	—	—	—	—
Husband	2	1	1	—	—	—	—	—	—
Wife	19	5	12	1	1	—	—	—	—
20 to 29 years	9	6	3	—	—	—	—	—	—
Husband	5	3	2	—	—	—	—	—	—
Wife	4	3	1	—	—	—	—	—	—
30 years and over	4	1	3	—	—	—	—	—	—
Husband	2	—	2	—	—	—	—	—	—
Wife	2	1	1	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years.	11.9	15.2	10.3	9.9	14.6	—	—	—	1.0
Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)									98
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date									38
Number of libels for divorce filed during the year 1940									82
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940									59
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940									67
Number of cases finally determined in 1940									87
Number of petitions for annulment in 1940									1

¹No libels were received from the Superior Court; eighty-seven from the Probate Court. Fifteen libels dismissed under Rule 43 of the Probate Court.

Table 61b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Berkshire County.	166¹	37	102	5	2	19	-	1	7
Husband	35	14	15	5	1	-	-	-	-
Wife	131	23	87	-	1	19	-	1	7
Granted	155	37	93	3	2	19	-	1	6
Husband	31	14	13	3	1	-	-	-	-
Wife	124	23	80	-	1	19	-	1	6
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	11	-	9	2	-	-	-	-	1
Husband	4	-	2	2	-	-	-	-	-
Wife	7	-	7	-	-	-	-	-	1
Contested	4	-	4	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	4	-	4	-	-	-	-	-	-
Not contested	162	37	98	5	2	19	-	1	7
Husband	35	14	15	5	1	-	-	-	-
Wife	127	23	83	-	1	19	-	1	7
DURATION OF MARRIAGE.									
Less than 6 months	4	-	4	-	-	-	-	-	2
Husband	-	-	-	-	-	-	-	-	-
Wife	4	-	4	-	-	-	-	-	2
6 to 11 months	4	-	2	1	-	1	-	-	1
Husband	1	-	-	1	-	-	-	-	-
Wife	3	-	2	-	-	1	-	-	1
1 to 4 years	41	1	30	2	-	7	-	1	-
Husband	6	-	4	2	-	-	-	-	-
Wife	35	1	26	-	-	7	-	1	-
5 to 9 years	34	7	20	-	2	5	-	-	2
Husband	7	4	2	-	1	-	-	-	-
Wife	27	3	18	-	1	5	-	-	2
10 to 19 years	54	13	35	2	-	4	-	-	2
Husband	14	6	6	2	-	-	-	-	-
Wife	40	7	29	-	-	4	-	-	2
20 to 29 years	24	13	10	-	-	1	-	-	-
Husband	6	4	2	-	-	-	-	-	-
Wife	18	9	8	-	-	1	-	-	-
30 years and over	5	3	1	-	-	1	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	4	3	-	-	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	11.4	17.9	9.8	9.2	6.0	8.8	-	1.9	4.7

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)	211
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date	94
Number of libels for divorce filed during the year 1940	218
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940	163
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940	159
Number of cases finally determined in 1940	182
Number of petitions for annulment in 1940	7

¹ No libels were received from the Superior Court; one hundred and eighty-two from the Probate Court. Four decrees revoked. Twelve libels dismissed under Rule 43 of the Probate Court.

Table 61c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Bristol County.	372¹	143	159	26	15	25	-	4	7
Husband	92	55	15	19	3	-	-	-	4
Wife	280	88	144	7	12	25	-	4	3
Granted	359	142	150	23	15	25	-	4	6
Husband	84	54	11	16	3	-	-	-	3
Wife	275	88	139	7	12	25	-	4	3
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	13	1	9	3	-	-	-	-	1
Husband	8	1	4	3	-	-	-	-	1
Wife	5	-	5	-	-	-	-	-	-
Contested	20	4	11	4	-	1	-	-	1
Husband	8	3	2	3	-	-	-	-	-
Wife	12	1	9	1	-	1	-	-	1
Not contested	352	139	148	22	15	24	-	4	6
Husband	84	52	13	16	3	-	-	-	4
Wife	268	87	135	6	12	24	-	4	2
DURATION OF MARRIAGE.									
Less than 6 months	1	-	1	-	-	-	-	-	1
Husband	-	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	1
6 to 11 months	8	-	7	-	-	1	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	7	-	6	-	-	1	-	-	-
1 to 4 years	78	6	54	6	5	6	-	1	4
Husband	15	1	6	6	2	-	-	-	3
Wife	63	5	48	-	3	6	-	1	1
5 to 9 years	108	39	46	10	5	6	-	2	1
Husband	22	14	3	4	1	-	-	-	1
Wife	86	25	43	6	4	6	-	2	-
10 to 19 years	129	68	39	9	4	8	-	1	1
Husband	37	26	3	8	-	-	-	-	-
Wife	92	42	36	1	4	8	-	1	1
20 to 29 years	35	20	9	1	1	4	-	-	-
Husband	13	10	2	1	-	-	-	-	-
Wife	22	10	7	-	1	4	-	-	-
30 years and over	13	10	3	-	-	-	-	-	-
Husband	4	4	-	-	-	-	-	-	-
Wife	9	6	3	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years.	11.3	15.1	8.6	9.7	9.7	10.1	-	8.1	3.6
Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)									463
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date									157
Number of libels for divorce filed during the year 1940									477
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940									370
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940									358
Number of cases finally determined in 1940									426
Number of petitions for annulment in 1940									7

¹ No libels were received from the Superior Court; four hundred and twenty-six from the Probate Court. Fifty-four libels dismissed under Rule 43 of the Probate Court.

Table 61d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Dukes County.	10	1	8	—	—	1	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	9	—	8	—	—	1	—	—	—
Granted	10	1	8	—	—	1	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	9	—	8	—	—	1	—	—	—
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Contested	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Not contested	10	1	8	—	—	1	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	9	—	8	—	—	1	—	—	—
DURATION OF MARRIAGE.									
Less than 6 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
6 to 11 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
1 to 4 years	5	1	4	—	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—	—
Wife	4	—	4	—	—	—	—	—	—
5 to 9 years	2	—	1	—	—	1	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	2	—	1	—	—	1	—	—	—
10 to 19 years	2	—	2	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—	—
20 to 29 years	1	—	1	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
30 years and over	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years.	8.1	4.4	8.8	—	—	6.3	—	—	—

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)	13
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date	4
Number of libels for divorce filed during the year 1940	7
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940	10
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940	10
Number of cases finally determined in 1940	12
Number of petitions for annulment in 1940	—

¹ No libels were received from the Superior Court; twelve from the Probate Court. Two libels dismissed under Rule 43 of the Probate Court.

Table 61e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Im-po-ten-ency.	Im-prison-ment.	
Essex County.	522¹	247	215	28	26	5	-	1	13
Husband	127	90	13	18	6	-	-	-	2
Wife	395	157	202	10	20	5	-	1	11
Granted	485	235	193	27	25	4	-	1	13
Husband	109	81	6	17	5	-	-	-	2
Wife	376	154	187	10	20	4	-	1	11
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	37	12	22	1	1	1	-	-	-
Husband	18	9	7	1	1	-	-	-	-
Wife	19	3	15	-	-	1	-	-	-
Contested	43	15	20	4	2	1	-	1	-
Husband	17	8	3	4	2	-	-	-	-
Wife	26	7	17	-	-	1	-	1	-
Not contested	479	232	195	24	24	4	-	-	13
Husband	110	82	10	14	4	-	-	-	2
Wife	369	150	185	10	20	4	-	-	11
DURATION OF MARRIAGE.									
Less than 6 months	4	-	4	-	-	-	-	-	3
Husband	-	-	-	-	-	-	-	-	1
Wife	4	-	4	-	-	-	-	-	2
6 to 11 months	1	-	1	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	-
1 to 4 years	103	20	66	8	6	2	-	1	6
Husband	19	10	3	5	1	-	-	-	1
Wife	84	10	63	3	5	2	-	1	5
5 to 9 years	159	70	72	11	5	1	-	-	1
Husband	45	30	5	9	1	-	-	-	-
Wife	114	40	67	2	4	1	-	-	1
10 to 19 years	182	109	53	8	11	1	-	-	2
Husband	43	36	1	4	2	-	-	-	-
Wife	139	73	52	4	9	1	-	-	2
20 to 29 years	62	40	16	1	4	1	-	-	1
Husband	18	13	3	-	2	-	-	-	-
Wife	44	27	13	1	2	1	-	-	1
30 years and over	11	8	3	-	-	-	-	-	-
Husband	2	1	1	-	-	-	-	-	-
Wife	9	7	2	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years.	11.0	13.4	8.5	8.8	11.1	11.4	-	4.0	5.8

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)	724
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date	229
Number of libels for divorce filed during the year 1940	627
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940	481
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940	485
Number of cases finally determined in 1940	612
Number of petitions for annulment in 1940	14

¹ No libels were received from the Superior Court; six hundred and twelve from the Probate Court. Three decrees revoked. Eighty-seven libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 61f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Franklin County.	51¹	16	28	4	1	2	—	—	1
Husband	13	6	4	3	—	—	—	—	1
Wife	38	10	24	1	1	2	—	—	—
Granted	50	16	27	4	1	2	—	—	1
Husband	12	6	3	3	—	—	—	—	1
Wife	38	10	24	1	1	2	—	—	—
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	1	—	1	—	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Contested	5	1	2	2	—	—	—	—	—
Husband	2	—	1	1	—	—	—	—	—
Wife	3	1	1	1	—	—	—	—	—
Not contested	46	15	26	2	1	2	—	—	1
Husband	11	6	3	2	—	—	—	—	1
Wife	35	9	23	—	1	2	—	—	—
DURATION OF MARRIAGE.									
Less than 6 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
6 to 11 months	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
1 to 4 years	7	—	5	—	—	2	—	—	1
Husband	—	—	—	—	—	—	—	—	1
Wife	7	—	5	—	—	2	—	—	—
5 to 9 years	15	1	12	1	1	—	—	—	—
Husband	3	—	3	—	—	—	—	—	—
Wife	12	1	9	1	1	—	—	—	—
10 to 19 years	19	10	7	2	—	—	—	—	—
Husband	8	5	1	2	—	—	—	—	—
Wife	11	5	6	—	—	—	—	—	—
20 to 29 years	9	4	4	1	—	—	—	—	—
Husband	2	1	—	1	—	—	—	—	—
Wife	7	3	4	—	—	—	—	—	—
30 years and over	1	1	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	1	—	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years.	12.9	18.2	10.5	14.7	7.9	2.6	—	—	3.1

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)	69
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date	20
Number of libels for divorce filed during the year 1940	65
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940	52
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940	50
Number of cases finally determined in 1940	68
Number of petitions for annulment in 1940	1

¹ No libels were received from the Superior Court; sixty-eight from the Probate Court. One libel transferred. Two libels discontinued. Fourteen libels dismissed under Rule 43 of the Probate Court.

Table 61g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampden County.	347	112	206	8	17	1	1	2	6
Husband	84	39	36	5	3	—	1	—	1
Wife	263	73	170	3	14	1	—	2	5
Granted	309	105	184	4	12	1	1	2	6
Husband	67	36	28	1	1	—	1	—	1
Wife	242	69	156	3	11	1	—	2	5
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	38	7	22	4	5	—	—	—	—
Husband	17	3	8	4	2	—	—	—	—
Wife	21	4	14	—	3	—	—	—	—
Contested	118	24	81	7	5	—	1	—	1
Husband	35	9	19	4	2	—	1	—	—
Wife	83	15	62	3	3	—	—	—	1
Not contested	229	88	125	1	12	1	—	2	5
Husband	49	30	17	1	1	—	—	—	1
Wife	180	58	108	—	11	1	—	2	4
DURATION OF MARRIAGE.									
Less than 6 months	1	—	1	—	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
6 to 11 months	2	—	2	—	—	—	—	—	1
Husband	—	—	—	—	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—	1
1 to 4 years	85	6	72	1	4	1	—	1	2
Husband	16	3	10	1	2	—	—	—	1
Wife	69	3	62	—	2	1	—	1	1
5 to 9 years	84	29	47	4	3	—	—	1	2
Husband	19	8	10	1	—	—	—	—	—
Wife	65	21	37	3	3	—	—	1	2
10 to 19 years	112	39	61	3	8	—	1	—	1
Husband	29	13	11	3	1	—	1	—	—
Wife	83	26	50	—	7	—	—	—	1
20 to 29 years	56	32	22	—	2	—	—	—	—
Husband	15	11	4	—	—	—	—	—	—
Wife	41	21	18	—	2	—	—	—	—
30 years and over	7	6	1	—	—	—	—	—	—
Husband	4	4	—	—	—	—	—	—	—
Wife	3	2	1	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	11.4	15.9	9.2	9.1	10.8	4.0	16.0	6.0	5.5

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees *nisi* had been entered or not)

647

Number of libels for divorce pending January 1, 1940, in which decrees *nisi* had been entered at that date

148

Number of libels for divorce filed during the year 1940

459

Number of libels for divorce in which decrees *nisi* were entered during the year 1940

319

Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940

314

Number of cases finally determined in 1940

396

Number of petitions for annulment in 1940

9

¹ No libels were received from the Superior Court; three hundred and ninety-six from the Probate Court. Forty-nine libels and three petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 61h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								An- nul- ments.
	Cruel and abusive treatment.								
	All causes.	Deser- tion.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- ten- cy.	Im- pris- onment.		
Hampshire County.	33	9	17	3	2	—	1	1	3
Husband	7	4	2	—	—	—	1	—	1
Wife	26	5	15	3	2	—	—	1	2
Granted	27	8	12	3	2	—	1	1	1
Husband	7	4	2	—	—	—	1	—	—
Wife	20	4	10	3	2	—	—	1	1
Refused	—	—	—	—	—	—	—	—	1
Husband	—	—	—	—	—	—	—	—	1
Wife	—	—	—	—	—	—	—	—	—
Dismissed	6	1	5	—	—	—	—	—	1
Husband	—	—	—	—	—	—	—	—	—
Wife	6	1	5	—	—	—	—	—	1
Contested	10	1	6	1	—	—	1	1	1
Husband	2	1	—	—	—	—	1	—	1
Wife	8	—	6	1	—	—	—	1	—
Not contested	23	8	11	2	2	—	—	—	2
Husband	5	3	2	—	—	—	—	—	—
Wife	18	5	9	2	2	—	—	—	2
DURATION OF MARRIAGE.									
Less than 6 months	—	—	—	—	—	—	—	—	1
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	1
6 to 11 months	1	—	1	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
1 to 4 years	8	2	3	2	1	—	—	—	1
Husband	—	—	—	—	—	—	—	—	—
Wife	8	2	3	2	1	—	—	—	1
5 to 9 years	10	—	9	—	—	—	1	—	—
Husband	3	—	2	—	—	—	1	—	—
Wife	7	—	7	—	—	—	—	—	—
10 to 19 years	11	7	1	1	1	—	—	1	1
Husband	4	4	—	—	—	—	—	—	1
Wife	7	3	1	1	1	—	—	1	—
20 to 29 years	2	—	2	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—	—
30 years and over	1	—	1	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years.	10.1	11.9	10.1	5.8	9.0	—	9.6	10.0	5.6

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)	56
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date	15
Number of libels for divorce filed during the year 1940	55
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940	33
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940	27
Number of cases finally determined in 1940	42
Number of petitions for annulment in 1940	3

¹Three libels were received from the Superior Court; thirty-nine from the Probate Court. One libel transferred. Eight libels dismissed under Rule 43 of the Probate Court.

Table 611

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impos- sibility.	Im- prison- ment.	
Middlesex County.	1,116¹	314	725	26	36	13	—	2	23
Husband	259	122	114	13	10	—	—	—	6
Wife	857	192	611	13	26	13	—	2	17
Granted	960	287	609	19	31	12	—	2	21
Husband	175	99	60	9	7	—	—	—	5
Wife	785	188	549	10	24	12	—	2	16
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	156	27	116	7	5	1	—	—	2
Husband	84	23	54	4	3	—	—	—	1
Wife	72	4	62	3	2	1	—	—	1
Contested	348	59	266	9	12	2	—	—	3
Husband	102	28	62	7	5	—	—	—	1
Wife	246	31	204	2	7	2	—	—	2
Not contested	768	255	459	17	24	11	—	2	20
Husband	157	94	52	6	5	—	—	—	5
Wife	611	161	407	11	19	11	—	2	15
DURATION OF MARRIAGE.									
Less than 6 months	6	—	6	—	—	—	—	—	3
Husband	1	—	1	—	—	—	—	—	2
Wife	5	—	5	—	—	—	—	—	1
6 to 11 months	24	—	24	—	—	—	—	—	4
Husband	2	—	2	—	—	—	—	—	—
Wife	22	—	22	—	—	—	—	—	4
1 to 4 years	285	34	226	11	6	8	—	—	13
Husband	67	19	39	5	4	—	—	—	2
Wife	218	15	187	6	2	8	—	—	11
5 to 9 years	299	76	208	3	11	1	—	—	1
Husband	64	29	32	1	2	—	—	—	—
Wife	235	47	176	2	9	1	—	—	1
10 to 19 years	344	122	196	8	16	1	—	1	1
Husband	73	38	26	6	3	—	—	—	1
Wife	271	84	170	2	13	1	—	1	—
20 to 29 years	133	63	60	4	2	3	—	1	1
Husband	45	29	14	1	1	—	—	—	1
Wife	88	34	46	3	1	3	—	1	—
30 years and over	25	19	5	—	1	—	—	—	—
Husband	7	7	—	—	—	—	—	—	—
Wife	18	12	5	—	1	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years.	10.8	14.8	9.0	10.1	11.3	9.0	—	21.6	3.2
Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)									1,335
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date									334
Number of libels for divorce filed during the year 1940									1,247
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940									975
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940									960
Number of cases finally determined in 1940									1,290
Number of petitions for annulment in 1940									26

¹ No libels were received from the Superior Court; one thousand, two hundred and ninety from the Probate Court. Four libels transferred. One petition for affirmation of marriage. One hundred and sixty-nine libels and three petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 61j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Im- po- tency.	
Nantucket County.	5¹	1	4	—	—	—	—	—
Husband	3	1	2	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—
Granted	5	1	4	—	—	—	—	—
Husband	3	1	2	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—
Refused	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Dismissed	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Contested	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Not contested	5	1	4	—	—	—	—	—
Husband	3	1	2	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—
DURATION OF MARRIAGE.								
Less than 6 months	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
6 to 11 months	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
1 to 4 years	2	—	2	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—
5 to 9 years	1	1	—	—	—	—	—	—
Husband	1	1	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
10 to 19 years	2	—	2	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—
Wife	1	—	1	—	—	—	—	—
20 to 29 years	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
30 years and over	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Average number of years.	6.0	5.0	6.3	—	—	—	—	—

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)	4
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date	3
Number of libels for divorce filed during the year 1940	8
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940	6
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940	5
Number of cases finally determined in 1940	5
Number of petitions for annulment in 1940	—

¹ No libels were received from the Superior Court; five from the Probate Court.

Table 61k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Norfolk County.	376¹	100	256	9	2	6	—	3	8
Husband	84	37	41	5	1	—	—	—	2
Wife	292	63	215	4	1	6	—	3	6
Granted	348	96	232	9	2	6	—	3	6
Husband	72	34	32	5	1	—	—	—	1
Wife	276	62	200	4	1	6	—	3	5
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	28	4	24	—	—	—	—	—	2
Husband	12	3	9	—	—	—	—	—	1
Wife	16	1	15	—	—	—	—	—	1
Contested	169	30	126	5	2	5	—	1	1
Husband	38	11	23	3	1	—	—	—	1
Wife	131	19	103	2	1	5	—	1	—
Not contested	207	70	130	4	—	1	—	2	7
Husband	46	26	18	2	—	—	—	—	1
Wife	161	44	112	2	—	1	—	2	6
DURATION OF MARRIAGE.									
Less than 6 months	1	—	1	—	—	—	—	—	2
Husband	1	—	1	—	—	—	—	—	1
Wife	—	—	—	—	—	—	—	—	1
6 to 11 months	3	—	3	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	3	—	3	—	—	—	—	—	—
1 to 4 years	82	10	66	3	—	2	—	1	4
Husband	11	2	7	2	—	—	—	—	—
Wife	71	8	59	1	—	2	—	1	4
5 to 9 years	101	22	74	2	1	2	—	—	—
Husband	22	11	10	1	—	—	—	—	—
Wife	79	11	64	1	1	2	—	—	—
10 to 19 years	120	37	75	4	1	1	—	2	2
Husband	33	16	14	2	1	—	—	—	1
Wife	87	21	61	2	—	1	—	2	1
20 to 29 years	60	26	33	—	—	1	—	—	—
Husband	15	6	9	—	—	—	—	—	—
Wife	45	20	24	—	—	1	—	—	—
30 years and over	9	5	4	—	—	—	—	—	—
Husband	2	2	—	—	—	—	—	—	—
Wife	7	3	4	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	11.6	15.1	10.4	10.0	12.4	9.8	—	10.6	4.6
Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)									426
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date									161
Number of libels for divorce filed during the year 1940									418
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940									287
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940									348
Number of cases finally determined in 1940									420
Number of petitions for annulment in 1940									8

¹ No libels were received from the Superior Court; four hundred and twenty from the Probate Court. Forty-four libels dismissed under Rule 43 of the Probate Court.

Table 611

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Plymouth County.	1951	65	108	3	16	2	-	1	2
Husband	47	26	18	2	1	-	-	-	1
Wife	148	39	90	1	15	2	-	1	1
Granted	184	63	99	3	16	2	-	1	2
Husband	44	25	16	2	1	-	-	-	1
Wife	140	38	83	1	15	2	-	1	1
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	11	2	9	-	-	-	-	-	-
Husband	3	1	2	-	-	-	-	-	-
Wife	8	1	7	-	-	-	-	-	-
Contested	47	8	35	2	2	-	-	-	-
Husband	17	8	7	1	1	-	-	-	-
Wife	30	-	28	1	1	-	-	-	-
Not Contested	148	57	73	1	14	2	-	1	2
Husband	30	18	11	1	-	-	-	-	1
Wife	118	39	62	-	14	2	-	1	1
DURATION OF MARRIAGE.									
Less than 6 months	2	-	2	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	2	-	2	-	-	-	-	-	-
6 to 11 months	5	-	5	-	-	-	-	-	2
Husband	-	-	-	-	-	-	-	-	1
Wife	5	-	5	-	-	-	-	-	1
1 to 4 years	49	7	37	-	3	2	-	-	-
Husband	13	5	8	-	-	-	-	-	-
Wife	36	2	29	-	3	2	-	-	-
5 to 9 years	52	12	33	2	5	-	-	-	-
Husband	11	6	4	1	-	-	-	-	-
Wife	41	6	29	1	5	-	-	-	-
10 to 19 years	59	28	24	1	5	-	-	1	-
Husband	14	8	4	1	1	-	-	-	-
Wife	45	20	20	-	4	-	-	1	-
20 to 29 years	23	15	6	-	2	-	-	-	-
Husband	7	5	2	-	-	-	-	-	-
Wife	16	10	4	-	2	-	-	-	-
30 years and over	5	3	1	-	1	-	-	-	-
Husband	2	2	-	-	-	-	-	-	-
Wife	3	1	1	-	1	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	10.8	15.2	8.1	9.8	12.4	2.0	-	10.9	.6

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> has been entered or not)	289
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date	95
Number of libels for divorce filed during the year 1940	247
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940	197
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940	184
Number of cases finally determined in 1940	230
Number of petitions for annulment in 1940	2

¹ Fourteen libels were received from the Superior Court; two hundred and sixteen from the Probate Court. Thirty-five libels dismissed under Rule 43 of the Probate Court.

Table 61m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Suffolk County.	1,139¹	345	653	26	49	51	2	13	35
Husband	284	135	118	22	9	—	—	—	17
Wife	855	210	535	4	40	51	2	13	18
Granted	1,026	319	569	23	49	51	2	13	23
Husband	225	115	82	19	9	—	—	—	10
Wife	801	204	487	4	40	51	2	13	13
Refused	2	2	—	—	—	—	—	—	2
Husband	2	2	—	—	—	—	—	—	1
Wife	—	—	—	—	—	—	—	—	1
Dismissed	111	24	84	3	—	—	—	—	10
Husband	57	18	36	3	—	—	—	—	6
Wife	54	6	48	—	—	—	—	—	4
Contested	341	62	246	10	8	13	1	1	10
Husband	111	37	61	9	4	—	—	—	4
Wife	230	25	185	1	4	13	1	1	6
Not contested	798	283	407	16	41	38	1	12	25
Husband	173	98	57	13	5	—	—	—	13
Wife	625	185	350	3	36	38	1	12	12
DURATION OF MARRIAGE.									
Less than 6 months	21	—	18	—	1	1	1	—	8
Husband	2	—	2	—	—	—	—	—	4
Wife	19	—	16	—	1	1	1	—	4
6 to 11 months	19	—	16	—	2	1	—	—	3
Husband	4	—	2	—	2	—	—	—	3
Wife	15	—	14	—	—	1	—	—	—
1 to 4 years	310	36	231	12	9	15	1	6	11
Husband	64	17	36	9	2	—	—	—	4
Wife	246	19	195	3	7	15	1	6	7
5 to 9 years	324	104	190	5	12	11	—	2	7
Husband	78	33	40	5	—	—	—	—	4
Wife	246	71	150	—	12	11	—	2	3
10 to 19 years	320	132	143	6	20	15	—	4	5
Husband	87	46	31	5	5	—	—	—	1
Wife	233	86	112	1	15	15	—	4	4
20 to 29 years	109	51	45	3	5	4	—	1	1
Husband	33	25	5	3	—	—	—	—	1
Wife	76	26	40	—	5	4	—	1	—
30 years and over	36	22	10	—	—	4	—	—	—
Husband	16	14	2	—	—	—	—	—	—
Wife	20	8	8	—	—	4	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	10.3	14.0	8.3	8.5	10.8	10.8	1.5	8.5	4.7
Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> had been entered or not)									1,973
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date									404
Number of libels for divorce filed during the year 1940									1,524
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940									966
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940									1,025
Number of cases finally determined in 1940									1,427
Number of petitions for annulment in 1940									35

¹ No libels were received from the Superior Court; one thousand, four hundred and twenty-seven from the Probate Court. Two hundred and eighty-eight libels dismissed under Rule 43 of the Probate Court.

Table 61n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1940.

LIBELS AND LIBELLANTS

CAUSES.

	All causes.	Deser- tion.	Cruel and abusive treatment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- prison- ment.	An- nul- ments.
Worcester County.	562	164	343	18	24	11	1	1	8
Husband	159	71	76	10	2	—	—	—	2
Wife	403	93	267	8	22	11	1	1	6
Granted	517	155	311	16	23	10	1	1	7
Husband	138	66	62	8	2	—	—	—	2
Wife	379	89	249	8	21	10	1	1	5
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	45	9	32	2	1	1	—	—	1
Husband	21	5	14	2	—	—	—	—	—
Wife	24	4	18	—	1	1	—	—	1
Contested	207	46	144	10	5	2	—	—	3
Husband	58	21	32	5	—	—	—	—	1
Wife	149	25	112	5	5	2	—	—	2
Not Contested	355	118	199	8	19	9	1	1	5
Husband	101	50	44	5	2	—	—	—	1
Wife	254	68	155	3	17	9	1	1	4
DURATION OF MARRIAGE.									
Less than 6 months	5	—	3	1	—	1	—	—	1
Husband	2	—	1	1	—	—	—	—	1
Wife	3	—	2	—	—	1	—	—	—
6 to 11 months	6	—	5	—	—	1	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	6	—	5	—	—	1	—	—	—
1 to 4 years	154	19	122	3	4	6	—	—	4
Husband	45	8	34	3	1	—	—	—	—
Wife	108	11	88	—	3	6	—	—	4
5 to 9 years	135	31	87	4	11	—	1	1	2
Husband	32	15	15	2	—	—	—	—	1
Wife	103	16	72	2	11	—	1	1	1
10 to 19 years	174	71	87	9	4	3	—	—	—
Husband	48	28	16	4	—	—	—	—	—
Wife	126	43	71	5	4	3	—	—	—
20 to 29 years	66	31	29	1	5	—	—	—	1
Husband	25	16	8	—	1	—	—	—	—
Wife	41	15	21	1	4	—	—	—	1
30 years and over	22	12	10	—	—	—	—	—	—
Husband	6	4	2	—	—	—	—	—	—
Wife	16	8	8	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	10.0	10.9	9.6	10.1	12.4	5.7	6.5	9.1	6.5

Number of libels for divorce pending January 1, 1940 (including all cases, whether decrees <i>nisi</i> has been entered or not)	621
Number of libels for divorce pending January 1, 1940, in which decrees <i>nisi</i> had been entered at that date	257
Number of libels for divorce filed during the year 1940	711
Number of libels for divorce in which decrees <i>nisi</i> were entered during the year 1940	537
Number of cases in which <i>nisi</i> decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1940	524
Number of cases finally determined in 1940	640
Number of petitions for annulment in 1940	8

No libels were received from the Superior Court; six hundred and forty from the Probate Court. Three libels discontinued. One decree revoked. Seventy-four libels dismissed under Rule 43 of the Probate Court.

Table 62	YEARS.	DIVORCES GRANTED: 1916 TO 1940.				
		Total number.	GRANTED TO HUSBAND.		GRANTED TO WIFE.	
			Number.	Per cent.	Number.	Per cent.
	1916 to 1940	89,850	23,159	25.8	66,691	74.2
1916	.	2,301	650	28.2	1,651	71.8
1917	.	2,635	771	29.3	1,864	70.7
1918	.	2,351	704	29.9	1,647	70.1
1919	.	2,536	754	29.7	1,782	70.3
1920	.	3,647	1,061	29.1	2,586	70.9
1921	.	3,803	1,081	28.4	2,722	71.6
1922	.	3,277	869	26.5	2,408	73.5
1923	.	3,593	972	27.1	2,621	72.9
1924	.	3,845	1,074	27.9	2,771	72.1
1925	.	3,395	910	26.8	2,485	73.2
1926	.	3,363	908	27.0	2,455	73.0
1927	.	3,493	895	25.6	2,598	74.4
1928	.	3,063	939	25.6	2,124	74.4
1929	.	3,574	925	25.9	2,649	74.1
1930	.	3,746	988	26.4	2,758	73.6
1931	.	3,625	894	24.7	2,731	75.3
1932	.	3,543	938	26.5	2,605	73.5
1933	.	3,210	801	25.0	2,409	75.0
1934	.	3,645	858	23.5	2,787	76.5
1935	.	4,081	955	23.4	3,126	76.6
1936	.	4,311	1,037	24.1	3,274	75.9
1937	.	4,687	1,145	24.4	3,542	75.6
1938	.	4,599	1,058	23.0	3,541	77.0
1939	.	4,425	983	22.2	3,442	77.8
1940	.	4,502	989	22.0	3,513	78.0

Table 63	PERIOD OF YEARS.	DIVORCES GRANTED: 1915 TO 1939.		
		Total number.	INCREASE OVER PRECEDING PERIOD.	
			Number.	Per cent.
	1915 to 1919	12,075	1,756	17.0
	1920 to 1924	18,165	6,090	50.4
	1925 to 1929	17,488	677 ¹	3.7 ¹
	1930 to 1934	17,769	281	1.6
	1935 to 1939	22,103	4,334	24.4

¹ Decrease.

Table 64	COMPARISON OF INCREASE IN DIVORCE WITH INCREASE IN POPULATION: 1915 TO 1940.								
	CENSUS YEARS.	DIVORCES.			POPULATION.			Popu- lation to one divorce.	Divorces per 100,000 popula- tion.
		Total num- ber.	INCREASE OVER PRECEDING CENSUS YEAR.		Total.	INCREASE OVER PRECEDING CENSUS YEAR.			
			Number.	Per cent.		Number.	Per cent.		
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0	
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7	
1925	3,395	252 ¹	6.9 ¹	4,144,205	291,849	7.6	1,221	81.9	
1930	3,746	351	10.3	4,249,614	105,409	2.5	1,134	88.1	
1935	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8	
1940	4,502	421	10.3	4,316,721	65,811 ¹	1.5 ¹	959	104.3	

¹ Decrease.

Table 65		DIVORCE RATES BASED ON TOTAL POPULATION AND ON MARRIED POPULATION: CENSUS YEARS, 1910 TO 1935.							
		POPULATION.		DIVORCE: ANNUAL AVERAGE. ¹		Married population to one divorce.	Divorces per 100,000 married population.		
		Total.	Married. ²	Number.	Per 100,000 population.				
1910	.	.	.	3,366,416	1,300,271	1,900	56	684	146
1915	.	.	.	3,693,310	1,474,590	2,303	62	640	156
1920	.	.	.	3,852,356	1,534,584	3,123	81	491	204
1925	.	.	.	4,144,205	—	3,538	83	—	—
1930	.	.	.	4,249,614	1,740,235	3,630	85	479	209
1935	.	.	.	4,350,910	—	3,987	92	—	—

¹ For the five-year period of which the census year is the median year.² Married population for 1925 and 1935 not available.

Table 66

COUNTIES.

ANNUAL AVERAGE¹ NUMBER
OF DIVORCES IN THE STATE AND IN EACH
COUNTY: CENSUS YEARS 1915 TO 1935.

COUNTIES.		NUMBER.				
		1935.	1930.	1925.	1920.	1915.
The State		4,561	4,433	4,064	3,123	2,303
Barnstable		57	44	36	22	22
Berkshire		169	128	141	84	65
Bristol		339	348	321	262	184
Dukes		9	7	4	5	3
Essex		472	511	496	416	304
Franklin		43	40	42	39	28
Hampden		365	360	332	247	172
Hampshire		46	44	34	29	22
Middlesex		970	909	761	491	388
Nantucket		6	3	5	2	1
Norfolk		321	260	186	118	86
Plymouth		175	167	160	150	122
Suffolk		1,147	1,163	1,129	974	696
Worcester		443	449	417	284	209

¹ For the five-year period of which the census year is the median year.

Table 67

DIVORCES GRANTED FOR SPECIFIED CAUSES FOR 25 YEARS:
1916 TO 1940.

STATUTORY CAUSES.	TOTAL.			GRANTED TO HUSBAND.			GRANTED TO WIFE.		
	Num- ber.	Per cent.	Per cent distribu- tion.	Num- ber.	Per cent.	Per cent distribu- tion.	Num- ber.	Per cent.	Per cent distribu- tion.
All Causes.	89,320¹	100.0	100.0	22,951	25.7	100.0	66,369	74.3	100.0
Desertion	38,432	100.0	43.0	14,901	38.8	64.9	23,531	61.2	35.5
Adultery	5,413	100.0	6.1	3,427	63.3	14.9	1,986	36.7	3.0
Cruel and abusive treatment	38,873	100.0	43.5	4,032	10.4	17.6	34,841	89.6	52.5
Intoxication	3,617	100.0	4.1	532	14.7	2.3	3,085	85.3	4.6
Non-support	2,519	100.0	2.8	—	—	—	2,519	100.0	3.8
Imprisonment	300	100.0	.3	4	1.3	.2	296	98.7	.4
Impotency	166	100.0	.2	55	33.1	.3	111	66.9	.2

¹ 1,254 Annulments not included.² Less than one-tenth of one per cent.

Table 68

STATUTORY CAUSES OF DIVORCE: 1916 TO 1940.

YEARS DIVORCES WERE GRANTED.	All causes.	Deser- tion.	Adul- tery.	Cruel and abusive treat- ment.	Intoxi- cation.	Non- sup- port.	Im- prison- ment.	Impo- tency.	An- nul- ment.
1916	2,301	1,157	234	644	193	43	9	5	16
1917	2,635	1,345	268	687	236	68	5	5	21
1918	2,351	1,191	249	619	195	65	2	7	23
1919	2,536	1,328	228	748	158	45	3	5	21
1920	3,647	1,887	394	1,093	156	68	5	11	33
1921	3,803	1,970	356	1,242	117	71	4	11	32
1922	3,277	1,574	280	1,229	90	64	5	7	28
1923	3,593	1,622	271	1,442	123	87	9	9	30
1924	3,845	1,776	271	1,424	171	157	6	8	32
1925	3,395	1,558	240	1,272	146	111	11	9	48
1926	3,363	1,539	232	1,220	164	154	4	6	44
1927	3,493	1,580	254	1,363	123	119	9	5	40
1928	3,663	1,625	254	1,463	146	112	17	3	43
1929	3,574	1,482	222	1,555	138	114	11	12	40
1930	3,746	1,581	235	1,647	126	100	6	10	41
1931	3,625	1,488	183	1,675	112	114	8	7	38
1932	3,543	1,421	172	1,686	131	104	19	10	56
1933	3,210	1,212	146	1,632	91	110	14	5	61
1934	3,645	1,367	105	1,952	93	105	22	1	58
1935	4,081	1,527	133	2,149	122	126	19	5	70
1936	4,311	1,575	153	2,321	134	101	23	4	79
1937	4,687	1,884	134	2,345	163	132	22	7	121
1938	4,599	1,706	123	2,474	165	109	18	4	81
1939	4,425	1,549	139	2,460	145	107	20	5	105
1940	4,502	1,488	137	2,531	179	133	29	5	93

Table 69

APPLICATIONS FOR DIVORCE: 1916 TO 1940.

YEARS OF APPLICATION.	Total.	GRANTED.		REFUSED.		DISMISSED.		CONTESTED.		NOT CONTESTED.	
		Num-ber.	Per cent.	Num-ber.	Per cent.	Num-ber.	Per cent.	Num-ber.	Per cent.	Num-ber.	Per cent.
1916 to 1940	105,312	89,859	85.3	561	.5	14,901	14.2	23,300	22.1	82,012	77.9
1916	2,789	2,301	82.5	23	.8	465	16.7	193	6.9	2,596	93.1
1917	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2
1923	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,508	87.7
1924	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1
1925	3,887	3,395	87.4	33	.8	459	11.8	923	23.7	2,964	76.3
1926	4,044	3,363	83.2	23	.6	658	16.2	919	22.7	3,125	77.3
1927	4,026	3,493	86.7	34	.8	499	12.5	1,044	26.0	2,982	74.0
1928	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934	4,238	3,645	86.0	1	—	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1
1936	4,895	4,311	88.1	43	.9	541	11.0	1,441	29.4	3,454	70.6
1937	5,216	4,687	89.9	7	.1	522	10.0	1,480	28.4	3,736	71.6
1938	5,214	4,599	88.2	6	.1	609	11.7	1,411	27.1	3,803	72.9
1939	4,711	4,425	94.1	4	.1	430	10.0	1,334	27.1	3,585	72.9
1940	4,966	4,502	90.7	2	—	462	9.3	1,345	27.1	3,621	72.9

¹ Less than one-tenth of one per cent.

Table 70

DIVORCES GRANTED CLASSIFIED BY STATUTORY CAUSE AND PARTY TO WHICH GRANTED: 1940.

STATUTORY CAUSE AND PARTY TO WHICH GRANTED	Total Number.	CASES CONTESTED.		CASES NOT CONTESTED.	
		Number	Per cent.	Number.	Per cent.
All Causes.	4,502	1,041	23.8	3,431	76.2
Husband	989	235	23.8	754	76.2
Wife	3,513	836	23.8	2,677	76.2
Desertion	1,488	198	13.3	1,290	86.7
Husband	547	85	15.5	462	84.5
Wife	941	113	12.0	828	88.0
Cruel and abusive treatment	2,531	773	30.5	1,758	69.5
Husband	326	115	35.3	211	64.7
Wife	2,205	658	29.8	1,547	70.2
Adultery	137	41	29.9	96	70.1
Husband	84	23	27.4	61	72.6
Wife	53	18	34.0	35	66.0
Intoxication	179	29	16.2	150	83.8
Husband	30	10	33.3	20	66.7
Wife	149	19	12.8	130	87.2
Non-support	133	23	17.3	110	82.7
Husband	—	—	—	—	—
Wife	133	23	17.3	110	82.7
Impotency	5	3	60.0	2	40.0
Husband	2	2	100.0	—	—
Wife	3	1	33.3	2	66.7
Imprisonment	29	4	13.8	25	86.2
Husband	—	—	—	—	—
Wife	29	4	13.8	25	86.2
Annulments	93	14	15.1	79	84.9
Husband	27	4	14.8	23	85.2
Wife	66	10	15.2	56	84.8

Table 71

FEEBLES FOR DIVORCE GRANTED AND NOT GRANTED, CONTESTED AND NOT CONTESTED, CLASSIFIED BY PARTY TO WHICH GRANTED: 1940.

PARTY TO WHICH GRANTED.	TOTAL.		GRANTED.		REFUSED.		DISMISSED.	
	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.
Total.	1,345	3,621	1,071	3,431	2	—	272	190
Husband	400	817	235	754	2	—	163	63
Wife	945	2,804	836	2,677	—	—	109	127

Table 72 YEARS OF APPLICATION.	NUMBER OF YEARS LIBELLANTS WERE MARRIED AT TIME OF APPLICATION FOR DIVORCE: 1916 TO 1940.								
	Total. ¹	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Aver- age.
1916	2,789	20	32	548	917	887	316	69	10.6
1917	3,220	13	49	585	1,026	1,079	375	93	10.9
1918	3,077	26	41	567	937	1,035	382	89	11.1
1919	3,117	35	37	551	925	1,104	374	91	10.9
1920	4,373	43	48	939	1,370	1,431	430	112	10.7
1921	4,555	39	79	968	1,392	1,425	511	141	10.9
1922	3,727	40	57	841	1,073	1,190	405	121	10.9
1923	4,116	45	80	1,027	1,166	1,276	418	102	10.4
1924	4,286	41	71	990	1,287	1,351	456	90	10.6
1925	3,883	45	72	919	1,181	1,154	391	121	10.7
1926	4,044	44	67	979	1,225	1,195	430	104	10.6
1927	4,026	41	63	900	1,305	1,213	402	99	10.7
1928	4,180	40	79	975	1,371	1,232	385	98	10.2
1929	5,028	56	86	1,139	1,531	1,549	509	153	10.7
1930	4,560	55	75	1,070	1,403	1,346	493	116	10.6
1931	4,301	51	78	1,026	1,270	1,313	444	119	10.6
1932	4,094	43	76	941	1,214	1,306	433	81	10.5
1933	3,731	25	66	881	1,162	1,135	383	79	10.4
1934	4,238	32	74	960	1,280	1,336	456	100	10.6
1935	4,726	52	81	1,054	1,436	1,517	478	108	10.6
1936	4,892	49	83	1,045	1,473	1,615	493	134	10.7
1937	5,216	39	92	1,113	1,528	1,758	546	140	10.7
1938	5,214	64	98	1,205	1,529	1,636	529	152	10.6
1939	4,918	47	101	1,180	1,398	1,509	558	125	10.7
1940	4,966	47	75	1,223	1,344	1,549	589	139	10.8

¹ Exclusive of those for which duration of marriage was unknown.

PART II. D.

POPULATION STATISTICS

	PAGE
Introductory	265
Estimated population	265
Statistical table	266

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1940 in this report are based on the Federal census taken as of April 1, 1940.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,350,910 at the State census of 1935 (January 1), and of 4,249,614 at the Federal census of 1930 (April 1). The increase during the intercensal period (57 months) was 101,296, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4,350,910 - 4,249,614}{57} = 1,777$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for June 30, 1939, is estimated by adding to the population as it existed at the preceding census (January 1, 1935), 1,777 for each month intervening between the date of enumeration and the date for which the estimate is desired (June 30, 1939). There being 54 months between these dates, the calculation would be

$$4,350,910 + (54 \times 1,777) = 4,446,868.$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1940 is shown on page 266.

CENSUS POPULATION OF MUNICIPALITIES HAVING OVER
15,000 INHABITANTS IN 1910: 1915 TO 1940.

Table 73

MUNICIPALITIES.	April 1, 1940.	January 1, 1935.	April 1, 1930.	March 31, 1925.	January 1, 1920.	April 1, 1915.
The State.	4,316,721	4,350,910	4,249,614	4,144,205	3,852,356	3,693,310
CITIES OVER 100,000.						
Boston	770,816	817,713	781,188	779,620	748,060	745,439
Worcester	193,691	190,171	195,311	190,757	179,754	162,697
Springfield	119,551	119,642	119,900	112,065	129,614	102,971
Fall River	115,128	117,111	115,271	128,993	120,485	124,791
Cambridge	110,879	118,075	113,613	119,669	109,694	108,822
New Bedford	110,341	110,022	112,597	119,539	121,217	109,568
Somerville	102,177	100,773	103,908	99,032	93,091	86,854
Lowell	101,389	100,111	100,234	110,296	112,759	107,978
50,000 to 100,000.						
Lynn	98,123	100,909	102,320	103,081	99,148	95,803
Lawrence	84,323	86,785	85,068	93,527	94,270	90,259
Quincy	75,810	76,909	71,983	60,055	47,876	40,674
Newton	69,873	66,144	65,276	53,003	46,054	43,113
Melford	63,083	61,444	59,714	47,627	39,038	30,509
Brockton	62,343	62,407	63,797	65,343	66,254	62,288
Malden	58,010	57,277	58,036	51,789	49,103	48,907
Holyoke	53,750	56,139	56,537	60,335	60,203	60,816
25,000 to 50,000.						
Brookline (town)	49,786	50,319	47,490	42,681	37,748	33,490
Pittsfield	49,684	47,516	49,677	46,877	41,763	39,607
Everett	46,784	47,228	48,424	42,072	40,120	37,718
Haverhill	46,752	49,516	48,710	49,232	53,884	49,450
Fitchburg	41,824	41,700	40,692	43,609	41,029	39,656
Chicopee	41,664	41,952	43,930	41,882	36,214	30,138
Chelsea	41,259	42,673	45,816	47,247	43,184	43,426
Salem	41,213	43,472	43,353	42,821	42,529	37,200
Waltham	40,020	40,557	39,247	34,746	30,915	30,154
Arlington (town)	40,013	38,539	36,094	24,943	18,665	14,889
Taunton	37,395	37,431	37,355	39,255	37,137	36,161
Watertown (town)	35,427	35,827	34,913	25,480	21,457	16,515
Revere	34,405	35,319	35,680	33,261	28,823	25,178
Belmont (town)	26,867	24,831	21,748	15,256	10,749	8,081
Beverly	25,337	25,871	25,086	22,685	22,561	22,959
Melrose	25,333	24,256	23,170	20,165	18,204	16,880
15,000 to 25,000.						
Northampton	24,794	24,525	24,381	24,145	21,951	21,654
Gloucester	24,046	24,164	24,204	23,375	22,947	24,478
Weymouth (town)	23,868	21,748	20,882	17,253	15,057	13,969
Framingham (town)	23,214	22,651	22,210	21,078	17,033	15,860
Leominster	22,226	21,894	21,810	22,120	19,744	17,646
North Adams	22,213	22,085	21,621	22,717	22,282	22,035
Attleboro	22,071	21,835	21,769	20,623	19,731	18,480
Methuen (town)	21,880	21,073	21,069	20,606	15,189	14,007
Peabody	21,711	22,082	21,345	19,870	19,552	18,625
Gardner	20,206	20,397	19,399	18,730	16,971	16,376
Woburn	19,751	19,695	19,434	18,370	16,574	16,410
Westfield	18,793	18,788	19,775	19,342	18,604	18,411
Milton (town)	18,708	18,147	16,434	12,861	9,382	8,600
West Springfield (town)	17,135	17,118	16,684	15,326	13,443	11,339
Southbridge (town)	16,825	15,786	14,264	15,489	14,245	14,217
Winthrop (town)	16,768	17,001	16,852	16,158	15,455	12,758
Braintree (town)	16,378	17,122	15,712	13,193	10,580	9,343
Wakefield (town)	16,223	16,494	16,318	15,611	13,025	12,781
Greenfield (town)	15,672	15,903	15,500	15,246	15,462	12,618
Dedham (town)	15,508	15,371	15,136	13,918	10,792	11,043
Milford (town)	15,388	15,008	14,741	14,781	13,471	13,684
Norwood (town)	15,383	15,374	15,049	14,151	12,627	10,977
Marblehead	15,154	15,781	15,587	16,236	15,028	15,250
Wellesley (town)	15,127	13,376	11,439	9,049	6,224	6,439
Winchester (town)	15,081	15,371	12,719	11,565	10,485	10,005

APPENDIX

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH

1. DETAILED INTERNATIONAL LIST
2. ABRIDGED INTERNATIONAL LIST

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death, these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this, the title "Other infectious and parasitic diseases" of the detailed list (title No. 44) includes only such epidemic maladies as are not classified separately in titles 1 to 44 of that list; but "Other infectious and parasitic diseases" of the abridged list includes titles 4, 5, 6, 7, 11, 12, 23, 24, 25, 26, 27, 29, 31, 32, 36, 37, 38, 40, 41, 42, 43, and 44 of the detailed list.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List:—

1. DETAILED INTERNATIONAL LIST.

I. INFECTIOUS AND PARASITIC DISEASES.	I. INFECTIOUS AND PARASITIC DISEASES.— <i>Cont.</i>
1. Typhoid fever.*	(b) Without mention of occupational disease of the lungs.
2. Paratyphoid fever.*	(c) Tuberculosis of unspecified site.
3. Plague.*	14. Tuberculosis of the meninges and central nervous system. ¹
4. Cholera.	15. Tuberculosis of the intestines and peritoneum. ⁵
5. Undulant fever (brucellosis).	16. Tuberculosis of the vertebral column.*
6. Cerebrospinal (meningococcus) meningitis.	17. Tuberculosis of the bones and joints (except vertebral column). ⁶
7. Anthrax (infection by bacillus anthracis). ²	(a) Bones.
8. Scarlet fever.*	(b) Joints.
9. Whooping cough.*	18. Tuberculosis of the skin and subcutaneous cellular tissue. ⁶
10. Diphtheria (infection by <i>C. diphtheriae</i>). ⁴	19. Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric, and retroperitoneal lymph nodes). ⁶
11. Erysipelas.*	20. Tuberculosis of the genito-urinary system. ⁶
12. Tetanus. ³	
13. Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes).*	
(a) With mention of occupational disease of the lungs.	

¹ The second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the fourth revision number 214, compared with 179 in the first, 189 in the second, and 205 in the third classification. The fifth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1938.

² Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; i.e., the *bacillus anthracis*.

³ A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

⁴ A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

⁵ An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

⁶ Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

DETAILED INTERNATIONAL LIST — *Continued.*

I. INFECTIOUS AND PARASITIC DISEASES.

—*Cont.*

21. Tuberculosis of other organs.¹
 - (a) Tuberculosis of the adrenal glands.
 - (b) Tuberculosis of other organs.
22. Disseminated tuberculosis.*
 - (a) Acute (generalized) miliary tuberculosis.
 - (b) Other and unspecified generalized tuberculosis.
23. Leprosy.*
24. Septicemia and purulent infection (non-puerperal).
 - (a) Septicemia.
 - (b) Pyemia.
 - (c) Gas bacillus gangrene.
 - (d) Generalized bacillus coli infection.
25. Gonococcus infection.²
26. Other diseases due to bacteria (except dysentery).
 - (a) Tularemia.
 - (b) Other diseases due to bacteria.
27. Dysentery.³
 - (a) Bacillary.
 - (b) Amebic.
 - (c) Other and unspecified forms of dysentery.
28. Malaria.⁴
 - (a) Benign tertian malaria.
 - (b) Quartan malaria.
 - (c) Malignant tertian (estivoautumnal) malaria.
 - (d) Malaria (unspecified form).
29. Other diseases due to parasitic protozoa (except spirochetes).
30. Syphilis.⁵
 - (a) Locomotor ataxia (tabes dorsalis).*
 - (b) General paralysis of the insane.*
 - (c) Other syphilis of the central nervous system.
 - (d) Aneurysm of the aorta.
 - (e) Other syphilis of the circulatory system.
 - (f) Congenital syphilis.
 - (g) Other and unspecified forms of syphilis.
31. Relapsing fever.⁶
32. Other diseases due to spirochetes.
 - (a) Spirochetosis icterohaemorrhagica (Weil's disease).
 - (b) Other diseases due to spirochetes.
33. Influenza (grippe).
 - (a) With respiratory complications specified.
 - (b) Without respiratory complications specified.
34. Smallpox.*
35. Measles.*
36. Acute poliomyelitis and acute polioencephalitis.*
37. Acute infectious encephalitis (lethargic).
 - (a) Acute infectious encephalitis (lethargic).
 - (b) Sequelae of encephalitis lethargica.
 - (c) Encephalitis lethargica unqualified.
 - (d) Equine encephalomyelitis.

I. INFECTIOUS AND PARASITIC DISEASES.

—*Cont.*

38. Other diseases due to filtrable viruses.
 - (a) Yellow fever.*
 - (b) Rabies.⁷
 - (c) Herpes zoster.*
 - (d) German measles.
 - (e) Chickenpox.
 - (f) Other diseases ascribed to viruses.
 39. Typhus fever and typhus-like diseases (due to Rickettsia).⁸
 - (a) Exanthematic typhus (epidemic form).
 - (b) Endemic typhus fever.
 - (c) Rocky Mountain spotted fever.
 - (d) Other typhus-like diseases.
 40. Ankylostomiasis.⁹
 41. Hydatid disease.
 42. Other diseases caused by helminths.⁹
 43. Mycoses.¹⁰
 44. Other infectious and parasitic (communicable) diseases.
 - (a) Venereal diseases (except gonorrhea and syphilis).
 - (b) Lymphogranulomatosis (Hodgkin's disease).
 - (c) Mumps.
 - (d) Other infectious and parasitic (communicable) diseases.
- II. CANCERS AND OTHER TUMORS.
45. Cancer of the buccal cavity and pharynx.*
 - (a) Lip.
 - (b) Tongue.
 - (c) Mouth.
 - (d) Jaw bone.
 - (e) Unspecified parts of the buccal cavity.
 - (f) Pharynx.
 46. Cancer of the digestive organs and peritoneum.¹
 - (a) Esophagus.
 - (b) Stomach.
 - (c) Duodenum.
 - (d) Rectum and anus.
 - (e) Intestines (except duodenum and rectum).
 - (f) Liver and biliary passages.
 - (g) Pancreas.
 - (h) Mesentery and peritoneum.
 - (m) Other and unspecified sites.
 47. Cancer of the respiratory system.¹
 - (a) Larynx.
 - (b) Trachea.
 - (c) Bronchus.
 - (d) Lung.
 - (e) Pleura.
 - (f) Mediastinum and unspecified sites.
 48. Cancer of the uterus.¹¹
 - (a) Cervix.
 - (b) Other and unspecified sites.
 49. Cancer of other female genital organs.¹¹
 - (a) Ovary.
 - (b) Fallopian tube and parametrium.
 - (c) Vagina.
 - (d) Vulva.
 - (e) Other and unspecified sites.

¹ Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

² An unreliable statement of cause of death, without autopsy, unless a gonococcal lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

³ Not a reliable statement of cause of death unless the specific cause of infection has been identified.

⁴ Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *Plasmodium malariae* was found in the blood before death or at autopsy.

⁵ Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

⁶ This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum* (*Spirochaeta*) *obermeieri*, before death.

⁷ Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

⁸ A reliable statement of cause of death, without autopsy, provided the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

⁹ A reliable statement of cause of death, without autopsy, only when the demonstration of the parasite or its ova in the tissues or discharges.

¹⁰ A reliable statement of cause of death, without autopsy, only when lesion is accessible in direct examination, or the etiological factor has been identified in the discharges before death.

¹¹ An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

DETAILED INTERNATIONAL LIST — *Continued.*II. CANCERS AND OTHER TUMORS.—*Cont.*

50. Cancer of the breast.*
51. Cancer of the male genital organs.¹
 - (a) Scrotum.
 - (b) Prostate.
 - (c) Testes.
 - (d) Penis.
 - (e) Other and unspecified sites.
52. Cancer of the urinary organs (male and female).¹
 - (a) Kidney.
 - (b) Bladder.
 - (c) Other and unspecified sites.
53. Cancer of the skin (except vulva and scrotum).*
54. Cancer of the brain and other parts of the central nervous system (including glioma, except when specified as benign).¹
 - (a) Glioma.
 - (b) Other and unspecified cancers of the brain and central nervous system.
55. Cancer of other and unspecified organs.¹
 - (a) Adrenal gland.
 - (b) Bone (except jaw bone and accessory sinuses).
 - (c) Thyroid gland.
 - (d) Nasal cavity and accessory sinuses.
 - (e) Other and unspecified organs.
56. Nonmalignant tumors (including dermoid cysts).*¹
 - (a) Ovary.
 - (b) Uterus.
 - (c) Other female genital organs.
 - (d) Brain and other parts of the central nervous system.
 - (e) Other and unspecified organs.
57. Tumors of unspecified nature.*¹
 - (a) Ovary.
 - (b) Uterus.
 - (c) Other female genital organs.
 - (d) Brain and other parts of the central nervous system.
 - (e) Other and unspecified organs.

III. RHEUMATISM, DISEASES OF NUTRITION AND OF THE ENDOCRINE GLANDS, OTHER GENERAL DISEASES, AND AVITAMINOSES.

58. Acute rheumatic fever.*
 - (a) Acute rheumatic pericarditis.
 - (b) Acute rheumatic endocarditis.
 - (c) Acute rheumatic myocarditis.
 - (d) Other acute rheumatic heart diseases.
 - (e) Other forms of acute rheumatic fever.
 - (f) Rheumatism (not specified as acute or chronic).
59. Chronic rheumatism and other rheumatic diseases.
 - (a) Rheumatoid arthritis.
 - (b) Other chronic articular rheumatism.
 - (c) Other and unspecified forms of chronic rheumatism.
60. Gout.
61. Diabetes mellitus.*
62. Diseases of the pituitary gland.
63. Diseases of the thyroid and parathyroid glands.
 - (a) Simple goiter.
 - (b) Exophthalmic goiter.
 - (c) Myxedema and cretinism.
 - (d) Other diseases of the thyroid glands.
 - (e) Diseases of the parathyroid glands.
64. Diseases of the thymus gland.

III. RHEUMATISM, DISEASES OF NUTRITION AND OF THE ENDOCRINE GLANDS, OTHER GENERAL DISEASES, AND AVITAMINOSES.—*Cont.*

65. Diseases of the adrenal glands (not specified as tuberculous).*
 - (a) Addison's disease (not specified as tuberculous).
 - (b) Other diseases of the adrenal glands.
66. Other general diseases.
 - (a) Osteomalacia.
 - (b) Other general diseases.
67. Scurvy.*
68. Beriberi.*
69. Pellagra (except alcoholic).*
70. Rickets.*
71. Other avitaminoses.

IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.

72. Hemorrhagic conditions.
 - (a) Primary purpuras.
 - (b) Hemophilia.
 - (c) Other hemorrhagic conditions.
73. Anemias (except splenic anemia).²
 - (a) Pernicious anemia.
 - (b) Other hyperchromic anemias.
 - (c) Hypochromic anemias.
 - (d) Other and unspecified anemias.
74. Leukemias and aleukemias.³
 - (a) Leukemias.
 - (b) Aleukemias.
75. Diseases of the spleen.
 - (a) Splenic anemia.
 - (b) Splenomegaly (of undetermined nature).
 - (c) Other diseases of the spleen.
76. Other diseases of the blood and blood-forming organs.
 - (a) Agranulocytosis.
 - (b) Erythrocytosis.
 - (c) Hemoglobinemia.
 - (d) Other diseases of the blood and blood-forming organs.

V. CHRONIC POISONING AND INTOXICATION.

77. Alcoholism (ethylishm).*
 - (a) Alcoholic pellagra.
 - (b) Other deficiency states associated with alcoholism.
 - (c) Acute alcoholism.
 - (d) Chronic alcoholism.
 - (e) Other and unspecified alcoholism.
78. Lead poisoning.⁴
 - (a) Specified as occupational.
 - (b) Not specified as occupational.
79. Chronic poisoning by other mineral or organic substances.⁵
 - (a) Specified as occupational.⁶
 - (b) Not specified as occupational.

VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.

80. Encephalitis (nonepidemic).
 - (a) Intracranial abscess.
 - (b) Other encephalitis (nonepidemic).
81. Meningitis (not due to meningococcus).
 - (a) Simple meningitis.
 - (b) Acute cerebrospinal meningitis (not due to meningococcus).
82. Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis).

¹ An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

² An unreliable statement of cause of death, without autopsy, unless an operation was performed.

³ Not a reliable statement of cause of death unless verified by confirmatory blood examination.

⁴ A reliable statement of cause of death, without autopsy, if there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

⁵ A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

⁶ A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

DETAILED INTERNATIONAL LIST — *Continued.*VI. DISEASES OF THE NERVOUS SYSTEM AND
SENSE ORGANS.—*Cont.*

83. Intracranial lesions of vascular origin.
 - (a) Cerebral hemorrhage or effusion (excluding birth injuries).
 - (b) Cerebral embolism and thrombosis.
 - (c) Cerebral softening.
 - (d) Hemiplegia and other paralysis of unspecified origin.
84. Mental diseases and deficiency (except general paralysis of the insane).
 - (a) Mental deficiency.
 - (b) Schizophrenia (dementia praecox).
 - (c) Manic-depressive psychosis.
 - (d) Other mental diseases.
85. Epilepsy.¹
86. Convulsions (under 5 years of age).
87. Other diseases of the nervous system.*
 - (a) Chorea.
 - (b) Neuritis (except rheumatic and alcoholic).
 - (c) Paralysis agitans (except result of encephalitis).
 - (d) Disseminated sclerosis.
 - (e) Other diseases of the nervous system.
88. Diseases of the organs of vision.*
89. Diseases of the ear and mastoid process.*
 - (a) Otitis and other diseases of the ear.
 - (b) Diseases of the mastoid process.

VII. DISEASES OF THE CIRCULATORY SYSTEM.

90. Pericarditis (except acute rheumatic).²
 - (a) Chronic rheumatic pericarditis.
 - (b) Other pericarditis.
91. Acute endocarditis (except rheumatic).*
 - (a) Bacterial endocarditis (acute, subacute, or unspecified).
 - (b) Other acute or subacute endocarditis.
 - (c) Endocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age).
92. Chronic affections of the valves and endocardium.*
 - (a) Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever).
 - (b) Diseases of the mitral valve (whether or not specified as rheumatic).
 - (c) Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic.
 - (d) Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic.
 - (e) Endocarditis (not specified as acute, chronic, or rheumatic, 45 years of age and over).
93. Diseases of the myocardium.*
 - (a) Acute myocarditis (except rheumatic).
 - (b) Myocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age).
 - (c) Chronic myocarditis and myocardial degeneration, specified as rheumatic.
 - (d) Chronic myocarditis and myocardial degeneration, not specified as rheumatic.
 - (e) Other myocarditis (not specified as acute, chronic, or rheumatic).
94. Diseases of the coronary arteries and angina pectoris.*
 - (a) Diseases of the coronary arteries.
 - (b) Angina pectoris.
95. Other diseases of the heart.*
 - (a) Functional diseases of the heart (without mention of organic lesion).
 - (b) Other diseases of the heart, specified as rheumatic.

VIII. DISEASES OF THE CIRCULATORY SYSTEM.
— *Cont.*

- (c) Other diseases of the heart, not specified as rheumatic.
96. Aneurysm (except of heart and aorta).
97. Arteriosclerosis (except coronary or renal sclerosis).
98. Gangrene.
99. Other diseases of the arteries.*
100. Diseases of the veins.³
 - (a) Varices.
 - (b) Other diseases of the veins.
101. Diseases of the lymphatic system.*
102. High blood pressure (idiopathic).
103. Other diseases of the circulatory system.*

VIII. DISEASES OF THE RESPIRATORY SYSTEM.

104. Diseases of the nasal fossae and accessory sinuses.*
 - (a) Diseases of the nasal fossae.
 - (b) Diseases of the accessory sinuses.
105. Diseases of the larynx.*
106. Bronchitis.
 - (a) Acute.
 - (b) Chronic.*
 - (c) Unspecified.
107. Bronchopneumonia (including capillary bronchitis).*
108. Lobar pneumonia.
109. Pneumonia unspecified.
110. Pleurisy (not specified as tuberculous).*
 - (a) Empyema.
 - (b) Other and unspecified forms of pleurisy.
111. Hemorrhagic infarction, thrombosis, edema, and chronic congestion of the lungs.⁴
 - (a) Hemorrhagic infarction and thrombosis of the lungs.
 - (b) Acute edema of the lungs.
 - (c) Chronic and unspecified congestion of the lungs.
112. Asthma.
113. Pulmonary emphysema.*
114. Other diseases of the respiratory system (except tuberculous).*
 - (a) Silicosis.
 - (b) Other and unspecified forms of pneumoconioses.
 - (c) Gangrene of lung.
 - (d) Abscess of lung.
 - (e) Other and unspecified diseases of the respiratory system.

IX. DISEASES OF THE DIGESTIVE SYSTEM.

115. Diseases of the buccal cavity, pharynx, tonsils and adnexa.*
 - (a) Diseases of the teeth and gums.
 - (b) Septic sore throat.
 - (c) Diseases of the pharynx and tonsils.
 - (d) Diseases of other and unspecified parts of the buccal cavity and adnexa.
116. Diseases of the esophagus.*
117. Ulcer of stomach or duodenum.
 - (a) Stomach.
 - (b) Duodenum.
118. Other diseases of the stomach (except cancer).
119. Diarrhea, enteritis, and ulceration of the intestines (under 2 years of age).*
 - (a) Diarrhea and enteritis.
 - (b) Ulceration of the intestines (except duodenum).
120. Diarrhea, enteritis, and ulceration of the intestines (2 years of age and over).
 - (a) Diarrhea and enteritis.
 - (b) Ulceration of the intestines (except duodenum).
121. Appendicitis.

¹ An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

² An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

³ A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

⁴ Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

DETAILED INTERNATIONAL LIST — *Continued.*IX. DISEASES OF THE DIGESTIVE SYSTEM.—*Cont.*

122. Hernia, intestinal obstruction.
 - (a) Hernia.¹
 - (b) Intestinal obstruction.²
123. Other diseases of the intestines.
124. Cirrhosis of the liver.*
 - (a) With mention of alcoholism.
 - (b) Without mention of alcoholism.
125. Other diseases of the liver.*
 - (a) Acute yellow atrophy of the liver (non-puerperal).
 - (b) Other diseases of the liver.
126. Biliary calculi.*
127. Other diseases of the gallbladder and biliary ducts.
 - (a) Cholecystitis (without mention of biliary calculus).
 - (b) Other diseases of the gallbladder and biliary ducts.
128. Diseases of the pancreas (except diabetes mellitus).
129. Peritonitis (cause not stated).

X. DISEASES OF THE GENITOURINARY SYSTEM.

130. Acute nephritis.
131. Chronic nephritis.*
 - (a) Arteriosclerotic kidney.
 - (b) Other chronic nephritis.
132. Nephritis unspecified (10 years of age and over).*
133. Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth, or puerperium).
 - (a) Pyelitis, pyelonephritis, and pyelocystitis.
 - (b) Other diseases of the kidneys and ureters.
134. Calculi of the urinary passages.*
 - (a) Kidneys and ureters.
 - (b) Bladder.
 - (c) Other and unspecified parts of the urinary passages.
135. Diseases of the urinary bladder.*
 - (a) Cystitis.
 - (b) Other diseases of the bladder.
136. Diseases of the urethra (except calculus).*
 - (a) Stricture of the urethra.
 - (b) Others under this title.
137. Diseases of the prostate.*
 - (a) Hypertrophy of the prostate.
 - (b) Other diseases of the prostate.
138. Diseases of other male genital organs (not specified as venereal).*
139. Diseases of the female genital organs.*
 - (a) Ovaries, fallopian tubes, and parametria.
 - (b) Uterus.
 - (c) Other and unspecified female genital organs.

XI. DISEASES OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

140. Abortion with mention of infection.*
Abortion (spontaneous, therapeutic, or of unspecified origin):
 - (a) With mention of pyelitis.
 - (b) With mention of other infection.
 Abortion (induced for reasons other than therapeutic):
 - (c) Self-induced abortion with mention of infection.
 - (d) Abortion induced for nontherapeutic reasons by persons other than the woman herself with mention of infection.
141. Abortion without mention of infection.*
Abortion (spontaneous, therapeutic, or of unspecified origin):
 - (a) With mention of hemorrhage, trauma or shock, and toxemia.

XI. DISEASES OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.—*Cont.*

- (b) With mention of hemorrhage, trauma or shock (but not toxemia).
 - (c) With mention of toxemia (but not hemorrhage, trauma or shock).
 - (d) Without mention of hemorrhage, trauma or shock, or toxemia.
- Abortion (induced for reasons other than therapeutic):
- (e) Self-induced abortion.
 - (f) Abortion induced for nontherapeutic reasons by persons other than the woman herself.
142. Ectopic gestation.*
 - (a) With mention of infection.
 - (b) Without mention of infection.
143. Hemorrhage of pregnancy (death before delivery).*
 - (a) Placenta previa.
 - (b) Premature separation of placenta.
 - (c) Other and unspecified hemorrhage of pregnancy.
144. Toxemia of pregnancy (death before delivery).*
 - (a) Eclampsia of pregnancy.
 - (b) Albuminuria and nephritis of pregnancy.
 - (c) Acute yellow atrophy of liver (during pregnancy).
 - (d) Other toxemias of pregnancy.
145. Other diseases and accidents of pregnancy (death before delivery).*
146. Hemorrhage of childbirth and puerperium.*
 - (a) Placenta previa (with childbirth).
 - (b) Premature separation of placenta (with childbirth).
 - (c) Other and unspecified hemorrhages of childbirth and puerperium.
147. Infection during childbirth and puerperium.*
 - (a) Puerperal pyelitis and pyelonephritis.
 - (b) General or local puerperal infection (except pyelitis).
 - (c) Puerperal thrombophlebitis.
 - (d) Puerperal embolism and sudden death.
148. Puerperal toxemias (excluding death before delivery).*
 - (a) Puerperal eclampsia.
 - (b) Puerperal albuminuria and nephritis.
 - (c) Acute yellow atrophy of the liver (puerperal).
 - (d) Other puerperal toxemias.
149. Other accidents and specified conditions of childbirth.*
 - (a) Laceration, rupture, or other trauma of pelvic organs and tissue.
 - (b) Other specified conditions of childbirth.
150. Other and unspecified conditions of childbirth and the puerperium.*
 - (a) Infection of breast during lactation.
 - (b) Psychosis of puerperium.
 - (c) Other and unspecified conditions of childbirth and the puerperium.

XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.

151. Carbuncle, furuncle.³
152. Phlegmon, acute abscess.³
153. Other diseases of the skin and cellular tissue.*

XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.

154. Osteomyelitis and periostitis.*
 - (a) Acute.
 - (b) Chronic or unspecified.
155. Other diseases of the bones (except tuberculosis).*
156. Diseases of the joints and other organs of movement.*
 - (a) Diseases of the joints (except tuberculosis and rheumatism).
 - (b) Diseases of other and unspecified organs of movement.

¹ A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

² An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

³ A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site and nature of the original infection.

DETAILED INTERNATIONAL LIST — *Continued.*

XIV. CONGENITAL MALFORMATIONS.

157. Congenital malformations (stillbirths not included).*
- Congenital malformations of the central nervous system:
- (a) Congenital hydrocephalus.
 - (b) Spina bifida and meningocele.
 - (c) Anencephalus.
 - (d) Other congenital malformations of the central nervous system.
- Congenital malformations of the cardiovascular system:
- (e) Congenital malformations of the heart.
 - (f) Other congenital malformations of the cardiovascular system.
- Other congenital malformations:
- (g) Congenital malformations of the digestive system.
 - (h) Congenital malformations of the genitourinary system.
 - (m) Other and unspecified congenital malformations.

XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE.

158. Congenital debility (cause not stated).
159. Premature birth (cause not stated).*
160. Injury at birth.*
- (a) Intracranial or spinal hemorrhage.
 - (b) Other intracranial or spinal injuries.
 - (c) Other injuries at birth.
161. Other diseases peculiar to the first year of life.
- (a) Asphyxia (cause not specified), atelectasis.
 - (b) Infection of the umbilicus; pemphigus and other infections (nonsyphilitic).
 - (c) Other specified diseases peculiar to the first year of life.

XVI. SENILITY.

162. Senility.
- (a) Senility with mention of senile dementia.
 - (b) Senility without mention of senile dementia.

XVII. VIOLENT OR ACCIDENTAL DEATHS.

163. Suicide by solid or liquid poisons or by poisonous gases.¹
- (a) Arsenic and compounds.
 - (b) Barbituric acid and derivatives.
 - (c) Cresol compounds.
 - (d) Mercury and compounds.
 - (e) Nux vomica and strychnine.
 - (f) Carbolic acid and phenol.
 - (g) Other solid or liquid poisons.
 - (h) Illuminating gas.
 - (m) Motor-vehicle exhaust gas.
 - (n) Other carbon monoxide gas.
 - (z) Other poisonous gases.
164. Suicide by other means.
- (a) Suicide by hanging or strangulation.*
 - (b) Suicide by drowning.*
 - (c) Suicide by firearms and explosives.*
 - (d) Suicide by cutting or piercing instruments.*
 - (e) Suicide by jumping from high places.*
 - (f) Suicide by crushing.*
 - (g) Suicide by other or unspecified means.*
165. Infanticide (homicide of infants under 1 year of age).*
166. Homicide by firearms.*
167. Homicide by cutting or piercing instruments.*
168. Homicide by other means.*
169. Railway accidents (except collisions with motor vehicles).*
170. Motor-vehicle accidents.*
- (a) Collisions between automobiles and trains.*
 - (b) Collisions between automobiles and streetcars.*
 - (c) Automobile accidents (except collisions with trains or streetcars).*
 - (d) Motorcycle accidents (except collisions with automobiles).*

XVII. VIOLENT OR ACCIDENTAL DEATHS.

— *Cont.*

171. Streetcar and other road-transport accidents.*
- (a) Streetcar accidents (except collisions with trains or motor vehicles).
 - (b) Other and unspecified road-transport accidents.
172. Water-transport accidents.*
173. Air-transport accidents.*
174. Accidents in mines and quarries.*
175. Agricultural and forestry accidents.*
- (a) Accidents involving agricultural machinery and vehicles.
 - (b) Injury by animals in agriculture.
 - (c) Other agricultural accidents.
 - (d) Accidents involving forestry machinery and vehicles.
 - (e) Other forestry accidents.
176. Other accidents involving machinery.*
177. Food poisoning.²
178. Accidental absorption of poisonous gas.
- (a) Illuminating gas.
 - (b) Motor-vehicle exhaust gas.
 - (c) Other carbon monoxide gas.
 - (x) Other poisonous gases.
179. Acute accidental poisoning by solids or liquids.
- (a) Arsenic and compounds.
 - (b) Barbituric acid and derivatives.
 - (c) Cresol compounds.
 - (d) Mercury and compounds.
 - (e) Nux vomica and strychnine.
 - (f) Carbolic acid and phenol.
 - (g) Lye and potash.
 - (h) Tobacco and derivatives.
 - (m) Narcotics.
 - (o) Methanol and other alcohols.
 - (x) Other and unspecified substances.
180. Conflagration.*
181. Accidental burns (except due to conflagration).*
182. Accidental mechanical suffocation.*
183. Accidental drowning.*
184. Accidental injury by firearms.
185. Accidental injury by cutting of piercing instruments.³
186. Accidental injury by fall or crushing.*
- (a) Fall.
 - (b) Crushing.
187. Cataclysm (all deaths attributed to a cataclysm regardless of their nature).
188. Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations).*
189. Hunger or thirst.*
190. Excessive cold.*
191. Excessive heat.*
192. Lightning.*
193. Accidents due to electric currents (except lightning).
194. Poisoning by venomous animals (not specified as occurring in the course of agricultural and forestry operations).*
195. Other accidents.
- (a) Sequelae of preventive immunization, inoculation, or vaccination.
 - (b) Other accidents due to medical or surgical intervention.
 - (c) Lack of care of the new-born.
 - (d) Obstruction, suffocation, or puncture by ingested objects.
 - (e) Other and unspecified accidents.
196. Deaths of military personnel during operations of war.
197. Deaths of civilians due to operations of war.
198. Legal executions.*

XVIII. ILL-DEFINED AND UNKNOWN CAUSES.

199. Sudden death.
200. Ill-defined or unknown causes.
- (a) Ill-defined.
 - (b) Found dead (cause unknown).
 - (c) Unknown or unspecified cause.

¹ A reliable statement of cause of death, without autopsy, if the character of the solid, liquid or gas is specified.

² An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.

³ An unreliable statement of cause of death without supporting data, such as site and extent of injury.

2. ABRIDGED INTERNATIONAL LIST.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged
Int. List
Number.

CAUSE OF DEATH.

1. Typhoid and paratyphoid fevers (1, 2).*
2. Plague (3).*
3. Scarlet fever (8).*
4. Whooping cough (9).*
5. Diphtheria (10).*
6. Tuberculosis of the respiratory system (13).*
7. All other forms of tuberculosis (14, 15, 16, 17, 18, 19, 20, 21, 22).
8. Malaria (28).
9. Syphilis (30).
10. Influenza (33).
11. Smallpox (34).*
12. Measles (35).*
13. Typhus fever (39).*
14. Other infectious or parasitic diseases (4, 5, 6, 7, 11, 12, 23, 24, 25, 26, 27, 29, 31, 32, 36, 37, 38, 40, 41, 42, 43, 44).
15. Cancer and other malignant tumors (45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55).
16. Non-malignant tumors or tumors of unspecified nature (56, 57).*
17. Chronic rheumatism and gout (59, 60).
18. Diabetes mellitus (61).
19. Chronic or acute alcoholism (77).
20. Avitaminosis, other general diseases, diseases of the blood, and chronic poisonings (58, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 78, 79).
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82).
22. Intracranial lesions of vascular origin (83).
23. Other diseases of the nervous system and sense organs (80, 84, 85, 86, 87, 88, 89).
24. Diseases of the heart (90, 91, 92, 93, 94, 95).*
25. Other diseases of the circulatory system (96, 97, 98, 99, 100, 101, 102, 103).
26. Bronchitis (106).
27. Pneumonia and bronchopneumonia (107, 108, 109).
28. Other diseases of the respiratory system (104, 105, 110, 111, 112, 113, 114).
29. Diarrhea and enteritis (119, 120).
30. Appendicitis (121).
31. Diseases of the liver and biliary passages (124, 125, 126, 127).
32. Other diseases of the digestive system (115, 116, 117, 118, 122, 123, 128, 129).
33. Nephritis (130, 131, 132).
34. Other diseases of the urinary and genital systems (133, 134, 135, 136, 137, 138, 139).
35. Puerperal infection (140, 147).*
36. Other diseases of pregnancy, childbirth, and the puerperium (141, 142, 143, 144, 145, 146, 148, 149, 150).*
37. Diseases of the skin, cellular tissue, bones, and organs of movement (151, 152, 153, 154, 155, 156).
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157, 158, 159, 160, 161).
39. Senility, old age (162).
40. Suicide (163, 164).*
41. Homicide (165, 166, 167, 168).*
42. Automobile accidents (all motor-driven road vehicles) (170).*
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198).
44. Causes of death ill-defined, unknown, or unspecified (199, 200).

BOSTON PUBLIC LIBRARY



3 9999 06351 655 1

